INDEX TO VOLUME 11

AUTHOR INDEX

ADAMS, J. E., *see* BENTINCK, R. C., 750†
ADAMS, W. S., *see* LEVIN, M. H., 375*
ADLERSBERG, D.; DRACHMAN, S. R., and SCHAEFER, L. E.: Further studies on hormonal control of serum lipid partition, 795†
——; SCHAEFER, L. E., and DRACHMAN, S. R.: Studies on hormonal control of serum lipid partition in man, 67*
ALBERT, A.: The effect of hypophysectomy on intrathyroidal and extrathyroidal metabolism of I^{131}, 762†
——, and BERKSON, J.: A clinical bio-assay for chorionic gonadotropin, 805*
——, and KEATING, F. R., JR.: Metabolic studies with I^{131} labeled thyroid compounds: distribution and excretion of radiodiiodotyrosine in human beings, 996*
ALBRIGHT, F., *see* BARTTER, F. C., 768†
——, *see* FORBES, A., 749†, 926*
——, *see* KUPPERMAN, H. S., 774†
ALLEN, H. C., JR.; LIBBY, R. L., and CASSEN, B.: The scintillation counter in clinical studies of human thyroid physiology using I^{131}, 492*
ALLEN, L. H., *see* NIEBURGS, H. E., 786†
ALLEN, M. J., *see* HERTZ, R., 747†
ALPERT, L. K., *see* ZIMMERMAN, H. J., 728*
ANDINO, A. M. DE, JR., and RIVERO-FONTAN, J. L.: Effect of oral and intrasplenic administration of cortisone, 799†
ARRILLAGA, F. C., *see* BALZE, F. A. DE LA, 767†, 777†
ASTWOOD, E. B.: The use of antithyroid drugs during pregnancy, 1045*
AYRE, W. B.: The glycogen-estrogen relationship in the vaginal tract, 103*

BAER, L. S., *see* RUMMELL, P. M., 872*
BALZE, F. A. DE LA; ARRILLAGA, F. C.; IRAZU, J., and MANCINI, R. E.: Klinefelter syndrome: a study of five cases. Histophysiologic basis for pathogenic interpretation, 767†
——; MANCINI, R. E.; SCARPA, C. J., and ARRILLAGA, F. C.: Inhibition of the adrenalinic eosinopenia due to thiouracil administration in hyperthyroid and normal human subjects, 777†
BARFIELD, W. E., *see* GREENBLATT, R. B., 767†, 821*
BARKER, O. B.; COMMONS, R. R., and SHELTON, E. K.: Sex-linked juvenile diabetes mellitus. A genetic and clinical study of a family, 608*
BARTELS, E. C., and SJOGREN, R. W.: 1-Methyl-2-mercaptoimidazole; a new active antithyroid agent, 1057*
BARTLETT, W., JR.: Recurrent and persistent hyperthyroidism, 1179*
BARTTER, F. C.; SNIFFEN, R.; SIMMONS, F., and ALBRIGHT, F.: Therapy of eunuchoidism with chorionic gonadotropin: aqueous solution compared with an oil and beeswax suspension, 768†
BASSETT, S. H., *see* LEVIN, M. H., 375*
BATES, R. W., *see* COHEN, H., 764†
BATTS, A. A., and BENNETT, L. L.: Effect of hypophyseal growth hormone (GH) on the thiocyanate space and muscle electrolytes, 753†
BAUER, F. K., and GOODWIN, W. E.: (Letter to the Editor) Acne and gynecomastia following I^{131} therapy for hyperthyroidism, 1574*
BAUMEISTER, C., *see* SEED, L., 1143*
BAXTER, P., *see* BOLING, L., 799†
BEAHRS, O. H.; PEMBERTON, J. DEJ., and BLACK, B. M.: Nodular goiter and malignant lesions of the thyroid gland, 1157*
BECK, E., *see* CLARK, L. C., JR., 84*
BECK, W. S., *see* LEVIN, M. H., 375*
BECKER, D. V.; RALL, J. E., and PEACOCK, W. C.: A comparison of the effect of thyrotropin on iodine metabolism in euthyroid and hyperthyroid humans, 761†
——, *see* ROBBINS, J., 759†
BECKETT, S., *see* LAMBERT, E. H., 1186*
BEIERWALTES, W. H.: Irradiation of the pituitary in the treatment of malignant exophthalmos, 512*
BENNETT, B. A., *see* JUNGCK, E. C., 787†

* Original article.

† Abstract of paper presented at the Thirty-Third Annual Meeting of the Association for the Study of Internal Secretions.

BENNETT, L. L., *see* BATTS, A. A., 753†
——, *see* ESCAMILLA, R. F., 221*
——, *see* LIDDLE, G. W., 797†
BENTINCK, R. C.; GORDAN, G. S.; ADAMS, J. E., and LEAKE, T. B.: Steroidal control of cerebral metabolism in man, 750†
BERGNER, G. E., and EISENSTEIN, A. B.: Addison's disease in the Negro, 322*
BERKSON, J., *see* ALBERT, A., 805*
BERNSTEIN, A., *see* KUPPERMAN, H. S., 774*
BEST, W. R., *see* HIOCO, D., 395*
BLACK, B. M., *see* BEAHRS, O. H., 1157*
BLACK, M. M., *see* ZWEIFACH, B. W., 770†
BLACKBURN, C. M.; KEATING, F. R., JR., and HAINES, S. F.: Radioiodine tracer studies in thiocyanate myxedema, 1503*
BLISS, E. L.; RUBIN, S.; GILBERT, T., and MILLER, R.: The effect of adrenalin on adrenal cortical function, 46*
BLOHM, R. W., JR., and WURL, O. A.: Refractoriness to antitetanic therapy: occurrence in a case of surgical hypoparathyroidism, 783†
BOAS, N., and REINER, M.: (Letter to the Editor) Effect of ACTH and cortisone on serum hexosamine and gammaglobulin levels in acute disseminated lupus erythematosus, 890*
——, and SOFFER, L. J.: The effect of adrenocorticotropic hormone and cortisone on the serum hexosamine level in acute disseminated lupus erythematosus, 39*
BOLING, L.; NEWKIRK, J.; BAXTER, P.; MARGEN, S., and KINSELL, L.: The use of ACTH and cortisone in the management of acute abdominal emergencies, 799†
——, *see* KINSELL, L. W., 773†, 1030*
BONDY, P. K.: (Letter to the Editor) Effect of iodothiouracil on the serum protein-bound iodine, 1406*
BONGIOVANNI, A. M., and EISENMENGER, W. J.: Adrenal cortical metabolism in chronic liver disease, 152*
BONNER, C. D., *see* FISHMAN, W. H., 1425*
BOTTOMY, J. R., *see* KUPPERMAN, H. S., 788†
BRADBURY, J. T., and BROWN, W. E.: Secretory and decidual changes induced in the endometrium of oophorectomized women by administration of estrogen and progesterone, 267*
——, *see* LONG, R. C., 134*
BREWER, T. F.: The effect of steroid hormones in rheumatic heart disease, 146*
BROUGHTON, M. C., *see* FALOON, W. W., 173*
BROWN, H., *see* WEST, C. D., 833*, 897*
BROWN, N. H., and GREENBLATT, R. B.: Evaluation of the responsiveness to prolonged ACTH dosage of a patient with panhypopituitarism, 755†
BROWN, R. W., and SAYERS, G.: Effect of prolactin on phosphorus metabolism of pigeon crop-sac: applicability to bioassay of prolactin, 748†
BROWN, W. E., *see* BRADBURY, J. T., 267*
——, *see* JUNGCK, E. C., 787†
BROWNELL, G. L.: Analysis of techniques for the determination of thyroid function with radioiodine, 1095*
——, *see* GOLDSMITH, R. E., 1079*, 1210
BRUNER, J. A.: Distribution of chorionic gonadotropin in mother and fetus at various stages of pregnancy, 360*
BRUSILOW, S., *see* GITMAN, L., 866*
BULLOCK, W. K., *see* CATZ, B., 763†
BURTON, R. B.; WATERHOUSE, C., and KEUTMANN, E. H.: Observations on the conversion of cortisone to other corticosteroids, 771†

CALLOWAY, N. O., *see* SHADAKSHARAPPA, K., 1383*
CAMPBELL, A. M., *see* TALBOT, N. B., 1224*
CANTAROW, A., *see* D'ANGELO, S. A., 761†, 1237*
——, *see* RUPP, J., 688*
CASSEN, B., *see* ALLEN, H. C., JR., 492*
CATZ, B.; BULLOCK, W. K., and STARR, P.: Pathologic characteristics of the thyroid gland prepared for surgery with iodothiouracil and other antithyroid drugs, 763†
——, PETIT, D. W., and STARR, P.: Therapeutic studies in hyperthyroidism: sodium 5-iodo-2-thiouracil, 978*
CHAPMAN, E. M., *see* MALOOF, F., 1296*
CHESKY, V. E.; DREESE, W. C., and HELLWIG, C. A.: Hürthle cell tumors of the thyroid gland: a report on 25 cases, 1535*
CHEVALLEY, J., and MCGAVACK, T. H.: Incapacitating masked hyperthyroidism successfully treated with the imidazoles, 782†
——, *see* MCGAVACK, T. H., 559*
——, *see* WEISSBERG, J., 766†
CHRISTO, E., *see* TALBOT, N. B., 1224*
——, *see* ZYGMUNTOWICZ, A. S., 578*
CLARK, D. E., *see* SHELINE, G. E., 91*
CLARK, L. C., JR.; BECK, E., and THOMPSON, H.: The excretion of acid phosphatase as a measure of prostatic development during pubescence, 84*
CLARK, S. L.; GREENBLATT, R. B., and WEST, R. M.: Inhibition of the gametokinetic response in male "Rana pipiens" with adrenolytic drugs, 752†
CLEGHORN, R. A., *see* GRAHAM, B. F., 1469*
COGGINS, W. J., *see* ENGEL, F. L., 753†
COHEN, H., and BATES, R. W.: Demonstra-

tion of a nonestrogenic, uterine stimulating and estrogen augmenting substance in urine from pregnant mares, 764†
COHN, G. M., *see* FINKLER, R. S., 780†
COLLIP, J. B.: Recipient of the 1951 Squibb Award, 1035
COMMONS, R. R., *see* BARKER, O. B., 608*
CONN, J. W., *see* FAJANS, S. S., 455*
CONN, W. M., *see* STIMMEL, B. F., 408*
COOK, L., *see* ENGSTROM, W. W., 416*
COOMBS, H. E., *see* HERROLD, E. A., 781†
COPE, O., *see* KUPPERMAN, H. S., 774†
COPPEDGE, R. L., and SEGALOFF, A.: Urinary prolactin excretion in man, 465*
CORCORAN, A. C.: (Letter to the Editor) Nomenclature in chemical adrenal steroid assays, 445*
——, *see* MASSON, G. M. C., 794†
CORDRAY, A. F., *see* DOHAN, F. C., 783†
COSTA, P. J., *see* ENGSTROM, W. W., 416*
CRAIG, J. W., *see* TAFT, H. P., 752†
CRIGLER, J. F., JR.; GARDNER, L.; MIGEON, C. J., and WILKINS, L.: The use of cortisone in the treatment of young infants with congenital adrenal hyperplasia and defective electrolyte regulation, 756†
——, *see* WILKINS, L., 1*
CRILE, G., JR., and HAZARD, J. B.: Classification of thyroiditis with special reference to the use of needle biopsy, 1123*
CRISPELL, K. R., *see* PARSON, W., 773†
CURTIS, G. M., *see* FERTMAN, M. B., 1361*
——, *see* RAPPORT, R. L., 1549*

DALTON, A. J., *see* MORRIS, H. P., 1211, 1284*
D'ANGELO, S. A.; PASCHKIS, K. E.; CANTAROW, A., and GORDON, A. S.: Blood thyroid and thyrotropic hormone levels in endocrinopathy, 761†
——; PASCHKIS, K. E.; GORDON, A. S., and CANTAROW, A.: Thyroid-thyrotropic hormone balance in the blood of normal and endocrinopathic individuals, 1237*
DANOWSKI, T. S.; HUFF, S. J.; WIRTH, P. M.; HILL, G. C.; GREEN, M. H., and FETTERMAN, G. H.: Protein-bound iodine in serum of rats receiving iodide or iodine with or without goitrogen, 1254*
DA SILVA, A. MARCONDES, *see* MARCONDES DA SILVA, A.
DAVID, M. M., *see* PERLMUTTER, M., 621*
DE ANDINO, A. M., JR., *see* ANDINO, A. M. DE, JR.
DEANE, H. W., and MASSON, G. M. C.: Adrenal cortical changes in rats with various types of experimental hypertension, 193*
DE LA BALZE, F. A., *see* BALZE, F. A. DE LA
DELAPLAINE, R. W., *see* KUPPERMAN, H. S., 788†
DE PAIVA, L. MILLER, *see* MILLER DE PAIVA, L.
DESPOPOULOS, A., *see* LEVY, L. M., 781†
——, *see* PERLOFF, W. H., 750†, 1495*
DE VISSCHER, M., *see* VISSCHER, M. DE
DE WATTEVILLE, H., *see* WATTEVILLE, H. DE
DOBYNS, B. M., and LENNON, B.: The growth and histologic changes of human thyroidal tumors transplanted into the anterior chamber of the eyes of guinea pigs, 1481*
——, and MALOOF, F.: The study and treatment of 119 cases of carcinoma of the thyroid with radioactive iodine, 1323*
DOHAN, F. C.; CORDRAY, A. F., and PALLADINO, V. S.: The antagonistic effect of various steroids to testosterone and estrone-induced changes in the castrate rodent, 783†
——, *see* ROSE, E., 798†
DORFF, G. B., and HUDSON, I. M.: Linear growth responses of boys to prolonged treatment with chorionic gonadotropin, 343*
DRACHMAN, S. R., *see* ADLERSBERG, D., 67*, 795†
DREESE, W. C., *see* CHESKY, V. E., 1535*
DRUCKER, W. R., *see* TAFT, H. P., 752†
DUBNIK-GREEN, C. S., *see* MORRIS, H. P., 1211, 1281*
DUFF, I. F., *see* WOLFSON, W. Q., 793†, 800†
DUFFY, B. J., JR., *see* TRUNNELL, J. B., 663*
DUMM, M. E., and RALLI, E. P.: Influence of growth-promoting factors on some liver constituents following partial hepatectomy in rats, 779†
DUNIHUE, F. W., *see* ROBERTSON, W. v. B., 784†
DUTOIT, C. H., *see* WYNGAARDEN, J. B., 1259*

EBBERT, A., JR., *see* PARSON, W., 773†
EDELMAN, I. S., and WILSON, D. L.: The effects of adrenocortical hormones on the distribution and kinetics of body water, 794†
EIMAN, J. W., *see* ROSE, E., 798†
EISENBERG, E., *see* GORDAN, G. S., 209*
EISENMENGER, W. J., *see* BONGIOVANNI, A. M., 152*
EISENSTEIN, A. B., and SHANK, R. E.: Relationship of ascorbic acid to adrenocortical function in guinea pigs, 791†
——, *see* BERGNER, G. E., 322*
——, *see* KIRK, J. E., 766†
ELIEL, L. P., and PEARSON, O. H.: The metabolic effects of adrenocorticotropic hormone (ACTH) in a patient with

Cushing's syndrome and acromegaly, 913*

ENGEL, F. L.; VIAU, A.; COGGINS, W. J., and LYNN, W.: Hyperglycemia and glycosuria in the forced-fed rat receiving ACTH and anterior pituitary growth hormone, 753†

ENGELBERG, H.: Variations in blood lipids and lipoproteins throughout the menstrual cycle, 767†

ENGLE, E. T., *see* JAILER, J. W., 186*

ENGSTROM, W. W., and MUNSON, P. L.: Studies on the metabolism of testosterone in normal women in different phases of the menstrual cycle, 427*

——; MUNSON, P. L.; COOK, L., and COSTA, P. J.: Studies on the conversion of testosterone to urinary 17-ketosteroids in normal human males and males with hepatic and other diseases, 416*

ESCAMILLA, R. F., and BENNETT, L.: Pituitary infantilism treated with purified growth hormone, thyroid, and sublingual methyltestosterone. A case report, 221*

FAGER, J., *see* MONEY, W. L., 747†, 973*

FAJANS, S. S.; LOUIS, L. H., and CONN, J. W.: Metabolic effects of ACTH upon pre-existing diabetes mellitus, 455*

FALOON, W. W.; OWENS, L. A.; BROUGHTON, M. C., and GORHAM, L. W.: The effect of testosterone on the pituitary-adrenal cortex mechanism in noncancerous and in breast cancer subjects, 173*

FERRER, F. P., and MCGAVACK, T. H.: Relationship of gonadal imbalance to thyroid disease—A statistical study, 759†

FERTMAN, M. B., and CURTIS, G. M.: Foods and the genesis of goiter, 1361*

FETTERMAN, G. H., *see* DANOWSKI, T. S., 1254*

FINKLER, R. S., and COHN, G. M.: Acromegaly—case presentation: hormonal and radiation therapy, 780†

FISHER, G. R.: Effect of alanine, pyruvate and glutamate on insulin reaction in mice, 800†

FISHMAN, L. W., *see* FISHMAN, W. H., 1425*

FISHMAN, W. H.; KASDON, S. C.; BONNER, C. D.; FISHMAN, L. W., and HOMBURGER, F.: β-Glucuronidase studies in women. V. The menstrual cycle and serum β-glucuronidase activity in estrogen-treated postmenopausal subjects, 1425*

FITZGERALD, P., *see* SONENBERG, M., 747†

FLEISCHMANN, S. K., *see* FLEISCHMANN, W., 765†

FLEISCHMANN, W., and FLEISCHMANN, S. K.: Uptake of P^{32} in seminal vesicles of castrate rats after treatment with testosterone propionate, 765†

FORBES, A. P., and ALBRIGHT, F.: A comparison of the 17-ketosteroid excretion in Cushing's syndrome associated with adrenal tumor and with adrenal hyperplasia, 926*

——; HENNEMAN, P. H.; GRISWOLD, G. C., and ALBRIGHT, F.: A syndrome, distinct from acromegaly, characterized by spontaneous lactation, amenorrhea, and low follicle-stimulating hormone excretion, 749†

——, *see* KUPPERMAN, H. S., 774†

FORSHAM, P. H.; RENOLD, A. E., and FRAWLEY, T. F.: The nature of ACTH resistance, 757†

——, *see* FRAWLEY, T. F., 772†

——, *see* THORN, G. W., 774†

FORTIER, C.: Dual control of ACTH release, 751†

FOSTER, C. G., *see* RALL, J. E., 1273*

FRAWLEY, T. F., and FORSHAM, P. H.: The salivary Na/K ratio and adrenal salt-regulating factors: prolonged salt retention with desoxycorticosterone trimethylacetate, 772†

——, *see* FORSHAM, P. H., 757†

——, *see* THORN, G. W., 774†

FREDERICKS, J., *see* LLOYD, C. W., 724*, 857*

FREDERICKSON, D. S.: Effect of massive cortisone therapy on thyroid function, 760†

FREEDBERG, A. S., *see* KURLAND, G. S., 843*

FREEMAN, S.: Amino acids in experimental diabetes (title only), 776†

FRIED, P. H., and RAKOFF, A. E.: The effects of chorionic gonadotropin and luteotropin on the maintenance of corpus luteum function, 768†

FUNNELL, J. W.; KEATY, C., and HELLBAUM, A. A.: Action of estrogens on release of luteinizing hormone in menopausal women, 98*

GAEBLER, O. H., *see* MATHIES, J. C., 754†

GARDNER, L., *see* CRIGLER, J. F., JR., 756†

——, *see* WILKINS, L., 1*

GASKILL, C. J., *see* SEGALOFF, A., 936*

GELVIN, E. P., and MCGAVACK, T. H.: The place of anorexic agents in weight reduction, 780†

GERSHBERG, H.; LESLIE, S., and RALLI, E. P.: Studies on a patient with diabetes insipidus and adrenocortical insufficiency, 749†

GHOSH, B. N., *see* WOODBURY, D. M., 761†

GIANSIRACUSA, J. E., *see* LIDDLE, G. W., 797†

GILBERT, T., *see* BLISS, E. L., 46*
GITMAN, L.; BRUSILOW, S., and GREENBLATT, I. J.: The effect of ACTH in a case of cerebromacular degeneration (Tay-Sachs disease): an endocrinologic study, 866*
GLASS, S. J., and RUSSELL, M.: Improved spermatogenesis after intensive liver regimen with and without testosterone in the therapy of oligospermia, 790†
GODWIN, J. T., *see* SONENBERG, M., 747†
GOLD, E., *see* LANDING, B. H., 1436*
GOLDMAN, R., *see* LEVIN, M. H., 375*
GOLDSMITH, R. E.; STANBURY, J. B., and BROWNELL, G. L.: The effect of thyrotropin on the release of hormone from the human thyroid, 1079*
——: Recipients of First Honorable Mention, 1951 Van Meter Prize Award, 1210
——; STURGIS, S.; STANBURY, J. B., and LERMAN, J.: Ovarian function in thyrotoxicosis and hypothyroidism, 760†
GOLDZIEHER, J. W., and ROBERTS, I. S.: Identification of steroids in the human testis, 764†
GOODMAN, S. J., and KUPPERMAN, H. S.: Dysmenorrhea—its effective control by preovulatory administration of methyl testosterone or androstenediol without inhibition of ovulation, 787†
GOODWIN, W. E., *see* BAUER, F. K., 1574*
GORDAN, G. S.; EISENBERG, E.; MOON, H. D., and SAKAMOTO, W.: Methylandrostenediol: a protein-anabolic steroid with little androgenic activity, 209*
——, *see* BENTINCK, R. C., 750†
GORDON, A. S.; PILIERO, S. J., and LANDAU, D.: Influence of adrenal factors on hemopoiesis in the rat, 772†
——, *see* D'ANGELO, S. A., 761†, 1237*
GORHAM, L. W., *see* FALOON, W. W., 173*
GRAHAM, B. F., and CLEGHORN, R. A.: Changes in the circulating leucocytes following electrically induced convulsions in man, 1469*
GRAY, J. W., *see* HENDERSON, E., 119*
GREEN, C. DUBNIK, *see* MORRIS, H. P., 1211, 1281*
GREEN, M. H., *see* DANOWSKI, T. S., 1254*
GREENBLATT, I. J., *see* GITMAN, L., 866*
GREENBLATT, R. B., and BARFIELD, W. E.: The effect of intravenous estrogen in uterine bleeding, 821*
——, and BARFIELD, W. E.: The treatment of uterine bleeding by intravenous administration of estrogen, 767†
——, *see* BROWN, N. H., 755†
——, *see* CLARK, S. L., 752†
GREER, M. A.: The effect of daily injections of progesterone on the persistent estrus produced in rats by hypothalamic lesions, 785†
GRISWOLD, G. C., *see* FORBES, A. P., 749†
GRORUD, A. C.: The clinical effect of diethylstilbestrol on osteoarthritis in women, 748†
GROSS, M. L., *see* RAKOFF, A. E., 785†

HAINES, S. F., *see* BLACKBURN, C. M., 1503*
HAMILTON, H., and WERNER, S. C.: Effects of sodium iodide, propyl thiouracil, and methyl mercaptoimidazol during radioiodine therapy of hyperthyroidism, 763†
HANDELSMAN, M. B., *see* MARZULLO, E. R., 537*
HAOUR, P., *see* SCHAFFENBURG, C. A., 1215*
HARSHA, W. N.: Evaluation of the conversion of radioactive inorganic iodine to protein-bound iodine as a diagnostic aid in thyroid dysfunction, 1524*
HAY, I. M.: (Letter to the Editor) The precipitation of hemorrhage by stress in certain diseases with bleeding diatheses, 653*
HAZARD, J. B., *see* CRILE, G., JR., 1123*
HECHTER, O., *see* MACCHI, I., 756†
HECKEL, G. P.: The therapeutic use of pregnandiol, 790†
HECKEL, N. J.; ROSSO, W. A., and KESTEL, L.: Spermatogenic rebound phenomenon after administration of testosterone propionate, 235*
HELLBAUM, A. A., *see* FUNNELL, J. W., 98*
HELLER, A. L., and SHIPLEY, R. A.: Endocrine studies in aging, 945*
HELLER, C. G., *see* PAULSEN, C. A., 892*
HELLWIG, C. A., *see* CHESKY, V. E., 1535*
HENDERSON, E.; GRAY, J. W.; WEINBERG, M.; MERRICK, E. Z., and SENECA, H.: Cortisone *plus* insulin in the palliative treatment of rheumatoid arthritis: a preliminary study, 119*
——, and WEINBERG, M.: (Endocrine Review) Methylandrostenediol, 641*
HENNEMAN, P. H., *see* FORBES, A. P., 749†
HERROLD, E. A.; RINEHART, R. K.; COOMBS, H. E., and LEATHEM, J. H.: Influence of thyrotropic hormone (TSH) and thiouracil on the oxygen consumption of the guinea pig, 781†
HERTZ, R.; ALLEN, M. J., and TULLNER, W. W.: Endocrinologic effects of Amphenone "B," 747†
HILL, G. C., *see* DANOWSKI, T. S., 1254*
HINMAN, F., JR., Sexual trends in female pseudohermaphrodism, 477*
HIOCO, D.; SAMTER, M.; KARK, R. M., and BEST, W. R.: The response of patients with bronchial asthma to epinephrine

and to adrenocorticotropic hormone, 395*
HOLLISTER, L., *see* RUMMELL, P. M., 872*
HOMBURGER, F., *see* FISHMAN, W. H., 1425*
HORN, R. C., JR., and RAVDIN, I. S.: Carcinoma of the thyroid gland in youth, 1166*
HORSTMANN, P. M., *see* SCHNEIDER, J. J., 772†
HUDSON, I. M., *see* DORFF, G. B., 343*
HUFF, S. J., *see* DANOWSKI, T. S., 1254*
HUGHES, E. C., *see* LLOYD, C. W., 786†
HURXTHAL, L. M., *see* JONES, H. W., JR., 434*

IRAZU, J., *see* BALZE, F. A. DE LA, 767†
IVERSEN, K.: Late results from continuous treatment of thyrotoxicosis with methylthiouracil, 298*

JAFFÉ, B., *see* SEED, L., 1143*
JAILER, J. W.: Evidence for a "salt-losing" adrenal hormone in congenital adrenal virilism associated with Addisonian-like symptoms, 798†
——; WONG, A. S. H., and ENGLE, E. T.: Pituitary-adrenal relationship in full-term and in premature infants, as evidenced by eosinophil response, 186*
——, *see* LOUCHART, J., 771†
JENNINGS, P. B.: Adrenal cortical function at death as measured by the level of circulating eosinophils, 793†
JONES, D. W., *see* WATSON, B. A., 801†
JONES, H. W., JR., and HURXTHAL, L. M.: The iodine vapor stained vaginal smear: its use in office practice, 434*
JONES, J. M.; LLOYD, C. W., and WYATT, T. C.: Maternal and fetal adrenal cortical interrelationships, 792†
——, *see* LLOYD, C. W., 857*
JUNGCK, E. C.; BROWN, W. E., and BENNETT, B. A.: Effects of testosterone propionate on human ovulation, 787†

KAPPAS, A., *see* SHELINE, G. E., 91*
KARK, R. M., *see* HIOCO, D., 395*
KASDON, S. C., *see* FISHMAN, W. H., 1425*
KEATING, F. R., JR.: Metabolism of radiodiiodotyrosine in the human, 758†
——, *see* ALBERT, A., 996*
——, *see* BLACKBURN, C. M., 1503*
——, *see* MCCONAHEY, W. M., 1116*
KEATY, C., *see* FUNNELL, J. W., 98*
KEETON, R. W., *see* SHADAKSHARAPPA, K., 1383*
KESTEL, L., *see* HECKEL, N. J., 235*
KESTON, A. S., *see* SONENBERG, M., 747†
KEUTMANN, E. H., *see* BURTON, R. B., 771†
KINSELL, L. W.; MARGEN, S.; BOLING, L.; MICHAELS, G. D., and PARTRIDGE, J. W.: Studies in fat metabolism; the effect of ACTH and of steroid hormones upon the ketosis induced by the feeding of a pure fat diet to human subjects, 773†
——; OLSON, F.; BOLING, L.; PARTRIDGE, J., and MARGEN, S.: (Letter to the Editor) Modification of the clinical and metabolic effects of ACTH by dietary means, 1030*
——, *see* BOLING, L., 799†
KIRK, J. E.; EISENSTEIN, A., and MACBRYDE, C. M.: The acid phosphatase concentration of the prostatic exprimate during normal puberty, 766†
KLEIN, R., *see* WILKINS, L., 1*
KOH, N. K., *see* ROTHSCHILD, I., 789†
KOLB, F., *see* RUMMELL, P. M., 872*
KRISS, J. P.: Uptake of radioactive iodine after intravenous administration of tracer doses, 289*
KUHL, W. J., JR., and RALLI, E. P.: Effect of acute stress upon blood constituents, white cells, and urine constituents in normal individuals, 776†
KUPPERMAN, H. S.; BERNSTEIN, A.; FORBES, A. P.; COPE, O., and ALBRIGHT, F.: Remission in Cushing's syndrome after bilateral hemiadrenalectomy, 774†
——; DELAPLAINE, R. W., and BOTTOMY, J. R.: Effective control of the surgical menopause by estradiol implantation at the time of oophorectomy and total hysterectomy, 788†
——; SILVER, B., and POSTIGLIONE, R.: The relative effectiveness of different androgenic preparations on the 17-ketosteroid excretion in man and gonadotropic inhibition and growth-stimulating effects on the male accessory glands in the rat, 783†
——, *see* GOODMAN, S. J., 787†
KURLAND, G. S.; FREEDBERG, A. S., and MCMANUS, M. J.: The distribution of I^{131} in tissue obtained at necropsy or at surgical operation in man, 843*
KYLE, R. H., *see* SHADAKSHARAPPA, K., 1383*

LAMAR, C. P.: Preadolescent hyperantuitarism in diabetes mellitus, 801†
LAMBERT, E. H.; UNDERDAHL, L. O.; BECKETT, S., and MEDEROS, L. O.: A study of the ankle jerk in myxedema, 1186*
LANDAU, D., *see* GORDON, A. S., 772†
LANDAU, R. L., and LOUGHEAD, R.: Seminal fructose concentration as an index of androgenic activity in man, 1411*
LANDING, B. H., and GOLD, E.: The occur-

rence and significance of Leydig cell proliferation in familial adrenal cortical hyperplasia, 1436*

LAZAROW, A.: The effect of cortisone on the blood glutathione level (title only), 776†

LEAF, A., and MAMBY, A. R.: Some hormonal aspects of water secretion in man, 755†

LEAKE, T. B., *see* BENTINCK, R. C., 750†

LEATHEM, J. H., *see* HERROLD, E. A., 781†

LEBLOND, C. P.: Steps in the secretion of the thyroid hormone, 757†

LENNON, B., *see* DOBYNS, B. M., 1481*

LERMAN, J., *see* GOLDSMITH, R., 760†

LESLIE, S., *see* GERSHBERG, H., 749†

LEVIN, M. H.; ADAMS, W. S.; BECK, W. S.; GOLDMAN, R., and BASSETT, S. H.: Prolonged treatment of a case of periarteritis nodosa with ACTH: the effective dose as measured by metabolic balances, 375*

LEVY, L. M.; DESPOPOULOS, A., and PERLOFF, W. H.: The use of thyrotropic hormone (TSH) in the diagnosis of myxedema, 781†

——, *see* PERLOFF, W. H., 750†, 1495*

LEWIS, L., *see* WOLFSON, W. Q., 800†

LEWIS, R. A., *see* WILKINS, L., 1*

LIBBY, R. L., *see* ALLEN, H. C., JR., 492*

LIDDLE, G. W.; BENNETT, L. L., and GIANSIRACUSA, J. E.: A patient with Cushing's syndrome: metabolic effects of potassium acetate, adrenocorticotropin, cortisone, methyltestosterone and desoxycorticosterone, 797†

LLOYD, C. W., and FREDERICKS, J.: Testosterone cyclopentylpropionate: a long-acting androgen, 724*

——; HUGHES, E. C.; LOBOTSKY, J., and RIENZO, J.: Some hormone studies during normal and toxemic pregnancy, 786†

——, and LOBOTSKY, J.: Studies of urinary corticosteroid by a method permitting analysis of steroids poorly soluble in water. II. Insufficient adrenal function, 26*

——; LOBOTSKY, J.; JONES, J.; FREDERICKS, J., and WYATT, T. C.: Hormone studies in a case of adrenogenitalism due to neoplasm of the adrenal cortex, 857*

——, *see* JONES, J. M., 792†

LOBO, J. I., *see* MILLER DE PAIVA, L., 330*

LOBOTSKY, J., *see* LLOYD, C. W., 26*, 786†, 857*

LONG, C. N. H.: (The Banting Lecture) The endocrine control of the blood sugar (title only), 776†

LONG, R. C., and BRADBURY, J. T.: Induction and maintenance of decidual changes with progesterone and estrogen, 134*

LOUCHART, J., and JAILER, J. W.: The inactivation of cortisone by tissue slices, 771†

LOUGHEAD, R., *see* LANDAU, R. L., 1411*

LOUIS, L. H., *see* FAJANS, S. S., 455*

LUCAS, V., *see* MONEY, W. L., 747†, 973*

LYNN, W., *see* ENGEL, F. L., 753†

LYONS, J. J. A., *see* MCCLINTOCK, J. C., 111*

MACBRYDE, C. M., *see* KIRK, J. E., 766†

MACCHI, I.; HECHTER, O., and PINCUS, G.: Effect of varying concentrations of ACTH and growth hormone upon corticosteroid release from perfused adrenals, 756†

MADDOCK, W. O., and NELSON, W. O.: Increased estrogen excretion due to stimulation of Leydig cells in adult men receiving chorionic gonadotropin, 769†

MALOOF, F., and CHAPMAN, E. M.: Responses to radioactive therapy in hyperthyroidism, with special reference to cardiac problems, 1296*

——, *see* DOBYNS, B. M., 1323*

MAMBY, A. R., *see* LEAF, A., 755†

MANCINI, R. E., *see* BALZE, F. A. DE LA, 767†, 777†

MARCONDES DA SILVA, A., *see* MILLER DE PAIVA, L., 330*

MARGEN, S., *see* BOLING, L., 799†

——, *see* KINSELL, L. W., 773†, 1030*

MARSHALL, V., *see* TRUNNELL, J. B., 663*

MARZULLO, E. R., and HANDELSMAN, M. B.: Pituitary necrosis and diabetes mellitus, 537*

MASON, H. L.: (Letter to the Editor) The chemical assay of urinary corticosteroids, 743*

MASSON, G. M. C.; CORCORAN, A. C., and PAGE, I. H.: Metabolic and cardiovascular effects of various steroids alone and in combination, 794†

——, *see* DEANE, H. W., 193*

——, *see* SCHAFFENBURG, C. A., 1215*

MATHIES, J. C., and GAEBLER, O. H.: Variations in cathepsin activity of rat tissues induced by hypophysectomy and replacement therapy, 754†

MAY, J. A., *see* STIMMEL, B. F., 408*

MCADAMS, G. B., *see* SALTER, W. T., 1512*

MCCLINTOCK, J. C., and LYONS, J. J. A.: (Letter to the Editor) Iodothiouracil in the treatment of hyperthyroidism, 111*

MCCONAHEY, W. M., and KEATING, F. R., JR.: Radioiodine studies in thyroiditis, 1116*

MCCULLAGH, E. P., and SCHAFFENBURG, C. A.: (Letter to the Editor) Hormonal activity in semen, 1403*

——, *see* SCHAFFENBURG, C. A., 765†, 1215*

McGAVACK, T. H.; CHEVALLEY, J., and WEISSBERG, J.: The use of Δ^5-pregnenolone in various clinical disorders, 559*
——, *see* CHEVALLEY, J., 782†
——, *see* FERRER, F. P., 759†
——, *see* GELVIN, E. P., 780†
——, *see* SHEARMAN, A. M., 788†
——, *see* WEISSBERG, J., 766†
McGINTY, D. A., *see* WILSON, M. L., 963*
McLELLAN, F., *see* ROGERS, J., 246*
McMANUS, M. J., *see* KURLAND, G. S., 843*
MEDEROS, L. O., *see* LAMBERT, E. H., 1186*
MERRICK, E. Z., *see* HENDERSON, E., 119*
MICHAELS, G. D., *see* KINSELL, L. W., 773†
MIGEON, C. J., *see* CRIGLER, J. F., JR., 756†
——, *see* WILKINS, L., 1*
MILLER, M., *see* TAFT, H. P., 752†
MILLER, R., *see* BLISS, E. L., 46*
MILLER, W. N., *see* RALL, J. E., 1273*
MILLER DE PAIVA, L.; LOBO, J. I., and MARCONDES DA SILVA, A.: Menarche and pregnancy after removal of an adrenocortical adenoma, 330*
MONEY, W. L.; FAGER, J.; LUCAS, V., and RAWSON, R. W.: Effect of vitamin A and compound L on the thyroid, adrenal and lymphoid tissue of the rat, 747†
——; LUCAS, V.; FAGER, J., and RAWSON, R. W.: The effects of *p*-hydroxypropiophenone on the thyroid gland of experimental animals, 973*
——, *see* SONENBERG, M., 747†
MONTES, L. P., *see* VILLAVERDE, M. M., 796†
MOON, H. D., *see* GORDAN, G. S., 209*
MOORE, M. C., *see* SHELINE, G. E., 91*
MORRIS, H. P.; DALTON, A. J., and GREEN, C. DUBNIK: Malignant thyroid tumors occurring in the mouse after prolonged hormonal imbalance during the ingestion of thiouracil, 1281*
——: Recipients of Second Honorable Mention, 1951 Van Meter Prize Award, 1211
MORTIMORE, G. E., *see* PAULSEN, C. A., 892*
MORTON, M. E.; OTTOMAN, R. E., and PETERSON, R. E.: (Letter to the Editor) Thyroid uptake measured one hour after small oral dose of radioiodine, 1572*
MUFSON, M., *see* PERLMUTTER, M., 277*, 621*, 1012*
MUNSON, P. L., *see* ENGSTROM, W. W., 416*, 427*

NADEL, E. M., and SCHNEIDER, J. J.: Increased excretion of formaldehydogenic ("FG") substances in the urine of scorbutic guinea pigs, 791†
NELSON, D. H.; SAMUELS, L. T.; WILLARDSON, F. G., and TYLER, F. H.: The levels of 17-hydroxycorticosteroids in peripheral blood of human subjects, 1021*
——, WILLARDSON, D. G.; TYLER, F. H., and SAMUELS, L. T.: A chemical method for the determination of adrenal steroids in peripheral blood of human patients, 770†
NELSON, W. O., *see* MADDOCK, W. O., 769†
NEWKIRK, J., *see* BOLING, L., 799†
NIEBURGS, H. E., and ALLEN, L. H.: The role of the pituitary and steroid hormones in growth changes of the cervix, 786†

OLSON, F., *see* KINSELL, L. W., 1030*
OMMEN, R. VAN, *see* VAN OMMEN, R.
OTTOMAN, R. E., *see* MORTON, M. E., 1572*
OWENS, L. A., *see* FALOON, W. W., 173*

PAGE, I. H., *see* MASSON, G. M. C., 794†
PAIVA, L. MILLER DE, *see* MILLER DE PAIVA, L.
PALLADINO, V. S., *see* DOHAN, F. C., 783†
PARRISH, A. E., *see* ZIMMERMAN, H. J., 728*
PARSON, W.; CRISPELL, K. R., and EBBERT, A. JR.: Amino acid metabolism in Cushing's syndrome and ACTH-induced hyperadrenocorticism, using N-15 incorporated in glycine, 773†
PARTRIDGE, J., *see* KINSELL, L. W., 773†, 1030*
PASCHKIS, K. E., *see* D'ANGELO, S. A., 761†, 1237*
——, *see* RUPP, J., 688*
PAULSEN, C. A.; MORTIMORE, G. E., and HELLER, C. G.: (Letter to the Editor) The pituitary action and estrogenic effect of parahydroxypropiophenone, 892*
PEACOCK, W. C., *see* BECKER, D. V., 761†
——, *see* RALL, J. E., 1273*
——, *see* RAWSON, R. W., 1128*
PEARSON, O. H., *see* ELIEL, L. P., 913*
PEMBERTON, J. DEJ., *see* BEAHRS, O. H., 1157*
PÉREZ MONTES, L., *see* MONTES, L. P.
PERLMUTTER, M., and MUFSON, M.: The hypoglycemic and eosinopenic response to insulin: a test for pituitary-adrenal insufficiency, 277*
——; MUFSON, M., and DAVID, M. M.: Inhibition of a cervical thyroid gland by a functioning struma ovarii, 621*
——; WEISENFELD, S., and MUFSON, M.: Comparison of a single G-M tube method and a multitube method of assaying I^{131} uptake by the human thyroid, 1012*
——; WEISENFELD, S.; ZUCKER, E. A., and SLATER, S. L.: Inhibition of thyroid function by struma ovarii: effect of

TSH on normal and inhibited thyroid, 762†
PERLOFF, W. H.: An improved pellet implanter, 737*
——; LEVY, L. M., and DESPOPOULOS, A.: The eosinophil response to stress of patients with surgically produced thalamic and hypothalamic lesions, 750†
——; LEVY, L. M., and DESPOPOULOS, A.: The use of thyrotropic hormone (TSH) in the diagnosis of myxedema, 1495*
——, *see* LEVY, L. M., 781†
PETERSON, R. E., *see* MORTON, M. E., 1572*
PETIT, D. W., *see* CATZ, B., 978*
PILIERO, S. J., *see* GORDON, A. S., 772†
PINCUS, G., *see* MACCHI, 756†
POSTIGLIONE, R., *see* KUPPERMAN, H. S., 783†
PRATT, W. A.: Chromaffin cell tumor simulating malignant hypertension. Report of a case with surgical cure, 630*
PRINCIOTTO, J. V.: Experimental diabetes produced by dehydroascorbic acid, 775†

QUINN, E. L., and WORCESTER, R. L.: Chronic thyrotoxic myopathy: report of a case, 782†, 1564*

RAKOFF, A. E.; GROSS, M. L., and WELLENBACH, B. L.: Induction of cystic endometrial hyperplasia in the hamster with estradiol; prevention and treatment with progesterone, 785†
——, *see* FRIED, P. H., 768†
——, *see* RUPP, J., 688*
RALL, J. E.; MILLER, W. N.; FOSTER, C. G.; PEACOCK, W. C., and RAWSON, R. W.: The use of thiouracil in the treatment of metastatic carcinoma of the thyroid with radioiodine, 1273*
——, *see* BECKER, D. V., 761†
——, *see* RAWSON, R. W., 1128*
——, *see* ROBBINS, J., 759†, 1106*
RALLI, E. P., *see* DUMM, M. E., 779†
——, *see* GERSHBERG, H., 749†
——, *see* KUHL, W. J., JR., 776†
RANDOLPH, J. A., *see* STIMMEL, B. F., 408*
RAPPORT, R. L.; CURTIS, G. M., and SIMCOX, S. J.: The somnolent metabolic rate (SMR) as an aid in the differential diagnosis of thyroid dysfunction, 1549*
RAVDIN, I. S., *see* HORN, R. C., JR., 1166*
RAWSON, R. W.; RALL, J. E., and PEACOCK, W.: Limitations and indications in the treatment of cancer of the thyroid with radioactive iodine, 1128*
——, *see* MONEY, W. L., 747†, 973*
——, *see* RALL, J. E., 1273*
——, *see* ROBBINS, J., 1106*
REFORZO-MEMBRIVES, J., and REPETTO, O. M.: The failure of water diuresis in Addison's disease, 1454*
REINER, M., *see* BOAS, N., 890*
RENOLD, A. E., *see* FORSHAM, P. H., 757†
REPETTO, O. M., *see* REFORZO-MEMBRIVES, J., 1454*
RICHARDS, J. B., and SAYERS, G.: Accumulation of ACTH in kidney, 756†
RIENZO, J., *see* LLOYD, C. W., 786†
RIEPENHOFF, J. P., *see* ROTHSCHILD, I., 777†
RINEHART, R. K., *see* HERROLD, E. A., 781†
RIVERO-FONTAN, J. L., *see* ANDINO, A. M. DE, JR., 799†
ROBBINS, J.; BECKER, D. V., and RALL, J. E.: The nature of the blood iodine following large doses of I^{131}, 759†
——; RALL, J. E.; TRUNNELL, J. B., and RAWSON, R. W.: The effect of thyroid-stimulating hormone in acute thyroiditis, 1106*
ROBBINS, S. L.: Observations on the use of the male North American frog (*Rana pipiens*) in pregnancy diagnosis, 213*
ROBERTS, I. S., *see* GOLDZIEHER, J. W., 764†
ROBERTSON, W. v. B.; DUNIHUE, F. W., and SANBORN, E. C.: Effect of ascorbic acid on the connective tissue reaction induced in guinea pigs by estrogen, 784†
ROBINSON, W. D., *see* WOLFSON, W. Q., 793†, 800†
ROGERS, J., and MCLELLAN, F.: Isolation of pregnanediol from human bile after oral administration of progesterone, 246*
ROSE, E.; DOHAN, F. C.; ZINTEL, H. F., and EIMAN, J. W.: Estrogen-producing tumors of the adrenal; report of four cases, 798†
——, and SHOREY, J. MCC.: Late results in the treatment of thyrotoxicosis with goitrogenic compounds, 597*
ROSEMBERG, E., *see* WILKINS, L., 1*
ROSENBERG, I. N.: Column chromatography of thyroid gland hydrolysates (Van Meter Prize Award essay), 1063*
——: Recipient of the 1951 Van Meter Prize Award, 1210
ROSENBLUM, I., *see* SALTER, W. T., 1512*
ROSSO, W. A., *see* HECKEL, N. J., 235*
ROTHSCHILD, I., and KOH, N. K.: The effects of a single preovulatory injection of progesterone on indices of ovulation in women, 789†
——, and RIEPENHOFF, J. P.: The circulating eosinophil response of mongoloids to epinephrine, 777†
RUBIN, S., *see* BLISS, E. L., 46*
RUMMELL, P. M.; BAER, L. S.; HOLLISTER, L., and KOLB, F.: Acute and chronic adrenal insufficiency in a patient show-

ing polyglandular deficiency and acromegaly, 872*
RUPP, J.; CANTAROW, A.; RAKOFF, A. E., and PASCHKIS, K. E.: Hormone excretion in liver disease and in gynecomastia, 688*
RUSSELL, J. A.: (Letter to the Editor) Information regarding the program of the 1951 Annual Meeting of the Association for the Study of Internal Secretions, 229
RUSSELL, M., *see* GLASS, S. J., 790†
RYNEARSON, E. H., *see* SKILLERN, P. G., 776†

SACHS, B., and SPIRO, D.: Leydig (sympathicotropic) cell tumor of the ovary: report of a case with virilism, including postmortem findings, 878*
SAKAMOTO, W., *see* GORDAN, G. S., 209*
SALTER, W. T.: The metabolic fate of radioactive iodine in thyroid hyperplasia versus hyperfunction, 758†
——; DE VISSCHER, M.; MCADAMS, G. B., and ROSENBLUM, I.: Changes in blood iodine fractions and radioactivity under therapy, 1512*
SAMTER, M., *see* HIOCO, D., 395*
SAMUELS, L. T., *see* NELSON, D. H., 770†, 1021*
——, *see* WEST, C. D., 897*
SANBORN, E. C., *see* ROBERTSON, W. v. B., 784†
SAYERS, G., *see* BROWN, R. W., 748†
——, *see* RICHARDS, J. B., 756†
——, *see* WOODBURY, D. M., 761†
SCARPA, C. J., *see* BALZE, F. A. DE LA, 777†
SCHAEFER, L. E., *see* ADLERSBERG, D., 67,* 795†
SCHAFFENBURG, C. A.; MASSON, G. M.; MCCULLAGH, E. P., and HAOUR, P.: *p*-Hydroxypropiophenone (PHP) and other so-called pituitary inhibitors, 1215*
——, and MCCULLAGH, E. P.: Effect of purified pituitary gonadotropins in the hypophysectomized immature male rat, 765†
——, *see* MCCULLAGH, E. P., 1403*
SCHNEEBERG, N. G.: Serum inorganic phosphorus in the diagnosis of diabetes mellitus, 602*
SCHNEIDER, J. J., and HORSTMANN, P. M.: Incubation of desoxycorticosterone and other adrenocortical compounds with various surviving tissues of the rat, 772†
——, *see* NADEL, E. M., 791†
SCHNEIDER, R. W., and VAN OMMEN, R.: Male pseudohermaphrodism: a familial occurrence, 790†
SEED, L.; JAFFÉ, B., and BAUMEISTER, C.: The tracer dose of radioactive iodine in the diagnosis of thyroid disease, 1143*
SEGALOFF, A.: Recipient of the 1951 Ciba Award, 1036
——; STERNBERG, W. H., and GASKILL, C. J.: Effects of luteotropic doses of chorionic gonadotropin in women, 936*
——, *see* COPPEDGE, R. L., 465*
SEIDLIN, S. M.; YALOW, A. A., and SIEGEL, E.: Blood radioiodine concentration and blood radiation dosage during I^{131} therapy for metastatic thyroid carcinoma, 782†
SENECA, H., *see* HENDERSON, E., 119*
SHADAKSHARAPPA, K.; CALLOWAY, N. O.; KYLE, R. H., and KEETON, R. W.: Excretion of steroidal substances by the adrenal cortex in various diseases, 1383*
SHANK, R. E., *see* EISENSTEIN, A. B., 791†
SHEARMAN, A. M., and MCGAVACK, T. H.: Clinical effectiveness of a diethylstilbestrol-methyltestosterone mixture in the climacteric, 788†
SHELINE, G. E.; MOORE, M. C.; KAPPAS, A., and CLARK, D. E.: A correlation between the serum protein-bound iodine and the radioiodine conversion ratio in various thyroid states, 91*
SHELTON, E. K., *see* BARKER, O. B., 608*
SHIPLEY, R. A., *see* HELLER, A. L., 945*
SHOREY, J. MCC., *see* ROSE, E., 597*
SHORR, E., *see* ZWEIFACH, B. W., 770†
SIEGEL, E., *see* SEIDLIN, S. M., 782†
SILVA, A. MARCONDES DA, *see* MARCONDES DA SILVA, A.
SILVER, B., *see* KUPPERMAN, H. S., 783†
SIMCOX, S. J., *see* RAPPORT, R. L., 1549*
SIMMONS, F., *see* BARTTER, F. C., 768†
SIMPSON, S. L.: Adipose gynandrism and gynism, 778†
SJOGREN, R. W., *see* BARTELS, E. C., 1057*
SKILLERN, P. G., and RYNEARSON, E. H.: Hyperinsulinism, 776†
SLATER, S. L., *see* PERLMUTTER, M., 762†
SLESSOR, A.: Studies concerning the mechanism of water retention in Addison's disease and in hypopituitarism, 700*
SMITH, J. J.: The effect of alcohol on the adrenal ascorbic acid and cholesterol of the rat, 792†
SNIFFEN, R., *see* BARTTER, F. C., 768†
SOFFER, L. J., *see* BOAS, N. F., 39*
——, *see* SOHVAL, A. R., 677*
SOHVAL, A. R., and SOFFER, L. J.: The influence of cortisone and adrenocorticotropin on urinary gonadotropin excretion, 677*
SONENBERG, M.; MONEY, W. L.; KESTON, A. S.; FITZGERALD, P., and GODWIN, J. T.: Tracer studies with radioactively labeled prolactin preparations, 747†

SPEIRS, R. S.: Endocrine studies on inherited obesity in the mouse, 746†
——: Some factors involved in the assay of adrenal cortical hormones by the mouse eosinopenic procedure, 792†
SPIRO, D., *see* SACHS, B., 878*
STAHNKE, H., *see* WHITELAW, M. J., 796†
STANBURY, J. B.: Cretinism with goiter: a case report, 740*
——, *see* GOLDSMITH, R. E., 760†, 1079*, 1210
——, *see* WYNGAARDEN, J. B., 1259*
STARR, P., *see* CATZ, B., 763†, 978*
——, *see* YETTRA, M., 312*
STERN, S., *see* WEISSBERG, J., 766†
STERNBERG, W. H., *see* SEGALOFF, A., 936*
STIMMEL, B. F.; MAY, J. A.; RANDOLPH, J. A., and CONN, W. M.: The metabolism of ethinyl estradiol in man, 408*
STOEKLE, J. D.: Recipient of the 1951 Schering Fellowship in Endocrinology, 1035
STURGIS, S., *see* GOLDSMITH, R., 760†
SUTTON, L. E., *see* WHITE, F. P., 1395*

TAFT, H. P.; MILLER, M.; DRUCKER, W. R., and CRAIG, J. W.: Metabolic and endocrine changes with hypoglycemia, 752†
TALBOT, N. B.; WOOD, M. S.; WORCESTER, J.; CHRISTO, E.; CAMPBELL, A. M., and ZYGMUNTOWICZ, A. S.: Further observations on the urinary excretion of water-soluble corticosteroids by normal and abnormal subjects, 1224*
——, *see* ZYGMUNTOWICZ, A. S., 578*
THOMPSON, H., *see* CLARK, L. C., JR., 84*
THOMPSON, R. E., *see* WOLFSON, W. Q., 800†
THORN, G. W.; FRAWLEY, T. F.; FORSHAM, P. H., and WILSON, D. L.: Endocrine studies following bilateral complete adrenalectomy in man, 774†
——, *see* WILSON, D. L., 775†
TIMIRAS, P. S.: Hormonal regulation of phagocytosis, 751†
TOMPSETT, S. L.: The neutral steroids of human urine: quantitative studies in various clinical conditions, 61*
TORDA, C., and WOLFF, H. G.: Effect of pituitary hormones on nerve function, 754†
TRUNNELL, J. B.; DUFFY, B. J., JR.; MARSHALL, V.; WHITMORE, W. F., and WOODARD, H. Q.: The use of progesterone in treatment of cancer of the prostate, 663*
——, *see* ROBBINS, J., 1106*
TULLNER, W. W., *see* HERTZ, R., 747†
TYLER, F. H., *see* NELSON, D. H., 770†, 1021*
——, *see* WEST, C. D., 833*, 897*

UNDERDAHL, L. O., *see* LAMBERT, E. H., 1186*

VAN OMMEN, R., *see* SCHNEIDER, R. W., 790†
VENNING, E. H.: Enzymic hydrolysis of urinary corticoids, 769†
VIAU, A., *see* ENGEL, F. L., 753†
VILLAVERDE, M. M.: The inhibition of adrenal function by cortisone, in rheumatic patients, 797†
——: Turner's syndrome accompanied by mongolism; multiple degenerative state, 778†
——, and MONTES, L. P.: The relation between basal metabolic rate and 17-ketosteroid output in rheumatic patients under the influence of cortisone, 796†
VISSCHER, M. DE, *see* SALTER, W. T., 1512*

WATERHOUSE, C., *see* BURTON, R. B., 771†
WATSON, B. A.: The hypometabolic state: a clinical entity, 779†
——, and JONES, D. W.: Diabetic effect of insulin on glucose tolerance tests in normal individuals. A preliminary report, 801†
WATTEVILLE, H. DE: Pregnanediol determinations in the clinic and in research, 251*
WEINBERG, M., *see* HENDERSON, E., 119*, 641*
WEISENFELD, S., *see* PERMUTTER, M., 762†, 1012*
WEISMAN, A. I.: An intensive three-day course of stilbestrol in the treatment of anovulation, 789†
WEISSBERG, J.; CHEVALLEY, J. E.; STERN, S., and MCGAVACK, T. H.: Some metabolic studies with 17-methylandrostenediol, 766†
——, *see* MCGAVACK, T. H., 559*
WELLENBACH, B. L., *see* RAKOFF, A. E., 785†
WERNER, S. C.: Spermatogenesis and apparent fertility in a eunuchoid male in the eleventh year of androgen therapy, 612*
——, *see* HAMILTON, H., 763†
WEST, C. D.; TYLER, F. H., and BROWN, H.: The effect of intravenous testosterone on nitrogen and electrolyte metabolism 833*
——; TYLER, F. H.; BROWN, H., and SAMUELS, L. T.: The role of the liver and kidneys in the metabolism of intravenous testosterone by human subjects, 897*
WEST, R. M., *see* CLARK, S. L., 752†
WHITE, F. P., and SUTTON, L. E.: Adreno-

genital syndrome with associated episodes of hypoglycemia, 1395*
WHITELAW, M. J.: Clinical observations on the effects of cortisone and ACTH on the peripheral vascular bed, 795†
——: Observations on the use of oral cortisone and ACTH in the open treatment of burns, 796†
——: The treatment of adolescent acne with topical application of estrogens, 487*
——, and STAHNKE, H.: The effects of ACTH on scorpion neurotoxin, 796†
WHITMORE, W. F., *see* TRUNNELL, J. B., 663*
WILKINS, L.; LEWIS, R. A.; KLEIN, R.; GARDNER, L. I.; CRIGLER, J. F., JR.; ROSEMBERG, E., and MIGEON, C. J.: Treatment of congenital adrenal hyperplasia with cortisone, 1*
——, *see* CRIGLER, J. F., JR., 756†
WILLARDSON, D. G., *see* NELSON, D. H., 770†, 1021*
WILSON, D. L., and THORN, G. W.: Changes in serum potassium during the intravenous glucose tolerance test, 775†
——, *see* EDELMAN, I. S., 794†
——, *see* THORN, G. W., 774†
WILSON, M. L., and MCGINTY, D. A.: The duration of antidiuretic action of pitressin solution and of pitressin tannate in aqueous and oil suspensions, 963*
WIRTH, P. M., *see* DANOWSKI, T. S., 1254*
WISWELL, J. G.: Studies on the metabolism of progesterone, 765†
WOLFF, H. G., *see* TORDA, C., 754†
WOLFSON, W. Q.; ROBINSON, W. D., and DUFF, I. F.: Inability of ACTH and cortisone to alter a physiological human hypersensitivity regularly abolished by pregnancy, 793†
——; THOMPSON, R. E.; ROBINSON, W. D.; LEWIS, L., and DUFF, I. F.: An excellently tolerated, heat-stable, long-acting ACTH preparation suitable for prolonged and ambulatory treatment, 800†
WONG, A. S. H., *see* JAILER, J. W., 186*
WOOD, M., *see* TALBOT, N. B., 1224*
——, *see* ZYGMUNTOWICZ, A. S., 578*
WOODARD, H. G., *see* TRUNNELL, J. B., 663*
WOODBURY, D. M.; GHOSH, B. N., and SAYERS, G.: Modification of TSH action by ACTH and cortisone in hypophysectomized rats, 761†
WORCESTER, J., *see* TALBOT, N. B., 1224*
WORCESTER, R. L., *see* QUINN, E. L., 782†, 1564*
WURL, O. A., *see* BLOHM, R. W., JR., 783†
WYATT, T. C., *see* JONES, J. M., 792†
——, *see* LLOYD, C. W., 857*
WYNGAARDEN, J. B.; STANBURY, J. B., and DUTOIT, C. H.: On the mechanism of iodide accumulation by the thyroid gland, 1259*

YALOW, A. A., *see* SEIDLIN, S. M., 782†
YETTRA, M., and STARR, P.: Polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
YOUNG, F. G.: Growth hormone and experimental diabetes, 531*

ZIMMERMAN, H. J.; PARRISH, A. E., and ALPERT, L. K.: Changes in responsiveness to insulin induced by desoxycorticosterone, in diabetes mellitus, 728*
ZINTEL, H. F., *see* ROSE, E., 798†
ZUCKER, E. A., *see* PERLMUTTER, M., 762†
ZWEIFACH, B. W.; BLACK, M. M., and SHORR, E.: Adrenal cortical function as revealed by histochemical tetrazolium studies, 770†
ZYGMUNTOWICZ, A. S.; WOOD, M.; CHRISTO, E., and TALBOT, N. B.: Studies of urinary 17-ketosteroid excretion by means of a new micro-chromatographic fractionation procedure, 578*
——, *see* TALBOT, N. B., 1224*

SUBJECT INDEX

* Original article.
† Abstract of paper presented at the Thirty-third Annual Meeting of the Association for the Study of Internal Secretions.

ABNORMALITIES: *see* Congenital anomalies; and under various endocrine glands
ABORTION: *see* Pregnancy
ABSORPTION: *see* Administration; and under various glandular preparations
ABSTRACTS of papers presented at the 33rd Annual Meeting of the Association for the Study of Internal Secretions, Atlantic City, N. J. (June 1951), 746†
ACIDOSIS: *see* Diabetes mellitus
ACNE: *see* Skin
ACROMEGALY: *see* Pituitary disorders
ACTH: *see* Pituitary preparations, ACTH
ADDISON'S DISEASE: *see also* Adrenal disorders; Steroids
—— acromegaly, and polyglandular deficiency, 872*
—— Addisonian-like symptoms in congenital adrenal hyperplasia; effect of cortisone, 1*
—— and hyperthyroidism, 760†
—— and hypopituitarism: mechanism of water retention in, 700*
—— blood in: *see also* Blood; and under various chemical elements
—— carbohydrate metabolism in: *see also* Carbohydrate metabolism
—— conversion of cortisone to other corticosteroids in, 771†
—— corticosteroid excretion in, 1224*
—— effect of adrenalin in; metabolic studies, 46*
—— effect of cortisone on distribution and kinetics of body water in, 794†
—— electrolyte metabolism in: *see also* Electrolytes
—— eosinophils in: *see also* Blood, cells
—— excretion of corticosteroids in; studies by method permitting analysis of steroids poorly soluble in water, 26*
—— failure of water diuresis in; mannitol clearance tests, 1454*
—— 17-hydroxycorticosteroids of peripheral blood in, 1021*
—— hypoglycemic and eosinopenic response to insulin, as test for pituitary-adrenal insufficiency in, 277*
—— in the Negro, 322*
—— neutral steroid excretion in, 61*
—— pregnenolone in treatment of, 559*
—— salivary Na/K ratio in; prolonged salt retention with DCA trimethylacetate in, 772†
—— symptoms of, associated with congenital adrenal virilism; effect of cortisone and ACTH on Na and 17-KS in, 798†
—— symptoms of, in familial adrenal cortical hyperplasia, 1436*
—— therapy: *see also* Adrenals, preparations
—— urine in: *see also* Adrenals, preparations and compounds: Steroids
ADMINISTRATION (Methods): *see also* specific substance involved
—— ACTH; preparation of, suitable for prolonged ambulatory treatment, 800†
—— aqueous solution *vs.* oil and beeswax suspension, in treatment of eunuchoidism with chorionic gonadotropin, 768†
—— comparison of vehicles and methods of administration of androgens, in their effect on 17-KS and gonadotropins, 783†
—— effect of method of administration of ACTH on 17-hydroxycorticosteroids of peripheral blood in man, 1021*
—— implantation (pellets); an improved pellet implanter for, 728*
— of DCA and of compound S, in study of B.P. and structural changes in adrenal cortex in the rat, 193*
— of DCA, in treatment of Addison's disease in the Negro, 322*
— of DCA, in treatment of adrenal insufficiency; effect on corticosteroid excretion, 26*
— of DCA, in uninephrectomized rat; metabolic effects, 794†
— of estradiol, at operation, in control of surgical menopause, 788†
— of *p*-hydroxypropiophenone; effect in rats, 1215*
— of progesterone *vs* injection method, in treatment of prostatic cancer, 663*
—— intravenous estrogen; effect of, in uterine bleeding, 821*
—— intravenous radioiodine, 289*

ADMINISTRATION (cont.)
—— intravenous testosterone; effect on N and electrolyte metabolism, 833*
—— intravenous testosterone; role of liver and kidneys in metabolism of in man, 897*
—— local *vs* intravenous methods of injection in biologic assay of urinary prolactin in man, 465*
—— method of; relation to effect of methylandrostenediol, 641*
—— oral I^{131} in 1-hour uptake test, 1572*
—— oral *vs.* intrasplenic method, in study of effect of cortisone on thymus of mice, 799†
—— pitressin solution *vs* pitressin tannate in aqueous and oil suspensions; comparison of antidiuretic actions, 963*
—— sublingual methylandrostenediol; method of choice, 209*
—— sublingual methyltestosterone, and transplants of pituitary gland, in treatment of pituitary infantilism, 221*
—— topical application of estrogens in treatment of adolescent acne, 487*
ADRENALIN: *see* Adrenals, preparations, epinephrine
ADRENALS: *see also* Addison's disease; Cushing's syndrome
DISORDERS
—— acute and chronic adrenal insufficiency in man with polyglandular deficiency and acromegaly, 872*
—— Addison's disease: *see* Addison's disease
—— adrenocortical hyperplasia, bilateral; 17-KS excretion in, determined by new micro-chromatographic method, 578*
—— adrenocortical insufficiency and diabetes insipidus in the same patient; studies, 749†
—— adrenocortical virilism; corticosteroid excretion in, 1224*
—— adrenogenital syndrome in case of Leydig cell tumor of ovary; autopsy, 878*
—— adrenogenital syndrome; urinary 17-KS and corticosteroids in, 1383*
—— adrenogenital syndrome with episodes of hypoglycemia, 1395*
—— congenital adrenal hyperplasia; metabolic and therapeutic effects of cortisone in, 1*
—— congenital adrenal virilism with Addisonian symptoms; effect of DCA, cortisone and ACTH on Na and 17-KS in, 798†
ADRENALS (cont.)
DISORDERS (cont.)
—— Cushing's syndrome: *see* Cushing's syndrome
—— effect of slowly progressing adrenal insufficiency on pre-existing hypertension; effect of cortisone, 322*
—— familial cortical hyperplasia; Leydig cell proliferation in, 1436*
—— hyperadrenocortical conditions; corticosteroid excretion in, 1224*
—— hyperadrenocorticism; amino acid metabolism in, using N-15 in glycine, 773†
—— hypoadrenalcorticalism, temporary, following withdrawal of ACTH therapy in periarteritis nodosa, 375*
—— insufficiency; study of urinary corticosteroids in, by method permitting analysis of steroids poorly soluble in water, 26*
—— of medulla: *see* Adrenal disorders, tumors
—— pituitary-adrenal insufficiency; test for, 277*
—— precocious puberty: *see also* Puberty, precocious
—— virilism: *see also* Virilism
Tumors
——adrenocortical adenoma, benign; menarche and pregnancy after removal of, 330*
—— adrenogenitalism from neoplasm of cortex; hormone studies in 857*
—— carcinoma of, in Cushing's syndrome; urinary prolactin in, 465*
—— chromaffin cell tumor with simulated malignant hypertension; cure following surgical removal, 630*
—— estrogen-producing tumors of; hormone excretion in, 798†
—— in girl with adrenogenitalism; analysis of tumor, 857*
—— tumor *vs.* hyperplasia, associated with Cushing's syndrome; comparison of 17-KS excretion in, 926*
PHYSIOLOGY AND PATHOLOGY
—— ACTH: *see* Pituitary preparations, ACTH
—— activity of; effect of electroshock therapy on, in man, 1469*
—— adrenal factors; influence of, on hemopoiesis in the rat, 772†
—— adrenal-pituitary-thyroid relationship following I^{131} therapy, 1574*

ADRENALS (cont.)
PHYSIOLOGY AND PATHOLOGY (cont.)
—— adrenal unresponsiveness during ACTH therapy, 757†
—— adrenalectomy, complete, in man; endocrine studies following, 774†
—— adrenalectomy, partial, for adrenal disease: *see also* Adrenal disorders
—— adrenalectomy, partial; results in female pseudohermaphrodite, 477*
—— *adrenocorticotropic hormone of the pituitary (ACTH): see* Pituitary preparations
—— adrenolytic drugs in the inhibition of gametokinetic response in the frog, 752†
—— at autopsy, in Cushing's syndrome with acromegaly, 913*
—— at autopsy, in diabetes with myelogenous leukemia, treated with ACTH, 455*
—— at autopsy, in pituitary necrosis with diabetes mellitus, 537*
—— cortex, as affected by ovarian activity; studies via metabolism of testosterone in normal women, 427*
—— cortical activity following acute stress, 776†
—— cortical augmentation of hemostasis, 653*
—— cortical function, as revealed by histochemical tetrazolium studies, 770†
—— cortical function; effect of adrenalin on in various diseases, 46*
—— cortical function in moribund patients, 793†
—— cortical function measured by rate of conversion of testosterone to 17-KS in males; effect of hepatic and other diseases on, 416*
—— cortical function; relation of ascorbic acid to, in guinea pigs, 791†
—— cortical histopathologic findings in Cushing's syndrome, before and after operation, 774†
—— deficiency of adrenal "S" hormone, with excess adrenal androgen, 1395*
—— distribution of I^{131} in, at necropsy, 843*
—— effect of Amphenone "B" on, in the rat, 747†
—— effect of parahydroxypropiophenone on, in rats and chicks, 973*
—— effect of parenteral injection of semen on, in the rat, 1403*
—— effect of vitamin A and compound L on, in the rat, 747†
—— gross and microscopic pathologic findings in removed cortical adenoma, 330*
—— histologic and histochemical changes in cortex of rats with various types of hypertension, 193*
—— histologic findings and hormone content of tumor, in girl with adrenogenitalism, 857*
—— histologic findings, in familial adrenal cortical hyperplasia, 1436*
—— in female pseudohermaphrodism, 477*
—— pituitary-adrenal cortex mechanism; effect of testosterone on, in breast cancer, 173*
—— pituitary-adrenal relationship in full-term and in premature infants, as evidenced by eosinophil response to epinephrine and ACTH, 186*
—— pituitary-adrenal relationship in periarteritis nodosa treated with ACTH, 375*
—— "salt-losing" adrenal hormone in congenital adrenal virilism with Addisonian symptoms, 798†
—— variations in adrenal response of patients with bronchial asthma to treatment with ACTH, ascorbic acid and epinephrine, 395*
—— weight of, in rats treated with *p*-hydroxypropiophenone, 1215*
PREPARATIONS AND COMPOUNDS
—— adrenal ascorbic acid and cholesterol in the rat; effect of alcohol on, 792†
—— adrenal steroids in peripheral human blood; chemical method for, 770†
—— adrenocortical metabolism in chronic liver disease; effect of ACTH on, 152*
—— adrenocorticotropic activity of serum in Cushing's syndrome with acromegaly; effect of removal of pituitary adenoma, 913*
—— androgens, *see also* Androgens
—— cortical extract and adrenalectomy; effects on phagocytosis in animals, 751†
—— corticoid excretion in Cushing's syndrome, 61*
—— corticoids, glycogenic; excretion of, following luteotropic doses of c. gonadotropin in women, 936*
—— corticoids, urinary: enzymic hydrolysis of, 769†

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
corticoids, urinary (cont.)
— in bronchial asthma treated with ACTH, ascorbic acid and epinephrine, 395*
— in periarteritis nodosa treated with ACTH, 375*
— in the aged, 945*
—; relation to 17-KS in Cushing's syndrome, 926*
—— corticosteroid excretion: effect of ACTH on, in cerebromacular degeneration, 866*
—; effect of cortisone on, in congenital adrenal hyperplasia, 1*
— in diabetes insipidus with adrenal insufficiency; effect of ACTH, 749†
— in girl with adrenogenitalism; corticosteroid content of removed adrenal tumor, 857*
— in various diseases, 1383*
—— corticosteroids, urinary, during normal and toxemic pregnancy, 786†
— during prolonged ACTH therapy in panhypopituitarism, 755†
—; effect of ACTH, KCl, and removal of pituitary tumor on, in Cushing's syndrome with acromegaly, 913*
—; effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
— in Addison's disease in the Negro, 322*
— in adrenogenital syndrome with episodes of hypoglycemia, 1395*
— in normal and in abnormal subjects, 1224*
—; studies by method permitting analysis of steroids poorly soluble in water, 26*
—; nomenclature in chemical assay of, 445*, 743*
—— derivatives of adrenal cortical hormones in the urine in various clinical conditions, 61*
—— formaldehydogenic substances, urinary, in scorbutic guinea pigs, 791†
—— 17-hydroxycorticosteroids of blood, in man, 1021*
—— *17-ketosteroids, see* Steroids, 17-ketosteroids
—— metabolites; effect of adrenal cortical disease and physiologic stress on, 578*

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
—— release of corticosteroid from perfused adrenals; effect of ACTH and GH on, 756†
Compound F
—— chromatogram of; relation to that of 17-hydroxycorticosteroid in human blood, 1021*
—— effect of cortisone on excretion of, in leukemia and in Addison's disease, 771†
—— eosinopenic response to, in the mouse, 792†
—— in urine and tumor residues, in case of adrenogenitalism, 857*
Compounds L and S
—— compound L; effect on thyroid, adrenal and lymphoid tissue of the rat, 747†
—— compound S; effect on B.P. and structure of adrenal cortex in the rat, 193*
—— compound S; metabolism and cardiovascular effect of, in the rat, 794†
Cortisone (compound E)
—— and ACTH; effect on distribution and kinetics of body water, 794†
—— and ACTH; effect on urinary gonadotropin in various diseases, 677*
—— and ACTH in the treatment of rheumatoid arthritis; effect of diet, 1030*
—— and cortical extract; effect on hemopoiesis in adrenalectomized rat, 772†
—— and DCA; effect on electrolyte excretion in diabetes insipidus, 755†
—— and DCA; metabolism and cardiovascular effects of, in the rat, 794†
—— and DCA; metabolic effects of, in Cushing's syndrome, 797†
—— and lipo adrenal extract preparatory to operation, in Addison's disease, 322*
—— conversion of, to other corticosteroids, 771†
—— effect of, in female pseudohermaphrodism, 477*
—— effect of, on alanine protection against insulin reaction, in mice, 800†
—— effect of, on glutathione of blood (title only), 776†

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Cortisone (*compound E*) (cont.)
—— effect of, on TSH action in hypophysectomized rats, studied with I^{131}, 761†
—— effect of oral and intrasplenic administration of, on thyroid weight of mice, 799†
—— effect on cortical steroids, etc., before and after complete bilateral adrenalectomy, 774†
—— effect on hemorrhage in certain blood diatheses, 653*
—— effect on ketosis induced by pure fat diet, 773†
—— effect on peripheral vascular bed, 795†
—— effect on serum hexosamine in acute disseminated lupus erythematosus, 39*, 890*
—— effect on serum lipid partition in various clinical conditions, 67*, 795†
—— effect on sodium and 17-KS in congenital adrenal virilism with Addisonian symptoms, 798†
—— effect on TSH test in pituitary myxedema, 1495*
—— effect on urinary corticoids, determined by 2 methods, 769†
—— effect of water retention in hypocortical states, 700*
—— inability of, to alter colostrum sensitivity, 793†
—— in treatment of infants with congenital adrenal hyperplasia and defective electrolyte regulation, 756†
—— inactivation of, by various tissue slices, 771†
—— inhibition of adrenal function by, in rheumatic patients, 797†
—— massive therapy with; effect on thyroid function, 760†
—— metabolic and therapeutic effects of, in congenital adrenal hyperplasia, 1*
—— mouse eosinopenic response to, 792†
—— orally, in open treatment of burns, 796†
—— plus insulin, in palliative treatment of rheumatoid arthritis, 119*
—— relation between BMR and 17-KS output, in rheumatic patients treated with, 796†
—— use of, in acute abdominal emergencies, 799†

ADRENALS (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Desoxycorticosterone (*acetate*) (*DCA*)
—— and cortisone: *see* preceding section on Cortisone
—— and other adrenal cortical compounds; incubation of, with various tissues of rat, 772†
—— antagonistic effect on testosterone-induced changes in castrate rodent, 783†
—— effect on BP and structure of adrenal cortex in the rat, 193*
—— glucoside; effect on cerebral metabolism in hypopituitarism and in eunuchoidism, 750†
—— in treatment of adrenal insufficiency; corticosteroid excretion during, 26*
—— influence of, on response to insulin in diabetes, 728*
—— trimethylacetate; prolonged salt retention with, and salivary Na/K ratio, in Addison's disease, 772†
Epinephrine
—— adrenalinic eosinopenia; inhibition of, by thiouracil, 777†
—— and ACTH, in treatment of bronchial asthma, 395*
—— content of chromaffin cell tumor, 630*
—— effect on adrenal cortical function, 46*
—— effect on hemopoiesis, in adrenalectomized rat, 772†
—— eosinophil response to, in Addison's disease in the Negro, 322*
—, in cancer patients treated with testosterone, 173*
—, in full-term and in premature infants, 186*
—, in mongolism, 777†
—, in test for adrenal cortical function, *see* Blood, cells, eosinophils
—— hypoglycemic and eosinopenic response to, in test for pituitary-adrenal insufficiency, 277*
—— in the induction of gametokinesis in the frog; inhibition of response with adrenolytic drugs, 752†
—— influence of, in metabolic changes following hypoglycemia, 752†
AGE: *see also* Infants; Children; and under various endocrine disorders
—— acid phosphatase, creatinine, and 17-KS excretion in pubescent males and in adult females, 84*
—— aging; endocrine studies in, 945*

AGE (cont.)
—— as a factor in type of response to growth hormone, 531*
—— in study of sexual trends in female pseudohermaphrodism, 477*
—— incidence in acute thyroiditis, 1106*
—— incidence in Hürthle cell tumor of the thyroid, 1535*
—— incidence in thyrocardiacs treated with I^{131}, 1296*
—— influence on amount of linear growth attained during treatment with chorionic gonadotropin, 343*
—— influence on corticosteroid excretion, 1224*
—— influence on urinary gonadotropins, following cortisone and ACTH, 677*
—— influence on urinary prolactin in men, 465*
—— youth; surgical lesions of the thyroid in, 1166*
ALANINE as a protection against insulin reaction, in mice; mechanism, 800†
ALBRIGHT'S SYNDROME, associated with hyperthyroidism, 312*
ALCOHOL; effect on adrenal ascorbic acid and cholesterol, in the rat, 792†
ALKALINE HYDROLYSIS; freeing of bound iodine from thyroid homogenate by, 1259*
ALLERGY: *see also* Antihormones; and Toxicity
—— asthma: *see* Asthma
—— colostrum sensitivity; anti-allergic factors involved in remissions of, 793†
—— corticosteroid excretion in, 1224*
—— endogenous, to steroids, in menstrual disorders; treatment with pregnandiol, 790†
AMENORRHEA: *see* Menstruation
AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE; announcement of 118th Meeting, Philadelphia (December 1951), 1042
AMERICAN DIABETES ASSOCIATION
—— Postgraduate Assembly in Endocrinology including Diabetes (with Association for the Study of Internal Secretions), July 1951, Seattle, Wash.
— announcements of, 233, 341, 448, 556, 656
— program of, 656
—— program of joint session with Association for the Study of Internal Secretions, at 1951 Annual Meeting, Atlantic City, N. J., 552
— abstracts of papers on, 775†
AMERICAN GOITER ASSOCIATION
ANNUAL MEETINGS
—— May 1951, Columbus, Ohio
AMERICAN GOITER ASSOCIATION (cont.)
ANNUAL MEETINGS (cont.)
— announcements of, 117, 234, 342, 449, 557
— preliminary program of, 449
—— May 1952, St. Louis, Mo.: announcements of, 1040, 1210, 1410, 1580
VAN METER PRIZE AWARD
—— for 1951
— announcements of, 118, 234, 342
— essays winning prize, and honorable mentions, 1063*, 1079*, 1281*
— recipient of, and honorable mentions, 1210
—— for 1952: announcements of, 1040, 1212, 1410, 1580
AMERICAN MEDICAL ASSOCIATION; announcement of Physicians' Art Show at 1951 Session, 453
AMERICAN SOCIETY FOR THE STUDY OF STERILITY; announcement of 1952 Award, 1410
AMINO ACIDS: *see* Protein
AMINOTHIAZOLE: *see* Thiouracil
AMNIOTIC FLUID; chorionic gonadotropin in, 360*
AMPHENONE "B"; endocrinologic effects of, in animals, 747†
AMPHETAMINE, in weight reduction, 780†
AMYTAL, sodium; effect on circulating leucocytes following electroshock therapy, 1469*
ANDROGENS: *see also* Gonadotropins; Hermaphrodism; Sex; Steroids; Testis
—— androgenic activity; excretion of acid phosphatase as index of, during pubescence, 84*
—— androgenic activity of injected semen in castrate male rat, 1403*
—— androgenic activity; seminal fructose as index of, 1411*
—— androgenic function, measured by prostatic phosphatase, 765†, 766†
—— excess of, with "S" hormone deficiency, in adrenogenital syndrome, 1395*
—— excretion, in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— excretion, in girl with adrenogenitalism; and androgenic content of removed tumor, 857*
—— excretion of 17-KS expressed as androsterone, in woman with benign adrenocortical adenoma, 330*
—— in prostatic cancer; effect of progesterone therapy on, 663*
—— stimulation of: *see* Gonadotropins
—— testosterone in blood, in study of me-

ANDROGENS (cont.)
tabolism of i.v. testosterone in man; influence of liver and kidney disease, 897*
—— testosterone; metabolism of, in normal women through phases of menstrual cycle, 427*
—— urinary: *see also* Steroids
EFFECTS AND THERAPY
—— and estrogens in treatment of acromegaly; biochemical studies, 780†
—— comparison of different preparations of, in their effect on 17-KS and gonadotropins, 783†
—— methylandrostenediol; androgenic properties of (an endocrine review), 641*
— as a myotrophic agent; androgenic effect of, 209*
—; metabolic studies with, 766†
—— methyltestosterone; effect on seminal fructose in eunuchoid men, 1411*
— effect on spermatogenesis in eunuchoid men, following chorionic gonadotropin therapy, 768†
— in treatment of chronic thyrotoxic myopathy, 1564*
— in treatment of pituitary infantilism, 221*
— metabolic effects of, in Cushing's syndrome, 797†
— or androstenediol; control of dysmenorrhea with, without inhibition of ovulation, 787†
—— methyltestosterone-diethylstilbestrol mixture effective in climacteric, 788†
—— parahydroxypropiophenone, with and without testosterone; effect on urinary gonadotropins in eunuchoid males, 1215*
—— steroids with similar chemical structure but little androgenic activity, in treatment of congenital adrenal hyperplasia, 1*
—— testosterone: and liver; effect in oligospermia, 790†
— cyclopentylpropionate; a long-acting androgen; comparison with testosterone propionate, in hypogonadism, 724*
— effect on conversion of amino acids to urea, 773†
— effect on water retention in hypocortical states, 700*
— intravenously; effect on N and electrolyte metabolism, 833*
ANDROGENS (cont.)
EFFECTS AND THERAPY (cont.)
— intravenously; study of, in man, 897*
— propionate; antagonistic effect on estrone-induced changes in castrate rodent, 783†
— propionate; conversion of, to urinary 17-KS in normal and acutely ill males and in patients with hepatic disease, 416*
— propionate; effect on human ovulation, 787†
— propionate; effect on 17-KS excretion in Laennec's cirrhosis, 152*
— propionate; effect on pituitary-adrenal mechanism in breast cancer and in noncancerous subjects, 173*
— propionate; spermatogenic rebound phenomenon following administration of, 235*
— propionate, then methyltestosterone; spermatogenesis in 11th year of therapy with, in eunuchoid male, 612*
— propionate therapy in castrate rats; uptake of P^{32} in seminal vesicles during, 765†
ANDROSTENEDIOL: *see* Androgens
ANEMIA: *see* Blood, cells
ANGINA PECTORIS: *see* Heart
ANHYDROXYPROGESTERONE: *see* Progesterone
ANKLE JERK in myxedema, 1186*
ANNOUNCEMENTS: *see* Association for the Study of Internal Secretions; and American Association for the Advancement of Science; American Diabetes Association; American Goiter Association; American Medical Association; American Society for the Study of Sterility; Armour's International Symposium; Biological Photographic Association; Harvard Medical School; International Congress of Physical Medicine; International Gerontological Congress; Laurentian Hormone Conference
ANNUAL MEETINGS: *see* Announcements
ANOMALIES: *see* Congenital anomalies; and abnormalities under various endocrine disorders
ANOREXIA NERVOSA
—— corticosteroid excretion in, 1224*
—— iodine vapor stained vaginal smear and excretion of 17-KS and gonadotropin in, 434*

ANOREXIA NERVOSA (cont.)
—— urinary 17-KS and corticosteroids in, 1383*
ANTIDIURESIS: *see* Antihormones
ANTIHORMONES: *see also* under various hormones
—— antagonistic effect of various steroids to testosterone and estrogen-induced changes in castrate rodent, 783†
—— antidiuretic action of pitressin in various forms, 963*
—— antidiuretic activity of serum during normal and toxemic pregnancy, 786†
—— antidiuretic hormone; role of, in failure of water diuresis in Addison's disease, 1454*
—— antidiuretic principle of urine, in study of mechanism of water retention in Addison's disease and hypopituitarism, 700*
—— antidiuresis: *see also* Pituitary disorders, diabetes insipidus; and Water
—— anti-insulin: *see* Insulin
—— for chorionic gonadotropin, following luteotropic doses of, in women, 936*
—— resistance to ACTH not an antihormone action, 757†
—— "salt-losing" adrenal hormone, antagonistic to DCA, 798†
—— tests for antagonists to growth hormone, in pituitary infantilism, 221*
ANTITHYROID DRUGS: *see also* Mercaptoimidazole; Thiouracil; Thyroid
—— during pregnancy, 1045*
—— goitrogenic compounds; late results with, in thyrotoxicosis, 597*
—— goitrogens in food, 1361*
—— incidence of reactions following 1057*
—— iodothiouracil: *see* Thiouracil
—— plus iodine *vs.* iodothiouracil; effect on structure of thyroid, 763†
ARMOUR'S INTERNATIONAL SYMPOSIUM on Chemistry of ACTH, 1041
ART SHOW, Physicians', at 1951 A. M. A. session, 453
ARTERIES: *see* Vascular System
ARTHRITIS: *see also* Gout
—— osteoarthritis in women; effect of diethylstilbestrol on, 748†
—— polyarthritis associated with rheumatic fever; effect of progesterone plus estrogen on, 146*
RHEUMATOID
—— and other types; treatment with pregnenolone, 559*
—— cortisone plus insulin in palliative treatment of, 119*
—— effect of adrenalin on metabolic balance in, 46*
—— effect of cortisone on distribution
ARTHRITIS (cont.)
RHEUMATOID (cont.)
and kinetics of body water in, 794†
—— effect of massive cortisone therapy on thyroid function in, 760†
—— effect of methylandrostenediol in, 641*
—— 17-hydroxycorticosteroids of peripheral blood in; effect of various methods of administration of ACTH on, 1021*
—— kidney function studies by mannitol clearance in, 1454*
—— modification of effects of ACTH in, by dietary means, 1030*
—— rate of conversion of testosterone to urinary 17-KS in, 416*
—— serum lipid partition in, during treatment with cortisone, 67*
ASCORBIC ACID: *see* Vitamins
ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS
ABSTRACTS
—— of papers presented at the 33rd Annual Meeting (1951), Atlantic City, N. J., 746†
ANNUAL MEETINGS
—— *Thirty-Third*, Atlantic City, N. J., June 1951
— announcements of, 112, 230, 338, 447, 548, 655
— Letter to the Editor, regarding, 229
— program of (last session a joint one, with American Diabetes Association), 548
— abstracts of papers on program, 746†
—— *Thirty-Fourth*, Chicago, Ill., June 1952
— announcements of, 1034, 1206, 1407, 1577
AWARDS AND FELLOWSHIPS: (Ciba award; Squibb award; Ayerst, McKenna & Harrison fellowship; Schering fellowship)
—— for 1951:
— announcements of, 114, 231, 339
— recipients of, 1035
—— for 1952:
— announcements of, 1037, 1207, 1408, 1578
— announcement of increase in Squibb award, 1579
FELLOWSHIPS: *see* Association, awards
INDEX of *Endocrinology;* announcements of publication of Vol. III of, 558, 661, 803, 895, 1039, 1209
LETTERS TO THE EDITOR, 111*, 229, 445*,

ASSOCIATION FOR THE STUDY OF INTERNAL SECRETIONS (cont.)
LETTERS TO THE EDITOR (cont.)
653*, 743*, 890*, 892*, 1030*, 1403*, 1406*, 1572*, 1574*
OFFICERS; COUNCIL; PUBLICATIONS COMMITTEE, AND EDITORIAL BOARD MEMBERS
—— *for 1950–51: see* general information page, front ad section, January–June issues
—— *for 1951–52: see* Ibid., July–December issues
POSTGRADUATE ASSEMBLY IN ENDOCRINOLOGY INCLUDING DIABETES
—— July 1951, Seattle, Wash. (with American Diabetes Association):
— announcements of, 233, 341, 448, 556
— program of, 656
ASTHMA
—— bronchial; response to ACTH, ascorbic acid and epinephrine in, 395*
—— severe, in patient with periarteritis nodosa; effect of ACTH in, 375*
AURICULAR FIBRILLATION: *see* Heart
AUTHOR INDEX to Volume 11, 1581
AWARDS (including Fellowships): *see* Association for the Study of Internal Secretions; American Goiter Association; American Society for the Study of Sterility
AYERST, McKENNA & HARRISON FELLOWSHIP: *see* Association for the Study of Internal Secretions, awards
AZOOSPERMIA: *see* Testis, spermatozoa; Sterility

BASAL METABOLISM: *see also* Iodine; Thiouracil; Thyroid; and various endocrinopathies
—— correlation of ankle jerk with, in thyroid disease, 1186*
—— correlation of I^{131} uptake with, after i.v. administration, in hyperthyroidism, 289*
—— correlation of PBI and I^{131} uptake with, in study of normal thyroid gland inhibited by struma ovarii, 621*
—— in thyroid disorders, *see* Thyroid
—— oxygen consumption of guinea pig; influence of TSH and thiouracil on, 781†
—— relation to 17-KS excretion in rheumatic patients treated with cortisone, 796†
—— versus conversion ratio, in diagnosis of thyroid disease, 1524*
—— versus somnolent metabolic rate, in differential diagnosis of thyroid disease, 1549*
BEHAVIOR: *see* Brain; Mental; Nervous system; and under effects of various endocrines
BILE: *see also* Liver
—— I^{131} in, at necropsy, 843*
BILIRUBIN: *see* Pigment
BIOASSAY: *see* Methods
BIOLOGICAL PHOTOGRAPHIC ASSOCIATION; 21st Annual Meeting, 804
BIOPSY
—— needle biopsy of thyroid, in classification of thyroiditis, 1123*
—— of adrenal, in study of 17-KS excretion in Cushing's syndrome, 926*
—— of liver, in study of hormone excretion in liver disease, 688*
—— of lymph node, for Ca of lung causing death in case of Leydig cell tumor of ovary, 878*
—— of lymph nodes, in "lateral aberrant thyroid syndrome," 1166*
—— of mandible, in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— of muscle, in chronic thyrotoxic myopathy, 1564*
—— of muscle, in study of effect of ACTH in Cushing's syndrome with acromegaly, 913*
—— of muscle, in study of effect of ACTH in periarteritis nodosa, 375*
—— of muscle, in study of effect of irradiation of pituitary in malignant exophthalmos, 512*
—— of prostate, in study of treatment of carcinoma with progesterone, 663*
—— of thyroid, in acute thyroiditis, 1106*
—— of thyroid tumors and metastases, *see also* Thyroid
—— of tissues obtained at operation; distribution of I^{131} in, 843*
ENDOMETRIAL
—— findings compared with pregnanediol values, 251*
—— in amenorrhea; correlation of iodine vapor stained vaginal smear and estrogenic titer, 434*
—— in study of: effect of chorionic gonadotropin and luteotropin on corpus luteum in sterility, 768†
— effect of i.v. estrogen on uterine bleeding, 821*
— effect of luteotropic doses of chorionic gonadotropin in women 936*
— effect of testosterone propionate on human ovulation, 787†

BIOPSY (cont.)
ENDOMETRIAL (cont.)
—— induction and maintenance of decidual changes by progesterone and estrogen, 134*
—— intensive stilbestrol therapy of anovulation, 789†
—— secretory and decidual changes induced by estrogen and progesterone in oophorectomized women, 267*
TESTICULAR
—— in comparison of aqueous solution *vs.* oil and beeswax suspension of c. gonadotropin in treatment of eunuchoidism, 768†
—— in eunuchoid male, apparently fertile after 11 yrs. of androgen therapy, 612*
—— in hypogenitalism, acromegaly and adrenal insufficiency, 872*
—— in study of: effect of liver regimen in oligospermia, 790†
— estrogen excretion in adult men treated with c. gonadotropin, 769†
— seminal fructose as index of androgenic activity, 1411*
— spermatogenic rebound phenomenon following administration of testosterone, 235*
BLADDER
—— gall: *see* Liver
—— urinary: *see* Urine; Kidney
BLOOD: *see also* under constituent or under endocrine disorder involved
—— adrenal steroids in, in man, 770†
—— albumin of serum, as vehicle for i.v. testosterone, 833*, 897*
—— antihormones in: *see* Antihormones
—— bilirubin in, in chronic liver disease; effect of ACTH on, 152*
—— calcium in: *see* Calcium; Electrolytes
—— chloride in: *see* Chloride; Electrolytes; Sodium
—— cholesterol in: *see* Cholesterol; Lipids
—— chorionic gonadotropin in, in various stages of pregnancy, 360* (*see also* Gonadotropins)
—— citric acid in: *see* Citric acid
—— diiodotyrosine in: *see* Diiodotyrosine
—— electrolytes in: *see* Electrolytes
—— fat in: *see* Fat; Lipids
—— gamma-globulin in, *see* Protein
—— glucose tolerance test: *see* Carbohydrate metabolism
—— β-glucuronidase activity during menstrual cycle and estrogen therapy, 1425*
—— glutathione: *see* Glutathione
BLOOD (cont.)
—— groups, in family of eunuchoid male apparently fertile in 11th year of androgen therapy, 612*
—— hemorrhage; precipitation of, by stress, in certain blood diatheses, 653*
—— hexosamine in: *see* Hexosamine
—— 17-hydroxycorticosteroids in arterial and venous blood of man; effect of ACTH on, 1021*
—— hypoglobulinemia, congenital; effect of cortisone and ACTH on urinary gonadotropin in, 677*
—— in leukemia: *see* Leukemia
—— iodine in: *see* Blood, section on iodine
—— ketones in: *see* Diabetes mellitus; Ketones
—— 17-ketosteroids in: *see* Steroids, 17-KS
—— lipids in: *see* Lipids
—— phosphorus in: *see* Phosphorus
—— phospholipids in: *see* Lipids; Phosphorus
——potassium in: *see* Potassium; Electrolytes
—— pressure: *see* Vascular system
—— protein in: *see* Nitrogen; Protein
—— pyruvic acid in: *see* Pyruvic acid
—— sedimentation rate: *see* Blood, cells
—— sugar in: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— testosterone in: *see* Androgens
—— thyroxine fractions in: *see* Blood, section on iodine; and Thyroid
—— vessels: *see* Vascular system
CELLS
—— bone marrow and lymphocytes; effect on, of I^{131} therapy for thyroid cancer, 1128*
—— bone marrow; distribution of I^{131} in, at necropsy, 843*
—— count; effect of progesterone plus estrogen on, in rheumatic heart disease, 146*
—— count, in rheumatoid arthritis following treatment with cortisone plus insulin, 119*
—— granulocytopenia following use of antothyroid drugs, 1057*
—— hematocrit changes during study of mechanism of water retention in Addison's disease, 700*
—— hemopoiesis in adrenalectomized rats; effect of lipoadrenal extract, compound E and epinephrine on, 772†
—— leucopenia during thiouracil therapy, 1273*
—— leucopenia from methylthiouracil therapy, 298*

BLOOD (cont.)
CELLS (cont.)
—— leucopenia, temporary, after single dose of I* for thyroid cancer, 782†
—— lymphocytes and platelets; effect of I^{131} on, in treatment of 119 cases of thyroid cancer, 1323*
—— lymphocytes; effect of adrenalin on, in normal humans, 46*
—— sedimentation rate: during dietary modification of ACTH effects in rheumatoid arthritis, 1030*
— in rheumatic heart disease; effect of progesterone plus estrogen on, 146*
— in rheumatoid arthritis; effect of adrenalin on, 46*
— in rheumatoid arthritis, following treatment with cortisone plus insulin, 119*
—— white: effects of acute stress on, 776†
—; effect of electrically induced convulsions on, 1469*
—, hemoglobin and sedimentation rate; effect of pregnenolone on, in arthritis and other diseases, 559*
—, in acute thyroiditis, 1106*
—, in study of effect of iodothiouracil, 978*
Eosinophils
—— adrenalinic eosinopenia; inhibition of, by thiouracil, 777†
—— and blood count, in sex-linked juvenile diabetics, 608*
—— and lymphocytes; effect of ACTH on, in lymphatic leukemia, 1383*
—— and lymphocytes; effect of ACTH on, in periarteritis nodosa, 375*
—— and other white cells; effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—— as a measure of adrenal cortical function in moribund patients, 793†
—— during dietary modification of ACTH effects in rheumatoid arthritis, 1030*
—— during prolonged ACTH therapy in panhypopituitarism, 755†
—— effect of ACTH, cortisone and DCA on, after bilateral adrenalectomy, 774†
—— effect of ACTH on, in cerebromacular degeneration, 866*
—— effect of ACTH on, in scorbutic guinea pigs, 791†
—— effect of mercaptoimidazole and TSH on, in thyrotoxicosis, 1079*
—— eosinopenic and hypoglycemic response to insulin, as test for pituitary-adrenal insufficiency, 277*
—— in anorexia nervosa, 434*
—— in bronchial asthma treated with ACTH, ascorbic acid and epinephrine, 395*
—— in chronic liver disease; effect of ACTH on, 152*
—— in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— in Cushing's syndrome, under treatment with various hormones, 797†
—— in Cushing's syndrome with acromegaly, 913*
—— in diabetes insipidus with adrenal insufficiency; effect of ACTH, 749†
—— in hypoglycemia, 752†
—— in study of dual control of ACTH release in the rat, 751†
—— mouse eosinopenic procedure; factors involved in assay of adrenal cortical hormones, 762†
—— in noncancerous and in breast cancer patients treated with testosterone, 173*
—— response: effect of surgical thalamic and hypothalamic lesions on, 750†
— to ACTH in acromegaly with polyglandular deficiency, 872*
— to ACTH, in Addison's disease in the Negro, 322*
— to epinephrine: and to ACTH, in study of pituitary-adrenal relation in full-term and in premature infants, 186*
—, in adrenogenitalism, 857*, 1395*
—, in chronic thyrotoxic myopathy, 1564*
—, in familial adrenal cortical hyperplasia, 1436*
—, in mongolism, 777†
—, in normal humans and in various diseases, 46*
—, in study of adrenal metabolites, 1383*
IODINE: *see also* Iodine; Thiouracil; Thyroid
—— compared to tumor iodine, in I^{131} therapy of thyroid cancer, 1128*
—— conversion ratio, in study of thyroid dysfunction, 91*, 1143*, 1512*, 1524*

BLOOD (cont.)
IODINE (cont.)
—— fractions and radioactivity under therapy, 1524*
—— in model of iodide metabolism, 1095*
—— plasma; I^{131} in, at autopsy, 843*
—— radioactive: *see also* Iodine, radioactive
—— radioiodine binding capacity of serum, 1259*
Protein-bound (PBI)
—— after i.v. radioiodine, in various thyroid states, 289*
—— and conversion ratio, following tracer of I^{131}, in diagnosis of thyroid disease, 1143*
—— correlated with radioiodine conversion ratio in various thyroid states, 91*
—— effect of iodide or iodine, with or without goitrogen on, in the rat, 1254*
—— effect of massive cortisone therapy on, 760†
—— effect of TSH on, in acute thyroiditis, 1106*
—— in acromegaly with polyglandular deficiency, 872*
—— in myxedema; effect of radiodiiodotyrosine on, 996*
—— in pituitary infantilism treated with thyroid and methyltestosterone, 221*
—— in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— in sex-linked juvenile diabetics, 608*
—— in study of: I^{131} in 119 cases of thyroid cancer; effect of total thyroidectomy on, 1323*
— I^{131} therapy in thyrocardiacs, 1296*
— inhibitory effect of struma ovarii on normal thyroid gland, 621*, 762†
— iodothiouracil therapy in hyperthyroidism, 978*
— somnolent metabolic rate in thyroid disease, 1549*
—— in thiocyanate myxedema, 1503*
—— in thyroid cancer; in study of limitations and indications for I^{131} therapy, 1128*
—— interference of iodothiouracil therapy with determination of, 1406*
—— labelled and unlabelled; effect of
BLOOD (cont.)
IODINE (cont.)
Protein bound (PBI) (cont.)
mercaptoimidazole and TSH on, 1079*
—— nature of, in blood, following large doses of I^{131}, 759†
BODY
—— fluids: *see* Blood; Saliva; Sweat; Urine
—— growth and weight: *see* Children; Dwarfism; Infants; Nutrition; Obesity; Pituitary preparations, growth hormone; Weight
—— temperature: *see* Temperature
—— tissues: *see* Tissues; and under organ involved
BOECK'S SARCOID: *see* Tumors
BONE: *see also* Calcium; Phosphorus; Parathyroids
—— age, in hypogonadal boys under prolonged treatment with c. gonadotropin, 343*
—— fractures; effect of testosterone on pituitary-adrenal mechanism in, 173*
—— lack of skeletal maturation after methyltestosterone therapy, in pituitary infantilism, 221*
—— metastases to; effect of I^{131} and total thyroidectomy on, in 119 cases of thyroid cancer, 1323*
—— metastases to, from thyroid cancer; limitations and indications for I^{131} therapy, 1128*
—— metastases to, from thyroid disease: *see also* Thyroid, disorders
—— osteoporosis; corticosteroid excretion in 1224*
—— osteoporosis; x-ray examination of, for endocrine studies in aging, 945*
—— polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
BONE MARROW: *see* Blood, cells
BOOKS RECEIVED, 662, 896, 1213
BRAIN: *see also* Mental; Nervous system
—— cerebral metabolism; steroidal control of, 750†
—— cerebromacular degeneration; effect of ACTH in, 866*
—— electroencephalogram in a deaf-mute with polyostotic fibrous dysplasia and hyperthyroidism, 312*
BREAST: *see also* Menstruation; Ovary
—— atrophy, marked, in case of Leydig cell tumor of ovary with virilism, 878*
—— cancer; effect of testosterone on pituitary-adrenal mechanism in, 173*
—— cancer; 17-KS excretion in, determined by new micro-chromatographic method, 578*

BREAST (cont.)
—— cancer; treatment with methylandrostenediol, 641*
—— colostrum sensitivity; inability of ACTH or cortisone to alter, 793†
—— lactation; a factor in the type of response to growth hormone, 531*
—— lactation; failure of, in parturient woman with menarche after removal of adrenocortical adenoma, 330*
—— lactation, persistent; urinary prolactin in, 465*
—— mastitis, chronic cystic; pregnenolone in treatment of, 559*
—— mastitis, chronic cystic; urinary prolactin in, 465*
—— studies with radioactive prolactin, in the rat, 747†
—— syndrome of spontaneous lactation, amenorrhea and low urinary FSH, 749†
GYNECOMASTIA
—— and acne, in male, following I^{131} therapy for hyperthyroidism, 1574*
—— and liver disease, in male; hormone excretion in, 688*
—— in adult men receiving c. gonadotropin therapy, 769†
—— in male; absent after treatment of adolescent acne with topical estrogens, 487*
—— in male, associated with estrogen-producing tumor of adrenal, 798†
—— in male eunuchoid; effect of parahydroxypropiophenone on, 1215*
—— in the male: *see also* Testis, disorders
BREATHING RESERVE: *see* Lungs
BURNS: *see also* Skin
—— corticosteroid excretion in, 1224*
—— open treatment of; use of oral cortisone and ACTH in, 796†

CALCIUM: *see also* Bone; Electrolytes; Parathyroids
—— balance, in periarteritis nodosa treated with ACTH, 375*
—— balance, in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— calcification of blood vessels studied by roentgen-ray, in the aged, 945*
—— in food; goitrogenicity of, 1361*
—— metabolic effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— metabolism, in pituitary infantilism treated with growth hormone, 221*
—— of blood, in chronic thyrotoxic myopathy, 1564*
CALCIUM (cont.)
—— of serum, in acromegaly with polyglandular deficiency, 872*
—— of serum, in adrenogenital syndrome, 1395*
—— of serum, in sex linked juvenile diabetics, 608*
CANCER: *see also* under various organs involved; and under Tumors
—— adenocarcinoma of the uterus; effect of i.v. estrogen on, 821*
—— effect of cortisone in, 1312*
—— effect of methylandrostenediol in, 641*
—— human, thyroidal; growth and structure of, when transplanted into anterior chamber of guinea pig's eye, 1481*
—— in mouse thyroid, following prolonged, excessive, thiouracil-induced TSH stimulation, 1281*
—— of breast: *see* Breast
—— of liver, metastatic; hormone excretion in, 688*
—— of lung, causing death in case of Leydig cell tumor of ovary; autopsy, 878*
—— of prostate: *see* Prostate
—— of thyroid; effect of I^{131}, alone and combined with other therapy: *see* Thyroid; and Iodine, radioactive
CARBOHYDRATE METABOLISM: *see also* Diabetes mellitus; Insulin; and Adrenals, preparations
—— blood and urinary glucose; effect of ACTH, KCl and removal of tumor on, in Cushing's syndrome with acromegaly, 913*
—— blood and urinary glucose; effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—— blood glucose, in bronchial asthma treated with ACTH, ascorbic acid and epinephrine, 395*
—— blood sugar; effect of ACTH on, in cerebromacular degeneration, 866*
—— blood sugar; endocrine control of (Banting lecture; title only), 776†
—— blood sugar in chronic liver disease; effect of ACTH on, 152*
—— effect of feeding glucose on eosinopenic response to insulin-induced hypoglycemia, 277*
—— fructose of semen, as index of androgenic activity, 1411*
—— glucose-insulin tolerance test; effect of DCA on, in diabetes mellitus, 728*
—— glucose tolerance test: and serum inorganic P, in diabetes mellitus, 602*
— and urinary glucose, in pituitary necrosis with diabetes mellitus, 537*
— following operation, in case of

CARBOHYDRATE METABOLISM (cont.)
glucose tolerance test (cont.)
chromophobe cell tumor with hypertension, 630*
— in acromegaly with polyglandular deficiency, 872*
— in Addison's disease in the Negro, 322*
— in chronic thyrotoxic myopathy, 1564*
— in family with sex-linked juvenile diabetes, 608*
— in normal subjects; diabetic effect of insulin on, 801†
— in periarteritis nodosa treated with ACTH, 375*
— in rheumatoid arthritis, following treatment with cortisone plus insulin, 119*
— (intravenous); changes in serum potassium during, 775†
—— glucose, unoxidized, excreted in growth-hormone-induced diabetes, 531*
——hexosamine of serum; effect of ACTH and cortisone on, in acute disseminated lupus erythematosus, 39*, 890*
—— hyperglycemia and glycosuria in rats receiving ACTH and GH, 753†
—— hypoglycemia; associated changes in blood pyruvic and citric acid and eosinophils; relation to epinephrine, 752†
—— hypoglycemia; episodes of, in adrenogenital syndrome, 1395*
—— hypoglycemia and eosinopenic response to insulin; a test for pituitary-adrenal insufficiency, 277*
—— hypoglycemic response to 48-hr. fast, in islet-cell tumors, 776†
—— in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— increased carbohydrate intake; effect on toxic symptoms from ACTH, 1030*
—— insulin tolerance test: *see* Insulin
CARCINOMA: *see* Cancer
CASTOR OIL: *see* Oil
CASTRATION: *see* Climacteric; Menstruation; Ovary; Testis
CATHEPSINS: *see* Enzymes
CEREBROMACULAR DEGENERATION: *see* Brain
CHILDREN: *see also* Dwarfism; Growth; Infants; Puberty; and under various endocrine disorders
—— acid phosphatase, creatinine and 17-KS excretion during pubescence, 84*
—— boys, hypogonadal; linear growth responses of, to prolonged treatment with c. gonadotropin, 343*
CHILDREN (cont.)
—— carcinoma of the thyroid in, 1166*
—— corticosteroid excretion in, 1224*
—— juvenile diabetes mellitus, sex-linked; study of a family, 608*
—— preadolescent hyperantuitarism in diabetes mellitus; treatment, 801†
CHLORIDE: *see also* Addison's disease; Electrolytes; Sodium
—— balance, in periarteritis nodosa treated with ACTH, 375*
—— excretion; effect of adrenalin on, in rheumatoid arthritis, 46*
—— metabolism; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— of serum, in acromegaly with adrenal and polyglandular deficiency, 872*
—— of serum, in adrenogenital syndrome, 1395*
—— of serum, in pituitary necrosis with diabetes mellitus, 537*
—— of serum, in study of mechanism of water retention in Addison's disease, 700*
—— retention of, during methylandrostenediol therapy, 766†
—— saline, i.v.; serum inorganic P following, in normal subjects, 602*
CHOLESTEROL: *see also* Lipids
—— in adrenal cortical tumor removed from girl with adrenogenitalism, 857*
—— in adrenals, in study of fetal and maternal interrelationships, 792†
—— in adrenals of the rat; effect of alcohol on, 792†
—— total, of testis; in study of effect of purified pituitary gonadotropin, 765†
OF BLOOD (PLASMA, SERUM)
—— effect of ACTH on, in cerebromacular degeneration, 866*
—— effect of adrenalin on, in normal humans, Addison's disease, and rheumatoid arthritis, 46*
—— effect of cortisone and ACTH on, in various clinical conditions, 67*
—— effect of parahydroxypropiophenone on, in Graves' disease, 1215*
—— hormonal control of, 795†
—— in bronchial asthma treated with ACTH, ascorbic acid and epinephrine, 395*
—— in chronic thyrotoxic myopathy, 1564*
—— in Cushing's syndrome with acromegaly, 913*
—— in acute thyroiditis, 1106*
—— in chromaffin cell tumor, 630*
—— in differential diagnosis of thyroid and pituitary myxedema, 1495*

CHOLESTEROL (cont.)
OF BLOOD (cont.)
—— in menstrual cycle, 767†
—— in myxedema, 996*
—— in pituitary infantilism treated with GH, thyroid and methyltestosterone, 221*
—— in pituitary necrosis with diabetes mellitus, 537*
—— in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— in sex-linked juvenile diabetics, 608*
—— in thiocyanate myxedema, 1503*
—— versus conversion ratio of RaI, in diagnosis of thyroid disease, 1524*
CHORIONIC GONADOTROPIN: *see* Gonadotropins; Pregnancy, diagnosis
CHROMAFFIN CELL TUMOR; effect of removal on simulated malignant hypertension; epinephrine content of tumor, 630*
CHROMATOGRAPHY: *see* Methods
CHROMOPHOBE ADENOMA: *see* Pituitary, disorders
CIBA AWARD: *see* Association for the Study of Internal Secretions, awards
CIRRHOSIS: *see* Liver
CITRIC ACID
—— of plasma; changes in, in hypoglycemia; relation to epinephrine, 752†
—— of serum and urine; effect of ACTH on, in cerebromacular degeneration, 866*
CLIMACTERIC: *see also* Androgens; Estrogens; Menstruation; Ovary
—— action of estrogens on release of luteinizing hormone in, 98*
—— associated with thyroid disease; ovarian function in, 760†
—— characteristic iodine vapor stained vaginal smear in, 434*
—— effect of time since menopause, on gonadotropin excretion in aged women, 945*
—— effectiveness of diethylstilbestrol-methyltestosterone mixture in, 788†
—— endogenous allergy to steroids in; treatment with pregnandiol, 790†
—— induction and maintenance of decidual changes in, with progesterone and estrogen, 134*
—— in women with Graves' disease; effect of parahydroxypropiophenone on, 1215*
—— postmenopausal women, estrogen-treated; β-glucuronidase studies in, 1425*
—— results of frog test for gonadotropin in urine of, 213*
CLIMACTERIC (cont.)
—— surgical; controlled by estradiol implantation at operation, 788†
COLD: *see* Temperature
COLOSTRUM: *see* Breast
COLUMN CHROMATOGRAPHY of thyroid gland hydrolysates, 1063*
COMMITTEE, Publications, of the Association: *see* Association for the Study of Internal Secretions
COMPOUNDS E, F, L and S: *see* Adrenals, preparations and compounds
CONGENITAL ANOMALIES: *see also* Familial; Hermaphrodism; and under various endocrine diseases
—— adrenal hyperplasia: *see* Adrenal disorders
—— cerebromacular degeneration, *see* Brain
—— deaf-mutism in a patient with polyostotic fibrous dysplasia and hyperthyroidism, 312*
—— hypoglobulinemia; effect of cortisone and ACTH on urinary gonadotropin in, 677*
—— of urinary tract, in patient with chromaffin cell tumor, 630*
—— Turner's syndrome and mongolism; multiple degenerative state, 778†
CONGRESSES, International: *see* International
CONJUNCTIVITIS: *see* Eyes
CONVERSION RATIO: *see* Blood, iodine; and Iodine, radioactive
CONVULSIONS: *see* Nervous system
CORPUS LUTEUM: *see* Ovary; Progesterone
CORTICOIDS; CORTICOSTEROIDS: *see* Adrenals, preparations and compounds: Steroids
CORTISONE: *see* Adrenals, preparations and compounds, cortisone
COUNCIL of the Association: *see* Association for the Study of Internal Secretions
COURSES, Postgraduate in Endocrinology: *see* Association for the Study of Internal Secretions; and Harvard Medical School
CREATININE: *see also* Nitrogen; Protein
—— and creatine, in chronic liver disease; effect of ACTH on, 152*
—— and creatine metabolism, in periarteritis nodosa treated with ACTH, 375*
—— and creatine, urinary, during prolonged ACTH therapy in panhypopituitarism, 755†
—— and creatine, urinary; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— clearance, in study of metabolism of

CREATININE (cont.)
i.v. testosterone in liver disease, 897*
—— creatinuria, following treatment with methylandrostenediol, 641*
—— creatinuria in chronic thyrotoxic myopathy, 782†, 1564*
—— excretion; effect of adrenalin on, in normal humans and in rheumatoid arthritis, 46*
—— excretion; effect of i.v. testosterone on, 833*
—— excretion, following acute stress, 776†
—— excretion, in children and in adults, 84*
—— of blood, in acromegaly with adrenal and polyglandular deficiency, 872*
CRETINISM: *see* Thyroid, disorders
CRYPTORCHISM: *see* Testis, disorders
CUSHING'S SYNDROME: *see also* Adrenals, disorders; Pituitary, disorders
—— amino acid metabolism in, using N-15 incorporated in glycine, 773†
—— associated with adrenal tumor or with adrenal hyperplasia; comparison of 17-KS excretion in, 926*
—— corticoid excretion in, 61*
—— corticosteroid excretion in, before and after operation, 1224*
—— Cushing-disease-like findings in patients with chronic liver disease with jaundice; effect of ACTH, 152*
—— iodine vapor stained vaginal smear in 434*
—— metabolic effect of various hormones in, 797†
—— neutral steroid excretion in, 61*
—— remission after bilateral hemiadrenalectomy, 774†
—— salivary Na/K ratio and adrenal salt-regulating factors in, 772†
—— urinary excretion of prolactin in, 465*
—— urinary 17-KS and adrenal corticosteroids in, 1383*
—— with acromegaly; metabolic effects of ACTH and KCl in, 913*
CYSTEINE, in prevention of experimental diabetes produced by dehydroascorbic acid, 775†

DECIDUAL CHANGES: *see also* Uterus; Menstruation
—— induction and maintenance of, with progesterone and estrogen, 134*, 267*
DEHYDROASCORBIC ACID; experimental diabetes produced by, 775†
DEHYDROISOANDROSTERONE; high excretion of, in woman with benign adrenocortical adenoma, 330* (*see also* Androgens)
11-DEHYDRO-17-HYDROXYCORTICOSTERONE ACETATE: *see* Adrenals, preparations and compounds
DERMOID CYST: *see* Ovary, struma ovarii
DESOXYCORTICOSTERONE: *see* Adrenals, preparations and compounds, desoxycorticosterone
DEXTROSE: *see* Carbohydrate metabolism; Diabetes mellitus
DIABETES INSIPIDUS: *see* Pituitary, disorders
DIABETES MELLITUS: *see also* Carbohydrate metabolism; Insulin; Pancreas
—— aged diabetics; endocrine studies in, 945*
—— and myelogenous leukemia; metabolic effects of ACTH in, 455*
—— and pituitary necrosis; effect of pneumonia on the diabetes, 537*
—— and pituitary tumor, in a female castrate; urinary prolactin in, 465*
—— associated with polyostotic fibrous dysplasia and hyperthyroidism, 312*
—— cellulitis and hypertensive vascular disease; rate of conversion of testosterone to urinary 17-KS in, 416*
—— changes of serum K in, during i.v. glucose tolerance test, 775†
—— corticosteroid excretion in, 1224*
—— dextrose tolerance test: *see also* Carbohydrate metabolism
—— diabetic effect of insulin on glucose tolerance test in normal subjects, 801†
—— diabetogenic effect of GH in intact rat, 753†
—— experimental; amino acids in (title only), 776†
—— experimental, induced by GH; mechanism of, 531*
—— experimental, produced by dehydroascorbic acid; protection with cysteine or glutathione, 775†
—— glucose tolerance test: *see also* Carbohydrate metabolism
—— juvenile, sex-linked; a genetic and clinical study of a family, 608*
—— preadolescent hyperantuitarism in, 801†
—— response to insulin in, influenced by DCA, 728*
—— serum inorganic P in diagnosis of, 602*
—— sugar tolerance test: *see also* Carbohydrate metabolism
—— urinary 17-KS and adrenocorticosteroids in, 1383*
DIET: *see also* Anorexia nervosa; Fat; Nutrition; Obesity; Vitamins
—— and goiter, 1361*

DIET (cont.)
—— effect of feeding on eosinopenic response to hypoglycemia, 277*
—— in study of effect of ACTH in periarteritis nodosa, 375*
—— modification of effects of ACTH by, 1030*
DIETHYLSTILBESTROL: *see* Estrogens
DIIODOTYROSINE: see also Thyroid, preparations and compounds
—— and monoiodotyrosine, labelled, of thyroid gland hydrolysates; determination of, by column chromatography, 1063*
—— effect on capacity of liver to bind iodide, 1259*
—— effect on goitrogenicity of certain foodstuffs, 1361*
—— radioactive; metabolism of, in man, 758†, 996*
—— radioactive, fraction of plasma, in study of conversion ratio, 1524*
DISSEMINATED LUPUS ERYTHEMATOSUS: *see* LUPUS
DIURESIS: *see* Antihormones; Kidney; Pituitary disorders, diabetes insipidus; Water
DWARFISM: *see also* Growth; and under various endocrine disorders
—— in patient with estrogen-producing tumor of the adrenal; hormone excretion in, 798†
—— in patient with ovarian agenesis; iodine vapor stained vaginal smear and FSH excretion in, 434*
—— in Turner's syndrome with mongolism, 778†
—— pituitary infantilism treated with GH, thyroid and methyltestosterone, 221*
—— undersized hypogonadal boys; linear growth responses of, to prolonged treatment with c. gonadotropin, 343*

ECLAMPSIA: *see* Pregnancy
EDEMA: *see* Water; Electrolytes
EDITOR, LETTERS TO: *see* Association for the Study of Internal Secretions, Letters to the Editor
EDITORIAL BOARD AND EDITOR of the Journal: *see* Association for the Study of Internal Secretions
ELECTROCARDIOGRAM: *see* Heart
ELECTROENCEPHALOGRAM: *see* Brain
ELECTROLYTES: *see also* under specific chemical element involved; and under various endocrine glands
—— balance, in periarteritis nodosa treated with ACTH, 375*
ELECTROLYTES (cont.)
—— balance, in study of effect of ACTH in Cushing's syndrome with acromegaly, 913*
—— defective regulation of, with congenital adrenal hyperplasia, in infants; effect of cortisone, 756†
—— in chronic liver disease; effect of ACTH on, 152*
—— in congenital adrenal hyperplasia; effect of cortisone, 1*
—— in diabetes insipidus; effects of pitressin and of cortisone on, 755†
—— metabolism; effect of i.v.testosterone on, 833*
—— of blood, in Addison's disease in the Negro, 322*
—— of serum and urine, in adrenogenital syndrome with hypoglycemia, 1395*
—— serum base, in study of water retention in Addison's disease and hypopituitarism, 700*
ELECTROSHOCK THERAPY: *see* Nervous system
ENCEPHALOGRAM: *see* Brain
ENDOCRINE: *see also* Androgens; Estrogens; Gonadotropins; Hormones; Progesterone; Steroids; and under various glands (preparations and compounds)
—— endocrinologic effects of Amphenone "B" in animals, 747†
—— review (methylandrostenediol), 641*
—— studies in aging, 945*
—— studies on inherited obesity in the mouse, 746†
ENDOCRINOLOGY (a Journal of the Association); publication of Volume III of Index to: *see* Association for the Study of Internal Secretions
ENDOMETRIUM; ENDOMETRIOSIS: *see* Menstruation; Uterus
ENZYMES
—— cathepsins; effect of hypophysectomy and GH on, in the rat, 754†
—— glucuronidase, splenic, in hydrolysis of urinary corticoids, 769†
—— β-glucuronidase studies during menstrual cycle and estrogen therapy, 1425*
PHOSPHATASE
—— acid and alkaline, of serum, in cancer of prostate; effect of progesterone and estrogen on, 663*
—— acid; excretion of, in females, and as measure of prostatic development during pubescence, 84*
—— acid, of prostatic exprimate, during normal puberty, 766†
—— acid, of serum, in Cushing's syndrome with acromegaly, 913*

ENZYMES (cont.)
PHOSPHATASE (cont.)
—— alkaline, in adrenogenital syndrome, 1395*
—— alkaline, in pituitary necrosis with diabetes mellitus, 537*
—— alkaline, in rats treated with parahydroxypropiophenone, 1215*
—— alkaline, of blood, in chronic thyrotoxic myopathy, 1564*
—— alkaline, of serum, in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— alkaline, of serum, in sex-linked juvenile diabetics, 608*
—— of prostate; effect of injected semen on, in the rat, 1403*
—— of serum, in acromegaly with polyglandular deficiency, 872*
—— phosphatases, prostatic, in assay of purified pituitary gonadotropin, 765†
EOSINOPHILS: *see* Blood, cells, eosinophils
EPINEPHRINE: *see* Adrenals, preparations and compounds, epinephrine
EPIPHYSES: *see* Bone
EQUINE GONADOTROPIN: *see* Gonadotropins
ERRATA: 119, 455
ESSAYS winning, and receiving honorable mentions, for Van Meter Prize Award: *see* American Goiter Association
ESTRADIOL; ESTRIN; ESTRIOL: *see* Estrogens
ESTROGENS: *see also* Climacteric; Gonadotropins; Hermaphrodism; Hormones; Menstruation; Ovary; Pregnancy; Progesterone; Puberty; Sex; Steroids
—— estradiol; assay of, in human testis, 764†
—— estrogen-glycogen relationship in the vaginal tract, 103*
—— estrogen-producing tumors of the adrenal; estrogen and 17-KS excretion in, 798†
—— estrogenic activity of injected semen, in the rat, 1403*
—— estrogenic activity of parahydroxypropiophenone, 892*, 973*, 1215*
—— estrogenic properties of methylandrostenediol, 641*
—— estrogenic titer, measured by iodine vapor stained vaginal smear, 434*
—— estroids; effect of cortisone on, in congenital adrenal hyperplasia, 1*
—— ethinyl estradiol; metabolism of, in the male, 408*
—— increased excretion of, due to stimulation of Leydig cells in adult men receiving c.gonadotropin, 769†
ESTROGENS (cont.)
—— induced changes in castrate rodent; antagonistic effect of various steroids on, 783†
—— nonestrogenic, estrogen-augmenting uterine-stimulating substance in urine of pregnant mare, 764†
—— role of, in growth changes of cervix, 786†
—— urinary; effect of ACTH on, in cerebromacular degeneration, 866*
—— urinary; in adrenogenital syndrome with episodes of hypoglycemia, 1395*
—— urinary; in eunuchoid male before and after fertility apparently due to androgen therapy, 612*
—— urinary, in liver disease and gynecomastia, 688
EFFECTS AND THERAPY
—— action of, on release of luteinizing hormone, in menopausal women, 98*
—— and androgens, in treatment of acromegaly; biochemical studies, 780†
—— and progesterone; induction and maintenance of decidual changes with, 134*, 267*
—— connective tissue reaction induced by, in guinea pig; effect of ascorbic acid on, 784†
—— diethylstilbestrol; effect of, on osteoarthritis in women, 748†
—— diethylstilbestrol-methyltestosterone mixture, effective in climacteric, 788†
—— effect in woman with acromegaly, 1215*
—— effect of, added to insulin, in treatment of diabetic coma in eunuchoid preadolescent girls, 801†
—— effect of, in female pseudohermaphrodism, 477*
—— effect of, on glycogen content of vaginal smear, in various ovarian disorders, 434*
—— estradiol benzoate plus progesterone, in treatment of rheumatic heart disease, 146*
—— estradiol; induction of cystic endometrial hyperplasia with, in hamster; effect of progesterone, 785†
—— ethinyl estradiol and stilbestrol; effect of, in prostatic cancer treated with progesterone, 663*
—— ethinyl estradiol; single dose of, in male; urinary excretion following, 408*
—— intravenously, in treatment of uterine bleeding, 767†, 821*

ESTROGENS (cont.)
EFFECTS AND THERAPY (cont.)
—— stilbestrol; intensive therapy of anovulation with, 789†
—— stilbestrol, used for suppressing lactation; influence on prolactin excretion, 465*
—— stilbestrol-treated postmenopausal women; β-glucuronidase studies in, 1425*
—— topical application of, in treatment of adolescent acne, 487*
ESTRONE: *see* Estrogens
ETHINYL ESTRADIOL: *see* Estrogens
EUNUCHISM; EUNUCHOIDISM: *see* Testis, disorders; Androgens; Pituitary
EXOPHTHALMIC GOITER: *see* Thyroid; disorders, hyperthyroidism
EXOPHTHALMOS: *see* Eye; and Thyroid, disorders
EYE
—— anterior chamber of, in guinea pig; growth and structure of human thyroidal tumors, when transplanted into, 1481*
—— cerebromacular degeneration (amaurotic family idiocy); effect of ACTH in, 866*
—— color blindness tests and color of eyes in sex-linked juvenile diabetics; study of a family, 608*
—— conjunctivitis following methylthiouracil therapy, 298*
—— examination of, for endocrine studies in aging, 945*
—— glaucoma in association with malignant exophthalmos; effect of irradiation of pituitary on, 512*
—— intraocular transplants of pituitary, in study of ACTH release in the rat, 751†
—— ophthalmopathy; blood TSH and thyroid hormone in, 761†
—— retinitis; effect of removal of chromaffin cell tumor, 630*
EXOPHTHALMOS
—— effect of methylthiouracil on, 298*
—— effect of parahydroxypropiophenone on, in woman with Graves' disease, 1215*
—— malignant, and angina pectoris, in thyrotoxic patient; response to I^{131}, 1296*
—— malignant, and chorioretinitis; pregnenolone in treatment of, 559*
—— malignant; treatment of, by irradiation of pituitary, 512*
—— progressive, associated with tetany, following thyroidectomy, 783†
—— thyroid-TSH balance of serum in, before and after thyroid therapy, 1237*
FAMILIAL
——adrenal cortical hyperplasia; Leydig cell proliferation in, 1436*
—— amaurotic family idiocy; effect of ACTH in, 866*
—— congenital adrenal virilism with Addisonian symptoms, 798†
—— history, in congenital adrenal hyperplasia, 1*
—— history, in female pseudohermaphrodism, 477*
—— history, in Hürthle cell tumors of thyroid, 1535*
—— "liver spots," in patient with chromaffin cell tumor, 630*
—— pseudohermaphrodism in males, 790†
—— sex-linked juvenile diabetes mellitus; a genetic and clinical study of a family, 608*
FAT: *see also* Cholesterol; Lipids; Nutrition; Obesity
—— high fat diet; goitrogenicity of, 1361*
—— neutral, of serum, during cortisone and ACTH therapy, 67*
—— of liver; effect of growth-promoting factors on, following partial hepatectomy, in the rat, 779†
—— pure fat diet; effect of ACTH and steroid hormones upon the ketosis induced by, 773†
—— pure fat diet; effect on toxic symptoms from ACTH in rheumatoid arthritis, 1030*
FELLOWSHIPS: *see* Awards
FERTILITY: *see* Sterility; Ovary; Pregnancy; Testis
FETUS: *see also* Infants; Pregnancy
—— distribution of c.gonadotropin in, at various stages of pregnancy, 360*
—— effect of antithyroid drugs on, during pregnancy with hyperthyroidism, 1045*
—— fetal and maternal adrenal cortical interrelationships, 792†
FEVER: *see also* Toxicity
—— drug, following methylthiouracil therapy, 298*
FOLLICLE-STIMULATING HORMONE (FSH): *see* Gonadotropins
FOOD: *see also* Diet; Nutrition
—— and the genesis of goiter, 1361*
FORMALDEHYDOGENIC CORTICOIDS *see* Adrenals, preparations and compounds

FROG
—— male North American, used in test for pregnancy; problems and modifications of technique, 213*
—— *Rana pipiens;* inhibition of gametokinetic response in, with adrenolytic drugs, 752†
FRÖHLICH'S SYNDROME: *see* associated with Ovarian, Pituitary and Testicular disorders
FSH: *see* Gonadotropins
FRUCTOSE of semen, as an index of androgenic activity, 1411*

GERONTOLOGICAL CONGRESS, Second International, 1951, St. Louis, 454
GIGANTISM: *see* Pituitary, disorders
GLAUCOMA: *see* Eye
GLUCOSE: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
GLUCURONIDASE: *see* Enzymes
GLUTAMATE, monosodium; effect on insulin reaction in mice, 800†
GLUTATHIONE
—— in prevention of experimental diabetes produced by dehydroascorbic acid, 775†
—— of blood; effect of cortisone on (title only), 776†
—— of blood, in periarteritis nodosa treated with ACTH, 375*
GLYCOGEN: *see also* Carbohydrate metabolism; Diabetes mellitus; Liver
—— glycogen-estrogen relationship in the vaginal tract, 103*
—— in vaginal smear, in study of endocrine problems, 434*
GLYCOSURIA: *see* Carbohydrate metabolism; Diabetes mellitus
GOITER: *see* Thyroid disorders
GOITROGENS: *see* Antithyroid drugs; Mercaptoimidazole; Thiouracil; Thyroid, disorders
GONADOTROPINS: *see also* Pituitary preparations; Pregnancy
—— APL in the treatment of cryptorchism; urinary 17-KS and corticosteroids following, 1383*
—— chorionic: administered to adult men; estrogen excretion following, 769†
— and luteotropin; effects of, on corpus luteum function, 768†
— effect of, on seminal fructose, in eunuchoid man, 1411*
—effect of treatment with, in eunuchoid male, 612*
— effects of luteotropic doses of, in women, 936*
— in therapy of eunuchoidism; aqueous solution compared with oil and beeswax suspensions, 768†
— prolonged treatment of hypogonadal boys with; linear growth responses to, 343*
—— gonad-inhibiting effects of parahydroxypropiophenone and of lactones, 1215*
—— inhibition of; effect of different preparations of androgen on, 783†
—— production of, by pituitary; discontinuance during pregnancy, 360*
—— purified, pituitary; effect of, in hypophysectomized immature male rat, 765†
IN URINE
Chorionic: *see also* Pregnancy, diagnosis
— and FSH, in Leydig cell tumor of ovary with virilism, 878*
— clinical bio-assay for, in blood and urine, 805*
— distribution of, in tissues and fluids of mother and fetus at various stages of pregnancy, 360*
— during normal and toxemic pregnancy, 786†
— in normal menstruation, the menopause, pregnancy and chorion epithelioma, using frog test, 213*
— in serum versus in urine, as expression of hormone production, 360*
— technic of pregnancy test, using male North American frog; problems and modifications of, 213*
—— effect of cortisone and of ACTH on, in various diseases, 677*
—— effect of parahydroxypropiophenone on, in the rat, 892*
—— FSH: and iodine vapor stained vaginal smear, in ovarian agenesis, 434*
— and LH excreted by menopausal women, before and after estrogen therapy, 98*
— in Cushing's syndrome with acromegaly, 913*
— in females with anorexia nervosa, 434*
— in male pseudohermaphrodism, 790†
— in oligospermia, 790†
— in pituitary infantilism treated with GH, thyroid, and methyltestosterone, 221*
— low, with amenorrhea and spontaneous lactation, in young woman, 749†

GONADOTROPINS (cont.)
IN URINE (cont.)
—— gametokinetic response in male frog; effect of adrenolytic drugs, 752†
—— in acromegaly; effect of hormone therapy on, 780†
—— in Addison's disease in a Negress, 322*
—— in eunuchoid male, before and after fertility apparently due to androgen therapy, 612*
—— in eunuchoid males and in hyperthyroid women; effect of parahydroxypropiophenone on, 1215*
—— in girl with adrenogenital syndrome, 857*
—— in liver disease and gynecomastia 688*
—— in pregnancy; *see* Pregnancy, diagnosis
—— in sex-linked juvenile diabetics, 608*
—— in the aged, 945*
GONADS: *see also* Androgens; Estrogens; Gonadotropins; Ovary; Testis
—— gonadal imbalance; relation to thyroid disease, 759†
GOUT
—— pregnenolone in treatment of, 559*
—— serum lipid partition in, during ACTH therapy, 67*
GRAVES' DISEASE: *see* Thyroid disorders, hyperthyroidism
GROWTH: *see also* Children; Dwarfism; and under various endocrine glands
—— and histologic changes in human thyroidal tumors transplanted into the guinea pig's eye, 1481*
—— curves in inherited obesity in mice, 746†
—— *hormone: see also* Pituitary preparations
—— hormone and experimental diabetes, 531*
—— hormone, in treatment of pituitary infantilism, 221*
—— linear growth responses of hypogonadal boys to prolonged treatment with c. gonadotropin, 343*
——macrogenitosomia praecox: *see* Puberty, precocious
—— metamorphosis of stasis tadpole, in bioassay of thyroid-TSH balance in blood, 1237*
—— of rats given iodide or iodine with or without goitrogen, 1254*
—— of transplanted thyroidal tumors in mouse, following prolonged hormonal imbalance, 1281*
—— -promoting factors; influence of, on liver constituents following hepatectomy in the rat, 779†
—— protein-anabolic steroid, methylandrostenediol, 209*
——, retarded; in 3 sex-linked juvenile diabetics and mother, 608*
GYNANDRISM, adipose, and gynism, 778†
GYNECOMASTIA: *see* Breast

HAIR: *see also* Cushing's syndrome; Hermaphrodism; Puberty, precocious; Virilism; and under various endocrine disorders
—— axillary, pubic and facial; in endocrine study of the aged, 945*
—— transient epilation following irradiation of pituitary for malignant exophthalmos, 512*
HIRSUTISM
—— and baldness in woman with benign adrenocortical adenoma, 330*
—— and baldness in woman with Leydig cell tumor of ovary, 878*
—— in females with normal menses; iodine vapor stained vaginal smear in, 434*
—— in women with Cushing's syndrome and acromegaly, 913*
—— neutral steroid excretion in, 61*
——, nonendocrine; corticosteroid excretion in, 1224*
——, obesity and hypertension; urinary 17-KS and adrenocorticosteroids in, 1383*
—— urinary excretion of prolactin in, 465*
HARVARD MEDICAL SCHOOL; postgraduate course in pediatric endocrinology, 804
HEART: *see also* Vascular system
—— auricular fibrillation; effect of methylthiouracil therapy on, in thyrotoxicosis, 298*
—— cardiac problems in I^{131} therapy of hyperthyroidism, 1296*
—— chronic thyrotoxic heart disease with auricular fibrillation; effect of iodothiouracil in, 978*
—— disease; necropsy; distribution of I^{131} in tissues, 843*
—— electrocardiogram in acromegaly with adrenal insufficiency, 872*
—— electrocardiogram in Cushing's syndrome with acromegaly, 913*
—— rheumatic heart disease; effect of progesterone plus estrogen in, 146*
—— subacute bacterial endocarditis; hypoglycemic and eosinopenic response to insulin in, 277*

HEAT: *see* Temperature
HEIGHT: *see* Children; Dwarfism; Growth
HEMORRHAGE: *see* Blood
HERMAPHRODISM: *see also* Ovary; Puberty, precocious; Testis; Virilism
PSEUDOHERMAPHRODISM
—— familial, with virilizing syndrome and Addisonian symptoms; "salt-losing" hormone in, 798†
—— female; sexual trends in; effect of treatment, 477*
—— female; urinary 17-KS and corticosteroids in, 1383*
—— female, with adrenogenital syndrome; episodes of hypoglycemia in, 1395*
—— female, with familial adrenal cortical hyperplasia, 1436*
—— in females with congenital adrenal hyperplasia; metabolic effects of cortisone, 1*
—— in young females; treatment with cortisone, 756†
—— male; familial occurrence, 790†
HEXOSAMINE
—— of serum, in acute disseminated lupus erythematosus; effects of ACTH and cortisone on, 39*, 890*
HIRSUTISM: *see* Hair
HODGKIN'S DISEASE
—— pregnenolone therapy in, 559*
—— serum lipid partition in, during cortisone therapy, 67*
HONORABLE MENTIONS, for Van Meter Prize; *see* American Goiter Association
HORMONES: *see also* Androgens; Estrogens; Gonadotropins; Progesterone; Steroids; and under various endocrine glands
—— hormonal activity in semen, 1403*
—— hormonal control of serum lipid partition in man, 67*
—— hormone excretion in liver disease and in gynecomastia, 688*
HÜRTHLE CELL TUMORS of the thyroid, 1535* (*see also* Thyroid, disorders)
HYDRONEPHROSIS: *see* Kidneys
17-HYDROXYCORTICOSTEROIDS: *see* Adrenals, preparations and compounds
17-HYDROXYCORTICOSTERONE: *see* Adrenals, preparations and compounds (compound F)
p-HYDROXYPROPIOPHENONE: *see* Parahydroxypropiophenone
HYPEREMIA TEST: *see* Ovary; Pregnancy, diagnosis
HYPERGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus
HYPERMETABOLISM: *see* Basal metabolism
HYPERTENSION: *see* Vascular system
HYPERTHYROIDISM: *see* Thyroid, disorders
HYPERTRICHOSIS: *see* Hair
HYPOGENITALISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOGLYCEMIA: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin
HYPOGONADISM: *see* Hermaphrodism; Menstruation; Ovary; Pituitary; Sterility; Testis
HYPOMETABOLISM: *see also* Basal metabolism
—— the hypometabolic state; a clinical entity, 779†
HYPOPITUITARISM: *see* Pituitary disorders
HYPOTHALAMUS
—— and thalamus; effect of lesions of, on eosinophil response, 750†
—— lesions of, producing persistent estrus in rat; effect of progesterone on, 785†
HYPOTHYROIDISM: *see* Thyroid disorders

IMIDAZOLES: *see also* Mercaptoimidazole
—— in treatment of masked hyperthyroidism, 782†
IMPLANTATION: *see* Administration; and under various endocrine preparations
IMPOTENCE: *see* Sterility; Testis
INDEX to Volume 11 (1951)
—— author, 1581*
—— subject, 1593*
—— volume III of *Endocrinology* index; announcements of publication: *see* Association for the Study of Internal Secretions
INFANTILISM: *see* Dwarfism; Growth; Pituitary disorders
INFANTS: *see also* Congenital abnormalities; Children; Fetus; Pregnancy
—— corticosteroid excretion in, 1224*
—— full-term and premature; eosinophil response to epinephrine and to ACTH in, 186*
—— newborn; effect of antithyroid drugs on, during pregnancy with hyperthyroidism, 1045*
—— study of adrenal cortical hyperplasia with Leydig cell proliferation in, 1436*
—— with congenital adrenal hyperplasia and defective electrolyte regulation; cortisone therapy in, 756†
INFECTIONS
—— abscesses associated with administration of ACTH, 800†
—— acute, various; rate of conversion of testosterone to urinary 17-KS in, 416*

INFECTIONS (cont.)
—— and goiter, 1361*
—— associated with acute abdominal emergencies; use of ACTH and cortisone in, 799†
—— effect on 17-KS, corticosteroids and estroids, in a congenital adrenal hyperplasia, 1*
—— peritonitis, acute; 17-KS excretion in, by new micro-chromatographic method, 578*
INFECTIOUS MONONUCLEOSIS; excretion of 17-KS in, 427*
INFERTILITY: *see* Sterility
INSULIN: *see also* Carbohydrate metabolism; Diabetes mellitus; Pancreas
—— abnormal hypersensitiveness to, in adrenogenital syndrome with episodes of hypoglycemia, 1395*
—— action of, on eosinophils; effect of testosterone on, in breast cancer, 173*
—— diabetic effect of, on glucose tolerance test in normal subjects, 801†
—— glucose-insulin tolerance test as a measure of insulin sensitivity, 728*
—— hyperinsulinism, 776†
—— hypoglycemic and eosinopenic response to; a test for pituitary-adrenal insufficiency, 277*
—— increased sensitivity to, in schizophrenic patient with hypothalamic lesion, 750†
—— plus cortisone, in palliative treatment of rheumatoid arthritis, 119*
—— reaction, in mice; effect of alanine, pyruvate and glutamate on, 800†
—— response to, in diabetes mellitus, influenced by DCA, 728*
—— secretion of, as factor in activity of growth hormone, 531*
—— tolerance test and serum inorganic P, in diabetes mellitus, 602*
—— tolerance test; effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—— tolerance test, in acromegaly; effect of hormonal therapy on, 780†
—— with estrogen, in treatment of diabetic coma in eunuchoid preadolescent girls, 801†
INTERNATIONAL
—— Congress of Physical Medicine, London (1952), 558
—— Gerontological Congress, St. Louis (1951), 454
—— Symposium (Armour's) on Chemistry of ACTH, Chicago (1951), 1041
IODINE: *see also* Thiouracil; Thyroid
—— ability of malignant thyroid tumors induced in mice, to transform iodide into thyroxine, 1281*
—— added iodide; effect on metabolism of therapeutic doses of I^{131} in thyrocardiacs, 1296*
—— administration of, causing impairment of avidity for I^{131} in certain tumors, 1128*
—— -containing constituents of the thyroid; determination of, by column chromatography, 1063*
—— content of thyroids removed by surgery, after preparation with iodothiouracil, 978*
—— deficiency hypothesis and goiter, 1361*
—— *in blood: see* Blood, iodine
—— in treatment of thyrotoxicosis; comparison with methylthiouracil, 298*
—— iodide binding; capacity of serum, thyroid and other tissues for, 1259*
—— iodide; model for metabolism of, 1095*
—— iodothiouracil therapy; interference with PBI determination, 1406*
—— iodothiouracil *vs.* other goitrogen plus iodine; effect on structure of thyroid, 763†
—— iodothiouracil: *see also* Thiouracil
—— Lugol's solution and desiccated thyroid in treatment of malignant exophthalmos, 512*
—— mechanism of iodide accumulation by the thyroid, 1259*
—— metabolism; calculations involved, 1095*
—— metabolism; effect of TSH on, in euthyroid and hyperthyroid humans, studied by I^{131}, 761†
—— or potassium iodide, with or without goitrogen; effect on PBI in the rat, 1254*
—— protein-bound, of struma ovarii and of normal thyroid and ovarian tissue, 621*
—— sodium iodide; effect of, during I^{131} therapy of hyperthyroidism, 763†
—— vapor stained vaginal smear; use in office practice in study of endocrine problems, 434*
RADIOACTIVE
—— acne and gynecomastia, following therapy with, 1574*
—— analysis of techniques for determination of thyroid function with, 1095*
—— and TSH, in diagnosis of myxedema, 781†, 1495*
—— body radiation dosage of, deter-

IODINE (cont.)
RADIOACTIVE (cont.)
mined by blood concentration, 782†
—— calculation of excretion of, 1079*
—— changes in blood fractions, urine and exhaled air, under therapy, 1512*
—— conversion ratio correlated with PBI or urinary excretion, in various thyroid states, 91*, 1143*, 1524*
—— distribution of, in tissue obtained at necropsy or at operation, in man, 843*
—— effect on blood, ovarian, liver, kidney and bladder functions, in treatment of thyroid cancer, 1323*
—— excretion of, as index of concentration in metastases from thyroid cancer, 1273*
—— excretion of, in Cushing's syndrome with acromegaly, 913*
—— in control studies of radioactive prolactin, in the rat, 747†
—— in study: of effect of TSH on iodine metabolism in hyperthyroidism, 761†, 1079*
— of inhibitory effect of struma ovarii on normal thyroid gland, 621*, 762†
— of modification of TSH action by ACTH and cortisone, in hypophysectomized rats, 761†
— of steps in secretion of thyroid hormone, 757†
— of thyroid physiology; use of scintillation counter, 492*
—— in treatment of cancer of thyroid in youth, 1166*
—— in treatment of 119 cases of thyroid cancer; effect of total thyroidectomy on urinary excretion of, 1323*
—— in treatment of hyperthyroidism; effects of NaI, propylthiouracil and methyl mercaptoimidazol on, 763†
—— labelled diiodotyrosine; distribution and excretion of, in man, 758†, 996*
—— limits and indications for therapy of thyroid cancer with, 1128*
—— metabolic fate of, in thyroid hyperplasia *vs.* hyperfunction, 758†
—— metabolism of, in rats; effect of hypophysectomy on, 762†
—— metabolism of, in study of effect of massive cortisone therapy on thyroid function, 760†
—— nature of blood iodine following large doses of, 759†
—— radioiodide binding capacity of thyroid, serum, and other tissues, 1259*
—— roentgen dosage of, compared with that of various x-ray procedures 492*
—— studies in acute thyroiditis; effect of TSH, 1106*
—— therapy of metastatic thyroid cancer; comparison of effects of thiouracil, thyroidectomy and TSH in, 1273*
—— tracer and therapeutic doses of, in thyrocardiacs, 1296*
—— tracer dose of, in diagnosis of thyroid disease, 1143*
—— tracer studies in thiocyanate myxedema, 1503*
Uptake
—— and excretion of, in 3 types of thyroiditis, 1116*
—— after i.v. administration of tracer doses, 289*
——; comparison of methods for, 1012*
—— in acromegaly with polyglandular insufficiency, 872*
—— in host thyroid and in tumors which occurred after prolonged hormonal imbalance, in the mouse, 1281*
—— in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— in rats and chicks given *p*-hydroxypropiophenone, 973*
—— in rats given vitamin A and compound L, 747†
—— in study of effect of iodothiouracil in hyperthyroidism, 978*
—— in thyroid of goitrous cretin; effect of KSCN, 740*
—— in thyroid of rats; column chromatography of hydrolysates, 1063*
—— one hour after small oral dose of, 1572*
IODOTHIOURACIL: *see* Thiouracil
IRRADIATION: *see* Radioactive; and Roentgen ray

KETONES; KETOSIS: *see also* Diabetes mellitus
—— effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—— ketosis induced by pure fat diet, effect of ACTH and steroid hormones on, 773†
17-KETOSTEROIDS: *see* Steroids

KIDNEY: *see also* Urine
—— accumulation of ACTH in, in rats, 756†
—— antidiuresis: *see* Antihormones; Pituitary preparations, posterior pituitary
—— congenital urinary tract abnormality in patient with chromaffin cell tumor, 630*
—— distribution of I^{131} in, at necropsy, 843*
—— diuresis: *see also* Pituitary disorders, diabetes insipidus; Water
—— effect on, of I^{131} therapy for thyroid cancer, 1128*, 1323*
—— extract (or encapsulation) of, in study of B.P. and structural changes in adrenal cortex in the rat, 193*
—— hydronephrosis; hypoglycemic and eosinopenic response to insulin in, 277*
—— nephritis and hypertension; urinary 17-KS and corticosteroids in, 1383*
—— radioiodide binding capacity of, 1259*
—— renal clearance of iodide and diiodotyrosine in myxedema, 996*
—— renal disposal of I^{131}: *see* Iodine, radioactive
—— renal concentrating ability in diabetes insipidus; effect of thyroxine, DCA and cortisone on, 755†
—— role of, in failure of water diuresis in Addison's disease, 1454*
—— role of, in metabolism of i.v. testosterone, in man, 897*
—— silk perinephritis and unilateral nephrectomy, in dog; effect of *p*-hydroxypropiophenone on B.P. in, 1215*
—— slices; effect on cortisone and other adrenal cortical compounds, 771†, 772†
KLINEFELTER'S SYNDROME: *see* Syndrome

LACTATION: *see* Breast; Pituitary preparations, prolactin; Pregnancy
LACTONES; pituitary-inhibiting properties of, 1215*
LAENNEC'S CIRRHOSIS: *see* Liver
LAURENTIAN HORMONE CONFERENCE for 1951; program of, 452
LEIOMYOMA: *see* Uterus
LETTERS TO THE EDITOR: *see* Association for the Study of Internal Secretions
LEUKEMIA
—— conversion of cortisone to other corticosteroids in, 771†
—— lymphatic; 17-KS excretion in, by new micro-chromatographic method, 578*
LEUKEMIA (cont.)
—— myelogenous, and diabetes mellitus; metabolic effects of ACTH in, 455*
—— serum lipid partition in, during cortisone therapy, 67*
—— urinary 17-KS and corticosteroids in, 1383*
LEYDIG CELL: *see* Testis; Ovary
LIPIDS: *see also* Cholesterol; Fat
—— and lipoprotein of blood, in menstrual cycle, 767†
—— lipid phosphorus and phospholipids, in cerebromacular degeneration; effect of ACTH on, 866*
—— of serum; effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—— of serum, in chronic liver disease; effect of ACTH on, 152*
—— serum lipid partition; hormonal control of, 795†
—— serum lipid partition in man; effect of cortisone and ACTH on, in various clinical conditions, 67*
LIVER
—— ascorbic acid of, in guinea pigs receiving ACTH, 791†
—— at autopsy, in case of pituitary necrosis with diabetes, 537*
—— bile; isolation of pregnanediol from, after oral progesterone, 246*
—— cathepsin of; effect of hypophysectomy and GH on, 754†
—— changes in, following oral single large dose of cortisone, 799†
—— cholecystitis, chronic; hypoglycemic and eosinopenic response to insulin in, 277*
—— cirrhosis; urinary 17-KS and corticosteroids in, 1383*
—— diet; goitrogenicity of, 1361*
—— disease and gynecomastia; liver function and hormone excretion in, 688*
—— diseases chronic; effect of ACTH on adrenal cortical metabolism in; toxicity, 152*
—— disease; effect on changes in serum K during i.v. glucose tolerance test, 775†
—— disease; effect on metabolism of i.v. testosterone in man, 897*
—— disease; rate of conversion of testosterone to urinary 17-KS in, 416*
—— distribution of I^{131} in, at necropsy, 843*
—— effect of I^{131} on bromsulphalein test, in therapy of thyroid cancer, 1323*
—— fat, N and Cl, in; effect of growth factors on, in partially hepatectomized rats, 779†
—— radioiodide binding capacity of; effect

LIVER (cont.)
of diiodotyrosine on, 1259*
—— regimen; improved spermatogenesis after, 790†
—— role of, in metabolism of progesterone, 246*, 765†
—— slices; effect on cortisone and other adrenal cortical compounds, 771†, 772†
LUNGS: *see also* Thyroid disorders, cancer, metastases
—— basal metabolism: *see* Basal metabolism
—— breathing reserve, in bronchial asthma; effect of ACTH, ascorbic acid and epinephrine on, 395*
—— carcinoma of, in case of Leydig cell tumor of ovary with virilism; autopsy, 878*
—— exhaled air; radioiodine in, in study of thyroid function, 1512*
—— I^{131} in, at necropsy, 843*
—— metastases to, from thyroid cancer: effect of I^{131} on, 1166*, 1323*
— effect of x-radiation on pickup of I^{131} in, 1128*
— use of thiouracil in I^{131} therapy of, 1273*
—— metastases to, from thyroid tumors occurring in mouse, following prolonged hormone imbalance, 1281*
—— pneumonia; effect on diabetes mellitus and hypertension, 537*
LUPUS ERYTHEMATOSUS
—— acute disseminated; effect of ACTH and cortisone on serum hexosamine and gamma-globulin in, 39,* 890*
—— acute disseminated; effect of various methods of administration of ACTH on 17-hydroxycorticosteroids of blood in, 1021*
—— disseminated; serum lipid partition in, during cortisone and ACTH therapy, 67*
LUTEINIZING HORMONE (LH): *see also* Gonadotropins; and Pituitary, preparations
—— luteotropic doses of c. gonadotropin in women, 936*
—— release of, in menopausal women; action of estrogens on, 98*
LYMPH NODES
—— lymphadenopathy, cervical; incidence of thyroid cancer in, 1157*
—— marked hypertrophy of, produced by compound L, 747†
—— metastases to, from cancer of thyroid; effect of I^{131} on, 1166*, 1323* (*see also* Thyroid disorders, cancer)
LYMPHOID THYROIDITIS; Struma Lymphomatosa; *see* Thyroid, disorders

MACROGENITOSOMIA PRAECOX: *see* Puberty, precocious
MALNUTRITION: *see* Anorexia nervosa; Nutrition; Vitamins
MANNITOL clearance in Addison's disease, 1454*
MARE
—— gonadotropin: *see* Gonadotropins, equine
—— pregnant; nonestrogenic, uterine-stimulating and estrogen-augmenting substance in urine of, 764†
MASTITIS: *see* Breast
MEETINGS: *see* Announcements
MENOPAUSE: *see* Climacteric
MENSTRUATION: *see also* Climacteric; Estrogens; Pregnancy; Progesterone; Ovary; Puberty; Uterus; Vagina
—— anovulation; intensive stilbestrol therapy of, 789†
—— disorders of, associated with thyroid disease, 760†
—— dysmenorrhea; control by methyltestosterone or androstenediol, without inhibition of ovulation, 787†
—— effect of I^{131} on, in thyroid cancer with pelvic metastases, 1323*
—— indices of ovulation; effect of single preovulatory injection of progesterone on, 789†
—— induction and maintenance of decidual changes with progesterone and estrogen, 134*
—— luteotropic doses of c. gonadotropin in women, 936*
—— menarche and pregnancy after removal of adrenocortical adenoma in 28-year-old woman, 330*
—— menopause: *see* Climacteric
—— menorrhagia; effect of i.v. estrogen on, 767†, 821*
—— menstrual cycle: blood lipids and lipoproteins in, 767†
—; β-glucuronidase studies in, 1425*
—; metabolism of testosterone during, in normal women, 427*
—; pregnanediol values during, 251*
—; urinary prolactin during, 465*
—— menstrual irregularities in hyperthyroidism, 1045*
—— normal and disordered; studies by iodine vapor stained vaginal smear, 434*
—— normal; results of frog test for urinary gonadotropin in, 213*
—— ovulation, human; effect of testosterone propionate on, 787†
—— ovulation: *see also* Ovary; Progesterone; Sterility
—— persistent estrus in the rat, produced

MENSTRUATION (cont.)
by hypothalamic lesions; effect of progesterone on, 785†
—— precocious: *see* Puberty, precocious
—— premenstrual distress; endogenous allergy to steroids in; treatment with pregnandiol, 790†
—— secretory and decidual changes in endometrium induced by estrogen and progesterone, in oophorectomized women, 267*
—— syndrome of amenorrhea, spontaneous lactation and low urinary FSH, 749†
MENTAL: *see also* Brain; Nervous system
—— cerebromacular degeneration (amaurotic family idiocy): *see* Brain
—— disease; study of decidual changes produced by estrogen and progesterone in, 134*, 267*
—— psychiatric patients; effect of electroshock on leucocytes in, 1469*
—— psychoneurosis; hypoglycemic and eosinopenic response to insulin in, 277*
—— schizophrenia; effect of adrenalin on eosinophils in, 46*
—— schizophrenia; effect of thalamic and hypothalamic lesions on eosinophil response in, 750†
MERCAPTOIMIDAZOLE
—— and methyl-; use of, during pregnancy with hyperthyroidism, 1045*
—— methyl-; effect of, during I^{131} therapy of hyperthyroidism, 763†
— methyl-; effect on biologic decay of I^{131} in thyrotoxicosis, 1079*
METABOLISM: *see* Basal metabolism; and under specific substances concerned
METAMORPHOSIS: *see* Growth
METHODS: *see also* Administration; Pregnancy, diagnosis; Tests
—— an improved pellet implanter, 728*
—— analysis of techniques for determination of thyroid function with I^{131}, 1095*
—— biopsy studies; *see* Biopsy
—— chemical assay of urinary corticosteroids; use of terms regarding, 743*
—— chemical; for determination of adrenal steroids in peripheral blood of man, 770†
—— clinical bioassay for c. gonadotropin, in blood and urine, 805*
—— column chromatography of thyroid gland hydrolyzates, 1063*
—— enzymic hydrolysis of urinary corticoids, 769†
—— for corticosteroids poorly soluble in water, 26*
METHODS (cont.)
—— for determination of pregnanediol in urine, 251*
—— for determination of radioiodine conversion ratio in serum, 91*
—— for extraction and assay of prolactin from human urine, 465*
—— for measuring ankle jerk, 1186*
—— for measuring thyroidal I^{131} uptake; single G-M tube *vs.* multitube, 1012*
—— histochemical, using tetrazolium, in study of adrenal cortical function, 770†
—— needle biopsy of thyroid, 1123*
—— new micro-chromatographic fractionation procedure for urinary 17-KS, 578*
—— of administration: *see* Administration; and substance involved
—— scintillation counter for clinical studies of thyroid physiology, using I^{131}, 492*
—— stasis tadpole used in bioassay of thyroid-TSH balance in blood, 1237*
p-METHYLAMPHETAMINE SULFATE, in weight reduction, 780†
METHYLANDROSTENEDIOL: *see* Androgens, effects and therapy
METHYLMERCAPTOIMIDAZOLE: *see* Mercaptoimidazole
METHYLTESTOSTERONE: *see* Androgens, effects and therapy
METHYLTHIOURACIL: *see* Thiouracil
MONGOLISM
—— associated with Turner's syndrome; multiple degenerative state, 778†
—— circulating eosinophil response to epinephrine in, 777†
MULTIPLE SCLEROSIS: *see* Nervous system
MUSCLE: *see also* Creatinine; Nutrition; Protein
—— analysis of, in case of Cushing's syndrome with acromegaly, 913*
—— biopsy of gastrocnemius, in periarteritis nodosa treated with ACTH, 375*
—— convulsions, electrically produced; effect on leucocytes in man, 1469*
—— extraocular; biopsy study of effects of irradiation of the pituitary in malignant exophthalmos, 512*
—— I^{131} in, at autopsy, 843*
—— methylandrostenediol as a myotrophic agent; studies on levator ani of rat, 209*
—— muscular atrophy; effect on changes in serum K during i.v. glucose tolerance test, 775†
—— muscular dystrophy and dermato-

MUSCLE (cont.)
myositis; effect of ACTH on 17-KS excretion in, 578*
—— myopathy, chronic thyrotoxic, 1564*
—— of mother *vs.* trunk tissue of fetus; ratio of concentration of c. gonadotropin between, 360*
—— radioiodide binding capacity of, 1259*
—— reflex response of, in thyroid diseases, and in myotonia, 1186*
MYXEDEMA: *see* Thyroid disorders, hypothyroidism

NECROPSY: distribution of I^{131} in tissue obtained at, 843* (*see also* under various endocrine disorders)
NEGRO; Addison's disease in, 322*
NEMBUTAL, i.v., in determination of SMR in thyroid disease, 1549*
NEOPLASMS: *see* Tumors; and under various endocrine disorders
NEPHRITIS: *see* Kidney
NEPHROSCLEROSIS; NEPHROTIC SYNDROME; NEPHROSIS: *see* Kidney
NERVOUS SYSTEM: *see also* Brain; Mental
—— ankle jerk in myxedema, 1186*
—— electrically induced convulsions; changes in leucocytes following, 1469*
—— Leydig (sympathicotropic) cells: *see* Testis; Ovary
—— nerve function; effect of pituitary hormones on, 754†
—— neurofibromatosis associated with chromafin cell tumor, 630*
—— neurotoxin of scorpion; effect of ACTH on, 796†
—— sclerosis, amyotrophic lateral; pregnenolone therapy in, 559*
—— sclerosis, multiple; hypoglycemic and eosinopenic response to insulin in, 277*
NITROGEN: *see also* Creatinine; Protein; Uric Acid
—— balance: effect of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
—, effect of i.v. testosterone on, 833*
—, in Cushing's syndrome under treatment with various hormones, 797†
—, in periarteritis nodosa treated with ACTH, 375*
—, in pituitary infantilism treated with GH, 221*
—— excretion, in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— metabolism; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— N-15 incorporated in glycine, in study of amino acid metabolism in hyperadrenocorticism, 773†
—— retention following methylandrostenediol therapy, 641*, 766†
—— urea of plasma and urine in study of water retention in Addison's disease and hypopituitarism, 700*
NOMENCLATURE of urinary corticosteroids, 445*, 743*
NOTICES: *see* Announcements
NUTRITION: *see also* Anorexia nervosa; Diet; Obesity; Vitamins
—— food and the genesis of goiter, 1361*
—— malnutrition, severe; rate of conversion of testosterone to urinary 17-KS in, 416*
—— starvation; corticosteroid excretion in, 1224*

OBESITY: *see also* Fat; Nutrition; and associated with endocrine disorders
—— adipose gynandrism and gynism, 778†
—— ankle jerk in, 1186*
—— corticosteroid excretion in, 1224*
—— inherited, in the mouse; growth and endocrine studies in, 746†
—— pregnenolone therapy in, 559*
—— urinary neutral steroids in, 61*
—— weight reduction; place of anorexic agents in, 780†
OFFICERS of the Association: *see* Association for the Study of Internal Secretions
OIL; peanut *vs.* castor, in study of antidiuretic action of pitressin, 963* (*see also* Administration (Methods))
OLIGOSPERMIA: *see* Testis, disorders, spermatozoa
ORAL methods of administration; comparison with other methods, *see* Administration
OSTEOPOROSIS: *see* Bone
OVARY: *see also* Breast; Climacteric; Estrogens; Gonadotropins: Hermaphrodism: Menstruation; Pregnancy; Progesterone; Puberty; Sex; Sterility; Uterus; Vagina; Virilism
DISORDERS
—— amenorrhea: *see also* Menstruation; Pregnancy
—— anovulation; intensive stilbestrol therapy of, 789†
—— castrates; glycogen-estrogen relation in vaginal smear; hyperestrinism, 103*
—— climacteric: *see* Climacteric

OVARY (cont.)
DISORDERS (cont.)
—— dermoid cyst of; *see* Ovary, disorders, struma ovarii
—— diminished fertility and menstrual irregularities in hyperthyroidism, 1045*
—— eunuchoid preadolescent girls in diabetic coma; effect of insulin and estrogen in, 801†
—— feminization during cortisone therapy, in female pseudohermaphrodism, 1*
—— gynism, adipose, and gynandrism, 778†
—— hypogonadism and adrenogenital syndrome in female; menarche and pregnancy after removal of adrenal tumor, 330*
—— hypogonadism in pituitary infantilism; treatment with GH, thyroid and methyltestosterone, 221*
—— Leydig cell tumor of, with virilism; autopsy, 878*
—— menopause: *see* Climacteric
—— menstrual disorders: *see* Menstruation
—— oophorectomized women; secretory and decidual changes in endometrium induced by estrogen and progesterone, 267*
—— ovarian agenesis; corticosteroid excretion in, 1224*
—— ovarian agenesis; FSH excretion and iodine vapor stained vaginal smear in, 434*
—— precocious puberty: *see* Puberty
—— pseudohermaphrodism: *see* Hermaphrodism
—— struma ovarii; inhibition of thyroid function by; effect of TSH, 762†
—— struma ovarii; inhibition of normal thyroid by; effect of I^{131} and removal of tumor, 621*
—— *therapy: see* Estrogens; Gonadotropins; Progesterone
PHYSIOLOGY
—— corpus luteum function; effects of c. gonadotropin and luteotropin on, 768†
—— distribution of I^{131} in, at necropsy or at surgical operation, 843*
—— effect on, of I^{131} therapy for thyroid cancer, 1128*
—— effect on, of parenteral injection of semen in the rat, 1403*
—— females with hepatic disease; conversion of testosterone to urinary 17-KS in, 416*
—— hyperemia of, in rat, in clinical bioassay for c. gonadotropin, 805*
—— luteotropic doses of c. gonadotropin; ovarian reaction following; 2 corp. lutea in 1 ovary, 936*
—— normal; protein-bound iodine content of, 621*
—— normal women and castrates; urinary prolactin in, 465*
—— normal women; metabolism of testosterone in, during menstrual cycle, 427*
—— normal women; neutral urinary 17-KS in, by new micro-chromatographic fractionation procedure, 578*
—— ovarian function; effect of I^{131} on, in thyroid cancer with pelvic metastases, 1323*
—— ovulation: *see also* Menstruation
—— sexual potency of aged women; endocrine study, 945*
—— studies of, with radioactive prolactin, in the rat, 747†
PREPARATIONS: *see* Estrogens; Progesterone; Steroids
OVULATION: *see* Menstruation; Ovary; Pregnancy

PANCREAS: *see also* Carbohydrate metabolism; Diabetes mellitus; Insulin
—— capacity of, to secrete extra insulin, a factor in activity of GH, 531*
—— disease of, without hyperglycemia; changes in serum K during i.v. glucose tolerance test, 775†
—— distribution of I^{131} in, at necropsy, 843*
—— islet cell tumors of; hypoglycemic response to 48-hour fast in, 776†
—— pancreatitis, chronic; pregnenolone therapy in, 559*
PANHYPOPITUITARISM: *see* Pituitary, disorders
PARAHYDROXYPROPIOPHENONE
—— and other so-called pituitary inhibitors; experimental and clinical effects, 1215*
—— effect on thyroid function in rats and chicks, 973*
—— pituitary action and estrogenic effect of, in the rat, 892*
PARATHYROIDS: *see also* Calcium metabolism; Thyroid
—— postoperative hypoparathyroidism; refractoriness to antitetanic therapy in, 783†
PEANUT OIL: *see* Oil

PEDIATRIC ENDOCRINOLOGY; postgraduate course in: *see* Harvard Medical School
PELLET IMPLANTATION: *see* Administration
PENIS: *see* Androgens and Gonadotropins, effects; Hermaphrodism; Puberty; Prostate; Testis
PERIARTERITIS NODOSA: *see* Vascular system
PHEOCHROMOCYTOMA: *see* Adrenals, disorders
PHOSPHATASE: *see* Enzymes
PHOSPHOLIPIDS: *see* Lipids
PHOSPHORUS: *see also* Calcium; Parathyroids
—— balance; effect of i.v. testosterone on, 833*
—— balance, in periarteritis nodosa treated with ACTH, 375*
—— inorganic, of serum; in diabetes mellitus and after i.v. glucose or saline in normal subjects, 602*
—— metabolism; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— metabolism, in pituitary infantilism treated with GH, 221*
—— of blood: effect of parahydroxypropiophenone on, in acromegaly, 1215*
— in acromegaly, 780†, 872*
— in adrenogenital syndrome, 1395*
— in chronic thyrotoxic myopathy, 1564*
— in polyostotic fibrous dysplasia and hyperthyroidism, 312*
— in sex-linked juvenile diabetics, 608*
— phospholipids and lipid phosphorus; effect of ACTH on, in cerebromacular degeneration, 866*
—— radioactive; uptake of, in seminal vesicles of castrate rats, after testosterone therapy, 765†
—— uptake of, in pigeon crop-sac; effect of prolactin on, 748†
—— urinary phosphates, in study of failure of water diuresis in Addison's disease, 1454*
PHOTOGRAPHIC (Biological) ASSOCIATION: *see* Biological Photographic A.
PHYSICAL MEDICINE, International Congress of: *see* International
PHYSICIANS' ART SHOW: *see* American Medical Association
PIGMENT: *see also* Addison's disease
—— Addisonian-like, in female pseudohermaphrodite; effect of cortisone on, 1*
PIGMENT (cont.)
—— bilirubin of serum in chronic liver disease; effect of ACTH on, 152*
—— increasing pigmentation following bilateral complete adrenalectomy for hypertension, 774†
—— "liver spots," familial, in patient with chromaffin cell tumor, 630*
—— Negro; Addison's disease in, 322*
—— of eyes and hair, in 3 sex-linked juvenile diabetics and mother, 608*
—— of skin, in polyostotic fibrous dysplasia associated with hyperthyroidism, 312*
—— pigments, in colorimetric determinations: *see* Methods
PITRESSIN: *see* Pituitary preparations
PITUITARY: *see also* Cushing's syndrome; and Gonadotropins
DISORDERS
—— acromegaly: and hyperthyroidism; effect of TSH on iodine metabolism in, 761†
— and hypopituitarism; hypoglycemic and eosinopenic response to insulin in, 277*
— and polyglandular deficiency; acute and chronic adrenal insufficiency associated with, 872*
—; corticosteroid excretion in, 1224*
—; effect of parahydroxypropiophenone on, 1215*
—; hormonal and radiation therapy of, 780†
—; iodine vapor stained vaginal smear in, 434*
—; thyroid-TSH balance of serum in, 761†, 1237*
—; urinary prolactin in, 465*
— with Cushing's syndrome; metabolic effect of ACTH, KCl and removal of adenoma in, 913*
—— basophilic adenomata of, in case of polyostotic fibrous dysplasia with hyperthyroidism, 312*
—— chromophobe adenoma; iodine vapor stained vaginal smear in, 434*
—— Cushing's syndrome: *see* Cushing's syndrome
—— diabetes insipidus and adrenal cortical insufficiency in same patient; studies, 749†
—; comparison of antidiuretic action of various forms of pitressin in, 963*
—; iodine vapor stained vaginal smear in, 434*
—; metabolic studies; effect of thy-

PITUITARY (cont.)
DISORDERS (cont.)
roxine, DCA, cortisone and pitressin in, 755†
—— hyperantuitarism, preadolescent, in diabetes mellitus, 801†
—— hypopituitarism and Addison's disease; mechanism of water retention in, 700*
— and diabetes mellitus, with hypertension, 537*
—; cerebral metabolism in; effect of DCA glucoside on, 750†
—; corticosteroid excretion in, 1224*
—— infantilism, treated with pituitary transplants, GH, thyroid and methyltestosterone, 221*
—— panhypopituitarism; hormonal and eosinophilic response to prolonged ACTH therapy in, 755†
—— panhypopituitarism; urinary prolactin in, 465*
—— pituitary hypothyroidism; TSH and I^{131} tracer in diagnosis of, 781†, 1495*
—— Simmonds' disease; iodine vapor stained vaginal smear in, 434*
—; neutral steroid excretion in, 61*
—; thyroid-TSH balance of serum in, 761†, 1237*
—— tumor; urinary excretion of prolactin in, 465*
GONADOTROPINS: *see* Gonadotropins
HORMONES: *see* Gonadotropins; and Pituitary, preparations and compounds
PHYSIOLOGY AND PATHOLOGY
—— differential cell count, in case of Leydig cell tumor of ovary with virilism, 878*
—— distribution of I^{131} in, at necropsy, 843*
—— disturbance of function of, by alcohol, in the rat, 792†
—— effect of induced basophil activity of, on cervical epithelium of animals, 786†
—— effect of parahydroxypropiophenone on, in the rat, 892*
—— endocrine studies of, in the aged, 945*
—— hypophysectomy; effect on metabolism of I^{131} in the rat, 762†
—— in familial adrenal cortical hyperplasia, 1436*
—— intraocular homologous transplants of, in hypophysectomized rat, in study of ACTH release, 751†
—— irradiation of, in treatment of malignant exophthalmos, 512*

PITUITARY (cont.)
PHYSIOLOGY AND PATHOLOGY (cont.)
—— pituitary-adrenal cortex mechanism; effect of testosterone on, in breast cancer, 173*
—— pituitary-adrenal insufficiency; test for, 277*
—— pituitary-adrenal relationship in full-term and premature infants, as evidenced by eosinophil response, 186*
—— pituitary-adrenal-thyroid relationships following I^{131} therapy, 1574*
—— pituitary-inhibiting properties of lactones, 1215*
—— pituitary necrosis and diabetes mellitus, 537*
—— posterior pituitary; role of, in control of water excretion in adrenal insufficiency, 700*
—— structure of tumor removed at autopsy in case of Cushing's syndrome with acromegaly, 913*
—— transplants of, in treatment of pituitary infantilism, 221*
—— weight of, in rats treated with parahydroxypropiophenone, 1215*
PREPARATIONS AND COMPOUNDS
—— anterior pituitary powder; effect on B.P. and structure of adrenal cortex, in the rat, 193*
—— FSH: *see* Gonadotropins
—— gonadotropic hormone: *see* Gonadotropins
—— luteinizing hormone; release of, by pituitary, in menopausal women; action of estrogens on, 98*
—— luteotropin plus c. gonadotropin; effect on corpus luteum function in sterility, 768†
—— prolactin; urinary excretion of, in man, 465*
—— prolactin, urinary, following luteotropic doses of c. gonadotropin in women, 936*
Adrenocorticotropic Hormone (ACTH): see also Adrenals, physiology
—— accumulation of, in kidneys of rat, 756†
—— and ascorbic acid, in treatment of bronchial asthma; hematologic and hormonal studies, 395*
—— and cortisone; effect on urinary gonadotropin, in various diseases, 677*
—— and STH; effect on phagocytosis in hypophysectomized animals, 751†
—— chemistry of; Armour's International Symposium on, 1041

PITUITARY (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Adrenocorticotropic Hormone (*ACTH*) (cont.)
—— clinical and metabolic effects of, modified by diet; effect of CH and of fat on toxic symptoms, 1030*
—— effect: before and after complete bilateral adrenalectomy, 774†
— in cerebromacular degeneration, 866*
— in diabetes insipidus with adrenal cortical insufficiency, 749†
— in scorbutic guinea pigs, 791†
— of various methods of administration of, on 17-hydroxycorticosteroid of blood, in man, 1021*
— on adrenal cortical metabolism, in chronic liver disease; toxicity, 152*
— on adrenal steroids in blood, 770†
— on blood and urine sugar, in rat, 753†
— on corticoid release from perfused adrenals, 756†
— on distribution and kinetics of body water, 794†
— on excretion of corticosteroids in Addison's disease, 771†
— on ketosis induced by pure fat diet, 773†
— on nerve function, in the rat, 754†
— on peripheral vascular bed, 795†
— on lymphocytes and eosinophils, in chronic lymphatic leukemia, 1383*
— on salivary Na/K ratio, 772†
— on scorpion neurotoxin, 796†
— on serum hexosamine and gamma-globulin, in acute disseminated lupus erythematosus, 39*, 890*
— on serum lipid partition in various clinical conditions 67*, 795†
— on TSH action, in hypophysectomized rats, studied with I^{131}, 761†
— on urinary corticoids, determined by 2 methods, 769†
— on urinary 17-KS and corticosteroids, in cryptorchism, 1383*
— on urinary 17-KS and sodium, in congenital adrenal virilism with Addisonian symptoms, 798†
— on urinary 17-KS, in muscular dystrophy and dermomyositis, 578*
— on urinary steroids, in congenital adrenal hyperplasia, 1*
—— eosinopenic activity of urine of patients treated with, 792†
—— eosinophil response to: effect of testosterone on, in breast cancer, 173*
— in Addison's disease in the Negro, 322*
— in adrenogenital syndrome with hypoglycemia, 1395*
— in full-term and premature infants, 186*
— in test for adrenal cortical function: *see* Blood, cells, eosinophils
—— hyperadrenocorticism induced by; amino acid metabolism in, using N-15 incorporated in glycine, 773†
—— in open treatment of burns, 796†
—— inability of, to alter colostrum sensitivity, 793†
—— metabolic effects of, in Cushing's syndrome, 797†, 913*
—— metabolic effects of, upon diabetes mellitus with myelogenous leukemia, 455*
—— or hypophysectomy; effect on adrenal cortical function, studied histochemically by tetrazolium, 770†
—— prolonged dosage; hormonal and eosinophilic response to, in panhypopituitarism, 755†
—— prolonged treatment of periarteritis nodosa with; effective dose, as measured by metabolic balances, 375*
—— relationship of, to adrenal tumor *vs.* hyperplasia, associated with Cushing's syndrome, 926*
—— release; dual control of, in the rat, 751†
—— resistance; nature of, 757†
—— test, in cases of inhibition of adrenalinic eosinopenia by thiouracil, 777†
—— use of, in acute abdominal emergencies, 799†

PITUITARY (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
Adrenocorticotropic Hormone (ACTH) (cont.)
—— well-tolerated, heat-stable, long-acting preparation of, 800†
Growth Hormone: see also Growth
—— and hypophysectomy; effect on cathepsin activity in the rat, 754†
—— and hypophysectomy; effect on thiocyanate space and muscle electrolytes in the rat, 753†
——; diabetes induced by; mechanism of, 531*
——; effect on blood and urine sugar in the rat, 753†
——; effect on corticosteroid release from perfused adrenals, 756†
——; effect on nerve function in the rat, 754†
—— in the treatment of pituitary infantilism, 221*
Posterior Pituitary Hormone
—— antidiuretic hormone; role of, in failure of water diuresis in Addison's disease, 1454*
—— antidiuretic principle in serum and urine, in Addison's disease and hypopituitarism, 700*
—— pitressin; effect in periarteritis nodosa, 375*
—— pitressin; effect on electrolyte excretion in diabetes insipidus 755†
—— pitressin and pitocin; effect on nerve function in the rat, 754†
—— pitressin; solution *vs.* tannate in aqueous and oil suspensions; antidiuretic actions of, 963*
Thyrotropic Hormone (TSH): see also Thyroid, disorders; physiology
—— and thiouracil; influence on oxygen consumption of guinea pig, 781†
—— and thyroid hormone of serum, in endocrine disease, 761†
—— antithyrotropic effect of parahydroxypropiophenone in the rat, 1215*
—— effect: of parahydroxypropiophenone on, 973*
— on iodine metabolism in thyroid conditions, studied by I^{131}, 761†
— on I^{131} accumulation, 760†
— on I^{131}, in acute thyroiditis, 1106*
— on nerve function, in the rat, 754†
— on normal thyroid and on thyroid inhibited by struma ovarii, 762†
— on release of thyroid hormone, 1079*
—— in treatment of metastatic thyroid cancer; comparison with thyroidectomy and thiouracil, 1273*
—— modification of action of, by ACTH and cortisone in hypophysectomized rats, studied with I^{131}, 761†
—— prolonged, excessive, thiouracil-induced action of; malignant thyroid tumors following, in mouse, 1281*
—— role of, in goitrogenic effect of certain foodstuffs, 1361*
—— thyroid-TSH balance in blood of normal and endocrinopathic subjects, 1237*
—— use of, with I^{131}, in differential diagnosis of myxedema, 781†, 1495*
PLACENTA: *see* Pregnancy; Uterus
—— chorionic gonadotropin from: *see* Gonadotropins
PNEUMONIA: *see* Lungs
POLYOSTOTIC FIBROUS DYSPLASIA, associated with hyperthyroidism, 312*
POSTERIOR PITUITARY: *see* Pituitary, disorders; preparations and compounds
POSTGRADUATE COURSES IN ENDOCRINOLOGY: *see* Association for the Study of Internal Secretions, postgraduate assembly; and Harvard Medical School
POTASSIUM: *see also* Electrolytes
—— balance, during methylandrostenediol therapy, 766†
——, in periarteritis nodosa, treated with ACTH, 375*
—— excretion; effect of adrenalin on, in rheumatoid arthritis, 46*
—— excretion; effect of i.v. testosterone on, 833*
—— excretion in congenital adrenal hyperplasia; effect of cortisone, 1*
—— in body fluids in chronic liver disease; effect of ACTH on, 152*
—— in diet; effect on ACTH therapy, 1030*
—— iodide: *see* Iodine
—— metabolism; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*

POTASSIUM (cont.)
—— of blood and urine; changes in, following acute stress, 776†
—— of blood, in chronic thyrotoxic myopathy, 1564*
—— of muscle; effect of GH and hypophysectomy on, in the rat, 753†
—— of serum: and urine, in adrenogenital syndrome, 1395*
—; changes in, during i.v. glucose tolerance test, 775†
—, in acromegaly with polyglandular deficiency, 872*
—, in adrenogenitalism, 857*
—, in chromaffin cell tumor, 630*
—, in pituitary necrosis and diabetes mellitus, 537*
—— salivary Na/K ratio and adrenal salt regulating factors, 772†
PRECOCIOUS PUBERTY: *see* Puberty, precocious
PREGNANCY: *see also* Breast; Estrogens; Fetus; Gonadotropins; Menstruation; Ovary; Pregnanediol; Progesterone; Sterility; Uterus
—— a factor in the type of response to growth hormone in, 531*
—— abortion, ectopic pregnancy; toxemia, and hydatid mole; pregnanediol values in, 251*
—— abortion; subinvolution of uterus following; effect of i.v. estrogen therapy on, 821*
—— abortion, therapeutic; distribution of c.gonadotropin in maternal system following, 360*
—— after removal of benign adrenocortical adenoma, 330*
—— distribution of c.gonadotropin in mother and fetus, at various stages of, 360*
—— ectopic (tubal); effect of i.v. estrogen therapy in, 821*
—— effect on excretion of prolactin, 465*
—— luteotropic doses of c.gonadotropin in women, 936*
—— maternal and fetal adrenal cortical interrelations, 792†
—— normal and toxemic; hormone studies during, 786†
—— urine; eosinopenic activity of, 792†
—— with hyperthyroidism; use of antithyroid drugs during, 1045*
DIAGNOSIS (tests): *see also* Gonadotropins, chorionic
—— clinical bioassay for c.gonadotropin in blood and urine, 805*
—— pregnanediol values in; comparison with biologic tests, 251*
—— pregnanediol: *see also* Pregnanediol
PREGNANCY (cont.)
DIAGNOSIS (cont.)
—— problems and 2 modifications in technic of test, using male North American frog, 213*
PREGNANEDIOL: *see also* Estrogens; Progesterone; Pregnancy
—— determinations in the clinic and in research, 251*
—— excretion, in study of effect of c.gonadotropin and luteotropin on corpus luteum in sterility, 768†
—— excretion of pregnanediol-like material in girl with adrenogenitalism, 857*
—— isolation of, from human bile, after oral progesterone, 246*
—— therapeutic use of, in endogenous allergy to steroids, in menstrual disorders, 790†
—— urinary, during normal and toxemic pregnancy, 786†
—— urinary, following administration of progesterone to patients with obstruction of bile duct, 246*
—— urinary, in thyroid disease with associated proliferative endometrium, 760†
PREGNANOLONE; excretion of, in virilism, 61*
PREGNENINOLONE: *see* Progesterone (anhydrohydroxy)
PREGNENOLONE: *see also* Progesterone
—— effect of, on urinary steroids, in congenital adrenal hyperplasia, 1*
—— use of, in various types of arthritis and other clinical disorders, 559*
PREMATURE INFANTS: *see* Infants
PREMENSTRUAL TENSION: *see* Menstruation
PROGESTERONE: *see also* Estrogens; Menstruation; Pregnanediol; Pregnenolone; Pregnancy; Steroids
—— and estrogen; induction and maintenance of decidual changes with, 134*
—— and estrogen; secretory and decidual changes induced by, in oophorectomized women, 267*
—— antagonistic effect on testosterone and estrogen-induced changes in castrate rodent, 783†
—— effect on cystic endometrial hyperplasia induced with estradiol, in hamster, 785†
—— effect on estrus produced by hypothalamic lesions in rats, 785†
—— 17-hydroxyprogesterone; metabolic and cardiovascular effects of, in the rat, 794†
—— induction of menstrual bleeding by, in amenorrhea with well glycogenized vaginal smear, 434*

PROGESTERONE (cont.)
—— or anhydrohydroxyprogesterone; use of, in treatment of prostatic cancer, 663*
—— oral administration of; isolation of pregnanediol from human bile following, 246*
—— plus estradiol benzoate, in treatment of rheumatic heart disease, 146*
—— pregnanediol: *see* Pregnanediol
—— pregnenolone: *see* Pregnenolone
—— progestational activity of methylandrostenediol, 641*
—— resorption rate, controlled by pregnanediol determinations, 251*
—— role of liver in metabolism of, 246*, 765†
—— single preovulatory injection of; effect on indices of ovulation, 789†
PROGRAMS: *see* Association for the Study of Internal Secretions; American Association for the Advancement of Science; American Diabetes Association; American Goiter Association; Laurentian Hormone Conference
PROLACTIN: *see also* Breast; Pituitary, preparations and compounds
—— assay, by effect on P metabolism of pigeon crop-sac, 748†
—— effect on nerve function in the rat, 754†
—— influence on effect of purified pituitary gonadotropin, in hypophysectomized immature male rat, 765†
—— radioactive; tracer studies in the rat, 747†
PROPYLTHIOURACIL: *see* Thiouracil
PROSTATE (and SEMINAL VESICLES): *see also* Androgens; Gonadotropins; Testes
—— cancer of; use of progesterone in treatment, 663*
—— carcinoma of; I^{131} in testes at orchiectomy, 843*
—— development of, during pubescence; excretion of acid phosphatase as a measure of, 84*
—— growth-stimulating effects on, by different androgenic preparations, 783†
—— in men with oligospermia, 235*
—— prostatectomized and orchiectomized men; metabolism of ethinyl estradiol in, 408*
—— prostatic exprimate; acid phosphatase in, during normal puberty, 766†
—— prostatic hypertrophy in aged men; endocrine study, 945*
—— semen; hormonal activity in, 1403*
—— seminal fructose as index of androgenic activity, 1411*
PROSTATE (and SEMINAL VESICLES) (cont.)
—— seminal vesicles of castrate rat; uptake of P^{32} in, after testosterone therapy, 765†
—— seminal vesicles of rat; effect of various hormones on weight of, 209*
PROTEIN: *see also* Blood; Creatinine; Muscle; Nitrogen; Uric acid
—— albumin of serum as vehicle for i.v. testosterone, 833*, 897*
—— amino acid metabolism in hyperadrenocorticism, using N-15 incorporated in glycine, 773†
—— amino acids in experimental diabetes (title only), 776†
—— anabolic action of methylandrostenediol, 641*
—— -bound iodine of normal ovary and thyroid; and of struma ovarii, 621*
—— -bound iodine of serum: *see* Blood, iodine; Iodine
—— cell-free thyroid protein *vs.* serum protein, in capacity to bind iodide, 1259*
—— gamma-globulin and hexosamine of serum in acute disseminated lupus erythematosus; effect of ACTH and cortisone on, 890*
—— gamma-globulin of serum in bronchial asthma treated with ACTH, ascorbic acid, and epinephrine, 395*
—— high protein diets; goitrogenicity of, 1361*
—— hypoglobulinemia, congenital; effect of cortisone and ACTH on urinary gonadotropin in, 677*
—— hypoproteinemia, essential; serum lipid partition in, during ACTH therapy, 67*
—— lipoproteins of blood, in menstrual cycle, 767†
—— mucoprotein (hexosamine) of serum in acute disseminated lupus erythematosus; effect of ACTH and cortisone on, 39*
—— of plasma, in adrenogenital syndrome 1395*
—— of serum, in chromaffin cell tumor with simulated malignant hypertension, 630*
—— of serum, in diabetes mellitus with pituitary necrosis, 537*
—— of serum, in study of water retention in Addison's disease and hypopituitarism, 700*
—— -precipitable nature of thyroid and serum bound radioiodine, 1259*
—— serum albumin and globulin in chronic liver disease; effect of ACTH on, 152*

PROTEIN (cont.)
—— total, of serum, in study of conversion of radioiodine to PBI, 1524*
PSEUDOHERMAPHRODISM: *see* Hermaphrodism
PSYCHOSES: *see* Brain; Mental; Nervous system
PUBERTY: *see also* Adrenals; Growth; Ovary; Testis
—— acid phosphatase of prostatic exprimate during, 766†
—— prostatic development during; excretion of acid phosphatase and creatinine as a measure of, 84*
—— time of development of adipose gynandrism and gynism, 778†
PRECOCIOUS
—— associated with polyostotic fibrous dysplasia, in females, 312*
—— in girl with adrenal cortical tumor; hormone studies, 857*
—— neutral steroid excretion in, 61*
—— urinary 17-KS and adrenal corticosteroids in, 1383*
—— urinary prolactin in, 465*
PUBLICATIONS COMMITTEE: *see* Association for the Study of Internal Secretions
PYRUVIC ACID
—— of blood; changes in, in hypoglycemia; relation to epinephrine, 752†
—— sodium pyruvate; effect on insulin reaction in mice, 800†

RADIATION: *see* Radioactive; and Roentgen ray
RADIOACTIVE
—— diiodotyrosine: *see* Diiodotyrosine
—— iodine: *see* Iodine, radioactive; and Blood, iodine
—— N-15 incorporated in glycine, in study of amino acid metabolism in hyperadrenocorticism, 773†
—— phosphorus, in seminal vesicles of castrate rats after testosterone therapy, 765†
—— prolactin; tracer studies with, in the rat, 747†
—— thyroxine: *see* Iodine, radioactive; and Thyroid, preparations and compounds
RADIOAUTOGRAPHY: *see* Iodine, radioactive
RADIODIIODOTYROSINE: *see* Diiodotyrosine
RADIOIODINE: *see* Iodine, radioactive
REACTIONS
—— chemical: *see* Methods; Tests
—— to drugs: *see* Toxicity; also Iodine, radioactive; Thiouracil; and under various glandular preparations
—— to insulin: *see* Insulin
RECIPIENTS, of Awards and Fellowships: *see* Association for the Study of Internal Secretions; and American Goiter Association
RENAL: *see* Kidney
RENIN: *see* Kidney
REPRODUCTION: *see* Menstruation; Ovary; Pregnancy; Sterility; Testis
REVIEW, ENDOCRINE; (methylandrostenediol), 641*
RHEUMATIC FEVER: *see also* Arthritis; Heart
—— corticosteroid excretion in, 1224*
—— 17-hydroxycorticosteroid of peripheral blood in, 1021*
—— urinary 17-KS and adrenal corticosteroid in, 1383*
RHEUMATIC HEART DISEASE: *see* Heart
RHEUMATISM: *see also* Arthritis; Gout
—— inhibition of adrenal function in, by cortisone, 797†
—— treated with cortisone; relation of BMR to 17-KS in, 796†
RHEUMATOID ARTHRITIS: *see* Arthritis
ROENTGEN RAY
—— effect on uptake of I^{131} in thyroid cancer metastases, 1128*
—— examination, in children, to establish bone age: *see* Children; Dwarfism; Growth; and under endocrine disorder concerned
—— examination, in the aged, for osteoporosis and blood vessel calcification, 945*
—— examination of bones, in study of I^{131} in 119 cases of thyroid cancer, 1323* (*see also:* Thyroid, disorders, cancer)
—— irradiation of pituitary in treatment of malignant exophthalmos, 512*
—— postoperatively, in treatment of cancer of the thyroid in youth, 1166*
—— therapy in acute thyroiditis; comparison with other forms of treatment, 1106*
—— therapy in lymphoid thyroiditis, 1123*
—— therapy, in treatment of thyroid disease: *see also* Thyroid, disorders
—— various x-ray procedures; roentgen dosage of, compared with that of radioiodine, 492*

SALIVA
—— Na and K content of, in chronic liver disease; effect of ACTH on, 152*

SALIVA (cont.)
—— Na/K ratio of; inverse variation with adrenal cortical activity, 772†
SALT: *see* Chloride; Sodium; Electrolytes
SCHERING FELLOWSHIP: *see* Association for the Study of Internal Secretions
SCHIZOPHRENIA: *see* Mental
SCINTILLATION COUNTER in studies of human thyroid physiology, using I^{131}, 492*
SCLERODERMA: *see* Skin
SCLEROSIS: *see* Nervous system
SCORPION neurotoxin; effect of ACTH on, 796†
SCURVY: *see* Vitamins
SEDIMENTATION RATE: *see* Blood, cells
SEMEN: *see* Prostate and Seminal Vesicles; and Testes, spermatozoa
SEMINAL VESICLES: *see* Prostate; Testis
SEX: *see also* Breast; Hermaphrodism; Menstruation; Ovary; Pregnancy; Prostate; Puberty; Testis; Uterus
—— difference, in 17-KS excretion, 578*
—— females; acid phosphatase and creatinine excretion in, 84*
—— incidence, in cancer of the thyroid in youth, 1166*
—— incidence, in Hürthle cell tumor of the thyroid, 1535*
—— influence of, in endocrine studies in aging, 945*
—— influence of, on increase in urinary gonadotropin following cortisone and ACTH, 677*
—— precocity: *see* Adrenals, disorders; and Puberty, precocious
—— sex-linked juvenile diabetes-mellitus; genetic and clinical study of a family, 608*
SEXUAL trends in female pseudohermaphrodism, 477*
SHEEHAN'S SYNDROME: *see* Syndrome
SIMMONDS' DISEASE: *see* Pituitary, disorders
SKIN: *see also* under various endocrine disorders
—— acne: and gynecomastia, following I^{131} for hyperthyroidism, 1574*
— during ACTH therapy, in chronic liver disease, 152*
— in adolescence; treatment with topical estrogens, 487*
— severe; during ACTH therapy, 1030*
—— burns, extensive; 17-KS excretion in, by new microchromatographic method, 578*
—— disorders; serum lipid partition in, during treatment with cortisone and ACTH, 67*
SKIN (cont.)
—— disseminated lupus erythematosus: *see* Lupus
—— exanthem from methylthiouracil, 298*
—— lupus erythematosus: *see* Lupus
—— pigmentation of: *see* Pigment; and Addison's disease
—— reactions to drugs: *see* Toxicity
—— scleroderma; effect of cortisone and ACTH on urinary gonadotropin in, 677*
—— senile changes in; correlation with urinary 17-KS and osteoporosis, 945*
SMEARS
—— blood and bone marrow: *see* Blood, cells
—— vaginal: *see* Vagina; Climacteric; Menstruation
SODIUM: *see also* Chloride: Electrolytes
—— amytal: *see* Amytal
—— and chloride of blood and urine; changes in, following acute stress, 776†
—— balance; effect of ACTH, cortisone and DCA on, after bilateral adrenalectomy, 774†
—— balance, in periarteritis nodosa treated with ACTH, 375*
—— excretion; effect of adrenalin on, in rheumatoid arthritis, 46*
—— excretion; effect of i.v.testosterone on, 833*
—— excretion, in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— in body fluids in chronic liver disease; effect of ACTH on, 152*
—— in plasma and urine, in study of failure of water diuresis in Addison's disease, 1454*
—— of blood, in chronic thyrotoxic myopathy, 1564*
—— of muscle; effect of GH and hypophysectomy on, in the rat, 753†
—— of serum: in acromegaly with adrenal and polyglandular deficiency, 872*
— in adrenogenital syndrome, 857*, 1395*
— in familial adrenal cortical hyperplasia, 1436*
— in pituitary necrosis with diabetes mellitus, 537*
—— limitation of, in diet; effect on ACTH therapy, 1030*
—— metabolism; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
—— metabolism, in congenital adrenal virilism with Addisonian symptoms; effect of cortisone and ACTH, 798†
—— retention of, during methylandrostenediol therapy, 766†

SODIUM (cont.)
—— salivary Na/K ratio and adrenal salt regulating factors, 772†
SOMNOLENT METABOLIC RATE: *see* Basal metabolism
SPERMATOZOA: *see* Testis, spermatozoa; Sterility; Prostate
SPLEEN
—— distribution of I^{131} in, at necropsy, 843*
—— glucuronidase of, in hydrolysis of urinary corticoids, 769†
—— radioiodide binding capacity of, 1259*
—— slices; inactivation of cortisone by, 771†
SPONDYLARTHRITIS: *see* Arthritis
SQUIBB AWARD: *see* Association for the Study of Internal Secretions
STARVATION: *see* Nutrition
STERILITY: *see also* Menstruation; Ovary; Pregnancy; Testis
—— apparent fertility in eunuchoid male in 11th year of androgen therapy, 612*
—— anovulation; intensive stilbestrol therapy of, 789†
—— diminished fertility in females with hyperthyroidism, 1045*
—— effect of c.gonadotropin plus luteotropin on corpus luteum function in, 768†
—— effect of obesity on fertility in mice, 746†
—— eunuchoid men; effect of various forms of c.gonadotropin on sperm count and testicular pattern in, 768†
—— fructose of semen, as index of androgenic activity, 1411*
—— oligospermia; *see* Testes, spermatozoa
—— ovulation: *see* Menstruation
—— pregnanediol test *vs.* vaginal smear in, 251*
—— spermatogenic rebound phenomenon following administration of testosterone in, 235*
—— treatment of dysmenorrhea with methyltestosterone or androstenediol, not contraindicated in, 787†
—— urinary excretion of prolactin in, 465*
STEROIDS
—— alone and in combination; metabolic and cardiovascular effects in the rat, 794†
—— androgens: *see also* Androgens
—— conjugated and free, of blood; in study of metabolism of i.v. testosterone in man; effect of liver disease on, 897*
—— corticosteroids, corticoids: *see also* Adrenals, preparations and compounds
STEROIDS (cont.)
—— cortisone: *see* Adrenals, preparations and compounds
—— determination of: *see also* Methods
—— endogenous allergy to, in menstrual disorders, 790†
—— estrogens: *see* Estrogens
—— hormone deficiency in chronic thyrotoxic myopathy, 782†
—— identification of, in human testis, 764†
—— methylandrostenediol: *see* Methylandrostenediol
—— neutral, urinary; quantitative studies in various clinical conditions, 61*
—— pregnenolone: *see* Pregnenolone
—— progesterone: *see* Progesterone
—— similar in chemical structure to androgens, in treatment of adrenal hyperplasia, 1*
—— steroid hormones; effect of, in rheumatic heart disease, 146*
—— steroidal control of cerebral metabolism, 750†
17-KETOSTEROIDS
—— analysis of adrenal cortical tumor for, 857*
—— in human peripheral blood, 1021*
—— of blood, in study of metabolism of i.v. testosterone in man; effect of liver disease on, 897*
Urinary
—— and nonketonic alcohols, in normal humans and in various endocrinopathies, 61*
—— comparison in Cushing's syndrome associated with adrenal tumor and with adrenal hyperplasia, 926*
—— conversion of testosterone to, in normal males and in patients with hepatic disease, 416*
—— effect: of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
— of ACTH, cortisone and DCA on, after bilateral adrenalectomy, 774†
— of ACTH in varying dosages on, 757†
— of ACTH on, in cerebromacular degeneration, 866*
— of ACTH on, in diabetes mellitus with myelogenous leukemia, 455*
— of ACTH therapy, prolonged, in panhypopituitarism, 755†
— of adrenalin on, in Addison's disease and in normal subjects, 46*

STEROIDS (cont.)
17-KETOSTEROIDS (cont.)
Urinary (cont.)
effect (cont.)
— of cortisone on, in congenital adrenal hyperplasia, 1*
— of cortisone on, in rheumatic patients, 797†
— of different preparations of androgen on, 783†
— of i.v. testosterone on, 833*
— of pregnenolone on, in arthritis and other disorders, 559*
— of "pure fat" diet on, during ACTH therapy for rheumatoid arthritis, 1030*
— of testosterone propionate and testosterone cyclopentylpropionate on, in hypogonadal men, 724*
—— following luteotropic doses of c. gonadotropin in women, 936*
—— in acromegaly; effect of hormonal therapy on, 780†
—— in acromegaly with adrenal and polyglandular deficiency, 872*
—— in acute peritonitis, 578*
—— in Addison's disease, 26*
—— in Addison's disease in the Negro, 322*
—— in adrenal cortical hyperplasia with virilism, 578*
—— in adrenogenitalism in female, before and after removal of cortical tumor, 857*
—— in adrenogenital syndrome with episodes of hypoglycemia, 1395*
—— in adult men receiving c.gonadotropin, 769†
—— in breast cancer, 578*
—— in bronchial asthma, treated with ACTH, ascorbic acid and epinephrine, 395*
—— in burns, extensive, 578*
—— in chronic liver disease; effect of ACTH and of TP on, 152*
—— in chronic thyrotoxic myopathy, 1564*
—— in congenital adrenal virilism with Addisonian symptoms; effect of cortisone and ACTH, 798†
—— in Cushing's syndrome; effect of treatment with various hormones, 797†
—— in Cushing's syndrome with adrenal carcinoma, 465*
—— in diabetes insipidus with adrenal insufficiency; effect of ACTH, 749†
—— in estrogen-producing tumors of adrenal, 798†
—— in eunuchoid male, before and after fertility during androgen therapy, 612*
—— in eunuchoid men treated with various forms of c.gonadotropin, 768†
—— in female pseudohermaphrodism; effect of partial adrenalectomy, 477*
—— in females with anorexia nervosa, 434*
—— in infectious mononucleosis, 427*
—— in Leydig cell tumor of ovary with virilism, 878*
—— in liver disease and gynecomastia, 688*
—— in lymphatic leukemia, 578*
—— in male pseudohermaphrodism, 790†
—— in metabolic study of methylandrostenediol, 766†
—— in muscular dystrophy and dermatomyositis; effect of ACTH on, 578*
—— in normal women, in a study of metabolism of testosterone during menstrual cycle, 427*
—— in periarteritis nodosa treated with ACTH, 375*
—— in pituitary infantilism treated with GH, thyroid and methyltestosterone, 221*
—— in sex-linked juvenile diabetics, 608*
—— in Simmonds' disease, 434*
—— in study of metabolism of i.v. testosterone in man; influence of liver and kidney disease, 877*
—— in study of seminal fructose as index of androgenic activity, 1411*
—— in syndrome of spontaneous lactation, amenorrhea and low FSH, 749†
—— in the aged, 945*
—— in various diseases, 1383*
—— increased in woman with benign adrenocortical adenoma; effect of removal of tumor, 330*
—— new microchromatographic fractionation procedure, for estimation of, 578*
—— relation to acid phosphate excretion during male pubescence, 84*

STEROIDS (cont.)
17-KETOSTEROIDS (cont.)
Urinary (cont.)
—— relation to BMR, in rheumatic patients treated with cortisone, 796†
STILBESTROL: *see* Estrogens
STRESS
—— acute abdominal emergencies; use of ACTH and cortisone in, 799†
—— acute; changes in constituents of urine during, 776†
—— acutely ill and convalescent patients; rate of conversion of testosterone to urinary 17-KS in, 416*
—— burns: *see* Skin
—— cold and hemorrhage; effect on adrenal cortical function studies histochemically, by tetrazolium, 770†
—— cold; effect on ankle jerk, 1186*
—— cold, starvation, fever, burn, etc.: corticosteroid excretion in, 1224*
—— effect of, in study of dual control of ACTH release in the rat, 751†
—— effect on adrenal steroids in blood, 770†
—— effect on phagocytosis in adrenalectomized and hypophysectomized animals, 751†
—— moribund patients; adrenal cortical function in, 793†
—— moribund patients; 17-hydroxycorticosteroid of blood in, 1021*
—— role of, in precipitation of hemorrhage in certain blood diatheses, 653*
—— surgical procedures; urinary 17-KS and adrenal corticosteroids following, 1383*
STRUMA
—— fibrosa and lymphomatosa: *see* Thyroid, disorders, thyroiditis
—— ovarii: *see* Ovary, disorders
SUBJECT INDEX to volume 11 (1951), 1593*
SUGAR: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Pancreas
SULPHUR: *see* Mercaptoimidazole; Thiocyanate; Thiouracil; Protein
SUPRARENALS: *see* Adrenals
SWEAT; sodium and potassium content of, in chronic liver disease; effect of ACTH on, 152*
SYMPOSIUM (Armour's International) on Chemistry of ACTH, 1041
SYNDROME
—— Albright's, associated with hyperthyroidism, 312*
—— adrenogenital: *see* Adrenals, disorders
—— Cushing's: *see* Cushing's syndrome
—— Fröhlich's: *see* incidental to Ovary, Testis, and Pituitary, disorders, hypogonadism
—— Klinefelter's; histophysiologic study in 5 cases, 767†
—— menopausal: *see* Climacteric
—— nephrotic: *see* Kidney
—— Sheehan's; TSH in diagnosis of, 1495*
—— spontaneous lactation, amenorrhea and low urinary FSH, in young female, 749†
—— Turner's, plus mongolism; multiple degenerative state, 778†

TADPOLE, stasis, as test object for bioassay of thyroid-TSH balance in blood, 1237*
TANNATE, of pitressin: *see* Pituitary, preparations
TAPAZOLE: *see* Mercaptoimidazole
TAY-SACHS DISEASE; effect of ACTH in, 866*
TECHNIQUES: *see* Methods; Tests
TEMPERATURE
—— basal body, in study of effect of luteotropic doses of c. gonadotropin in menstrual cycle, 936*
—— basal body: *see also* Menstruation; Ovary
—— cold; effect on ankle jerk, 1186*
—— cold; fever; corticosteroid excretion in, 1224*
—— cold; hemorrhage; effect on adrenocortical function, studied by tetrazolium, 770†
—— heat; effect of, on capacity of thyroid to bind iodide, 1259*
—— heat; effect of, on goitrogens of foodstuffs, 1361*
TESTIS: *see also* Androgens; Gonadotropins; Hermaphrodism; Prostate; Sterility
—— and accessory sex organs, in rats treated with parahydroxypropiophenone, 1215*
—— at autopsy, in case of pituitary necrosis and diabetes mellitus, 537*
—— distribution of I^{131} in, at necropsy or at surgical operation, 843*
—— effect of parahydroxypropiophenone on, in rats and chicks, 973*
—— human; identification of steroids in, 764†
—— Leydig cells; source of estrogen in human testis, 769†
—— metabolism of ethinyl estradiol in the male, 408*
—— normal males and males with hepatic disease; conversion of testosterone to 17-KS in, 416*

TESTIS (cont.)
—— normal males; 17-KS in, by new micro-chromatographic fractionation procedure, 578*
—— normal males; urinary prolactin in; effect of age, 465*
—— testicular status of aged men; endocrine study, 945*
—— total cholesterol of, in study of effect of purified pituitary gonadotropin, 765†
DISORDERS
see also Breast, gynecomastia; Pituitary, disorders
—— atrophy of, associated with estrogen-producing tumors of adrenal, 798†
—— castrate; steroids of urine in, after i.v.testosterone, 897*
—— castrates; metabolism of ethinyl estradiol in, 408*
—— castration; effect on prostatic cancer, 663*
—— cryptorchism; urinary 17-KS and adrenocorticosteroids in, following APL and ACTH, 1383*
—— eunuchoidism: cerebral metabolism in; effect of desoxycorticosterone glucoside on, 750†
—; corticosteroid excretion in, 1224*
—; effect of parahydroxypropiophenone (with and without testosterone) on urinary gonadotropins in, 1215*
—; kidney function studied by mannitol clearance in, 1454*
—; seminal fructose as index of androgenic activity in, 1411*
— treated with c. gonadotropin; comparison of aqueous solution, with oil and beeswax suspension, 768†
—— failure of, with gynecomastia; hormone excretion in, 688*
—— hypogonadism; linear growth responses of boys with, to prolonged therapy with c. gonadotropin, 343*
—— hypogonadism, male; effect of cyclopentylpropionate compared with propionate in, 724*
—— Klinefelter's syndrome; histophysiologic study of testes in, 767†
—— Leydig-cell proliferation, in familial adrenal cortical hyperplasia, 1436*
—— Leydig-cell tumor of ovary, with virilism; autopsy, 878*
—— polyglandular deficiency and acromegaly; acute and chronic adrenal insufficiency in, 872*
TESTIS (cont.)
DISORDERS (cont.)
—— precocious puberty: *see* Puberty, precocious
—— pseudohermaphrodism: *see* Hermaphrodism
PREPARATIONS AND COMPOUNDS: *see* Androgens; Steroids
SPERMATOZOA
—— after treatment of adolescent acne with topical application of estrogens, 487*
—— counts, and testicular biopsy in eunuchoid male, fertile in 11th year of androgen therapy, 612*
—— counts, in eunuchoid men treated with c. gonadotropin, 768†
—— counts, in study of seminal fructose as index of androgenic activity, 1411*
—— release of, in frog; inhibition by adrenolytic drugs, 752†
—— semen; hormonal activity in, 1403*
—— spermatic ejaculatory response of frog, for pregnancy test; technical problems, 213*
—— spermatogenesis improved after intensive liver regimen, in oligospermia, 790†
—— spermatogenic rebound phenomenon, after administration of testosterone, 235*
TESTS: *see also* Blood; Methods; and under specific substances and diseases
—— for adrenal cortical function: *see* Adrenals; and Blood, cells, eosinophils
—— for pregnancy: *see* Pregnancy, diagnosis
—— for thyroid function: *see also* Thyroid; and Iodine, radioactive
—— insulin tolerance: *see* Insulin
—— modifications in technic of pregnancy test, using male North American frog, 213*
—— one-hour uptake of I^{131} as test for thyroid function, 289*, 1572*
—— pregnanediol precipitation: *see* Pregnanediol
—— radioiodine diagnostic tests for thyroid function; analysis of, 1095*
—— sugar tolerance: *see* Carbohydrate metabolism
—— TSH test in differential diagnosis of myxedema: *see* Thyroid, disorders, hypothyroidism
TESTOSTERONE AND COMPOUNDS: *see* Androgens; Steroids
TETANY: *see* Calcium; Parathyroids; Thyroid

TETRAZOLIUM CHLORIDE; histochemical agent, in study of adrenal cortical function, 770†
THALAMUS: *see* Hypothalamus
THIOBARBITURIC ACID index of cerebral tissue; effect of steroid therapy on, 794†
THIOCYANATE
—— and related compounds, as goitrogens in food, 1361*
—— in study of effect of TSH on iodine metabolism, 761†
—— effect of, on I^{131} in thyroid of goitrous cretin, 740*
—— inhibitory effect on radioiodide binding by thyroid, 1259*
—— space, and muscle electrolytes; effect of GH on, in the rat, 753†
—— thiocyanate myxedema; I^{131} tracer studies in, 1503*
THIOURACIL: *see also* Antithyroid drugs; Iodine; Thyroid
—— and estrogen, in study of role of pituitary in growth changes of cervix, 786†
—— and related antithyroid drugs; incidence of reactions following, 1057*
—— and related compounds, as goitrogens in food, 1361*
—— and TSH; influence on oxygen consumption of guinea pig, 781†
—— compounds; effect on uptake of I^{131} in metastases from cancer of thyroid, 1128*, 1273*, 1323*
—— goiter induced by; failure of parahydroxypropiophenone to inhibit, in rats and chicks, 973*
—— goiter induced by; thyroxine metabolic turnover rate in, after I^{131}, 1512*
—— inhibition of adrenalinic eosinopenia by, in normal and hyperthyroid subjects, 777†
—— iodothiouracil in treatment of hyperthyroidism, 111*, 978*
—— iodothiouracil therapy; interference with serum PBI determination, 1406*
—— iodothiouracil versus other goitrogens plus iodine; effect on structure of thyroid in man, 763†
—— methylthiouracil; late results with, in thyrotoxicosis; hypersensitivity to, 298*
—— methylthiouracil versus iodothiouracil, in treatment of hyperthyroidism, 978*
—— prolonged hormonal imbalance caused by; malignant thyroid tumors occurring after, in the mouse, 1281*
THIOURACIL (cont.)
——, propylthiouracil: and aminothiazole, in treatment of thyrotoxicosis; late results, 597*
—; comparison with I^{131} in therapy of thyrocardiacs, 1296*
—; effect of, during I^{131} therapy of hyperthyroidism, 763†
— in acute thyroiditis; comparison with other forms of treatment, 1106*
— in chronic thyrotoxic myopathy, 1564*
—; inhibitory effect on radioiodide binding by thyroid, 1259*
— -treated rats, used to test antithyrotropic effect of parahydroxypropiophenone, 1215*
—; use of, during pregnancy with hyperthyroidism, 1045*
—, with iodide or iodine; effect on PBI in the rat, 1254*
—— thiocyanate goiter: *see* Thiocyanate
THYMUS
—— effect of parahydroxypropiophenone on, in the rat, 892*, 1215*
—— effect of parenteral injection of semen on, in the rat, 1403*
—— effect of vitamin A and compound L on, in the rat, 747†
—— weight of, in mice; effect of oral and intrasplenic cortisone on, 799†
THYROID: *see also* Antithyroid drugs; Eyes; Iodine; Thiouracil
DISORDERS
—— cervical thyroid, as affected by functioning thyroid tissue in dermoid cyst; studied by I^{131}, 621*
—— goiter, associated with thiocyanate myxedema, 1503*
—— goiter, genesis of; and food, 1361*
—— nontoxic goiter; thyroxine metabolic turnover rate in, after I^{131}, 1512*
—— nontoxic goiter; uptake of I^{131} in, after i.v.administration, 289*
—— thyroid disease; relationship to gonadal imbalance, 759†
—— thyroiditis: acute; I^{131} tracer studies before and after TSH, 1106*
—; classification of; use of needle biopsy, 1123*
—; distribution of tracer dose of I^{131} in, 1116*, 1143*
—, in youth, 1166*
Cancer-Carcinoma
—— Hürthle cell tumors, 1535*
—— in youth; effect of I^{131}, 1166*
——; limitations and indications for I^{131} therapy in, 1128*

THYROID (cont.)
DISORDERS (cont.)
Cancer-Carcinoma (cont.)
—— malignancy; incidence of, in nodular goiter, 1157*
—— malignant thyroid tumors in mouse, following prolonged excessive TSH, induced by thiouracil, 1281*
—— metastatic; distribution of I^{131} in, at autopsy, 843*
—— metastatic; total body radiation dosage during I^{131} therapy of, 782†
—— metastatic; use of thiouracil in the radioiodine treatment of, 1273*
—— study and treatment of 119 cases of I^{131}, 1323*
—— study of, with radioiodine: *see also* Iodine, radioactive
—— thyroid-TSH balance of serum in, 1237*
—— treatment of: *see also* Iodine, radioactive; Roentgen rays
—— tumors, malignant and benign; growth of, when transplanted into anterior chamber of guinea pig's eye, 1481*
Hyperthyroidism (*exophthalmic goiter, Graves' disease, thyrotoxicosis, toxic adenoma*)
—— acne and gynecomastia following I^{131} therapy for, 1574*
—— and pregnancy; use of antithyroid drugs in, 1045*
—— ankle jerk in, 1186*
—— associated: with Addison's disease, 760†
— with Hürthle cell tumor, 1535*
— with polyostotic fibrous dysplasia, 312*
— with thyroiditis; I^{131} uptake and excretion in, 1116*
—— blood TSH and thyroid hormone in, 761†
—— BMR, SMR and PBI in, 1549*
—— chronic thyrotoxic myopathy, 782†, 1564*
—— corticosteroid and 17-KS excretion in, 1383*
—— corticosteroid excretion in, 1224*
—— differential diagnosis of, aided by 1-hour I^{131} uptake test, 1572*
—— effect: of cortisone and ACTH on urinary gonadotropin in, 677*
— of parahydroxypropiophenone in, 1215*
— of TSH on iodine metabolism in, studied by I^{131}, 761†
— of TSH on rate of release of I^{131} from thyroid in, 1079*
—— exophthalmos, malignant; treatment by irrdaiation of pituitary, 512*
—— exophthalmos: *see also* Eyes
—— I^{131}: conversion ratio, in diagnosis of, 91*, 1524*
—; distribution of tracer dose in, 1143*
— therapy in; effects of NaI, propylthiouracil and methyl mercaptoimidazol on, 763†
— therapy in; roentgen dosage of, compared to dosage of x-ray, 492*
— uptake in, after i.v.administration, 289*
—— inhibition of adrenalinic eosinopenia in, by thiouracil, 777†
—— iodothiouracil in treatment of, 111*, 978*
—— iodothiouracil therapy; interference with PBI determination in, 1406*
—— late results with goitrogenic compounds, 597*
—— late results with methylthiouracil, 298*
—— masked; imidazoles in treatment of, 782†
—— menstrual irregularities and diminished fertility in, 1045*
—— methyl mercaptoimidazole therapy in, 1045*, 1057*
—— ovarian function in, 760†
—— persistent and recurrent, 1179*
—after methylthiouracil therapy, 298*
—— postoperative tetany and progressive exophthalmos; refractoriness to antitetanic therapy, 783†
—— radical *vs.* conservative thyroidectomy, in treatment of thyrotoxicosis, 1179*
—— serum lipid partition in, during ACTH therapy, 67*
—— therapy with goitrogenic compounds; relation of duration of remission to duration of treatment, 298*, 597* (*see also* Thiouracil; Antithyroid drugs)
—— *therapy with radioiodine: see* Iodine, radioactive
—— thyrocardiacs; therapy with I^{131}, 1296*

THYROID (cont.)
DISORDERS (cont.)
Hyperthyroidism (cont.)
—— thyroid metabolic rate in, measured by I^{131}, 758†
—— thyroid-stimulating, or thyrotropic hormone (TSH) in: *see also* Pituitary, preparations and compounds
—— thyroid-TSH balance of serum in, 1237*
—— thyrotoxicosis factitia; effect of TSH on I^{131} uptake in, 1106*
—— thyroxine metabolic turnover rate in, after I^{131}, 758†, 1512*
—— toxic nodular goiter; incidence of carcinoma in, 1157*
—— toxic nodular goiter; incidence of, in youth, 1166*
Hypothyroidism (*cretinism, myxedema*)
—— associated with chronic thyroiditis; I^{131} uptake and excretion in, 1116*
—— blood TSH and thyroid hormone in, 761†
—— BMR, SMR and PBI in, 1549*
—— corticosteroid and 17-KS excretion in 1383*
—— corticosteroid excretion in, before and after treatment, 1224*
—— distribution and excretion of radiodiiodotyrosine in, 996*
—— distribution of tracer dose of I^{131} in, 1143*
—— effect of antithyroid drugs: *see* Antithyroid drugs: Thiouracil
—— following radical subtotal thyroidectomy for hyperthyroidism, 1179*
—— following therapy with I^{131}, 1296*, 1323*
—— following therapy with mercaptoimidazole, 1057*
—— goitrous cretin; I^{131} accumulation and effect of KSCN in, 740*
—— hypometabolic state; a clinical entity, 779†
—— I^{131} conversion ratio, in diagnosis of, 91*, 1524*
—— I^{131} therapy in; roentgen dosage of, compared to dosage of x-ray, 492*
—— I^{131} uptake in, after i.v. administration, 289*
—— myxedema: ankle jerk in, 1186*
—; calculation of I^{131} metabolism in, 1095*
—; iodine vapor stained vaginal smear in, 434*

THYROID (cont.)
DISORDERS (cont.)
Hypothyroidism (cont.)
—; neutral steroid excretion in, 61*
—, spontaneous, associated with struma lymphomatosa, 1123*
—— ovarian function in, 760†
—— therapy with thyroid compounds: *see* Thyroid, preparations and compounds
—— thiocyanate myxedema; I^{131} tracer studies in, 1503*
—— thyroid-TSH balance of serum in, 1237*
—— thyroxine metabolic turnover rate in, after I^{131}, 758†, 1512*
—— use of TSH and I^{131} in diagnosis of, 781†, 1495*
—— with acromegaly, hypogonadism and adrenal insufficiency, 872*
PHYSIOLOGY AND PATHOLOGY
—— cell height, in bioassay of thyroid-TSH balance in blood, using stasis tadpole, 1237*
—— clinicopathologic studies: *see* Thyroid, disorders
—— delineation of thyroid, obtained by scintillation counter, after I^{131} tracer, 492*
—— distribution of I^{131} in, at necropsy in man, 843*
—— effect of heat, alkaline hydrolysis, and thiouracil on capacity of thyroid homogenate to bind iodide, 1259*
—— function; analysis of techniques for determination of, with I^{131}, 1095*
—— function; studies of: *see also* Iodine, radioactive; Pituitary, preparations, TSH; Thiouracil
—— gland hydrolysates, in I^{131}-treated rats; column chromatography of, 1063*
—— hormone: *see also* Thyroid, preparations and compounds
—— hyperplasia *vs.* hyperfunction, as studied by I^{131}, 758†
—— iodine content and mean acinar cell height, in thyroids removed at operation, after preparation with iodothiouracil, 978*
—— intra- and extrathyroidal metabolism of I^{131} in the rat; effect of hypophysectomy on, 762†
—— mechanism of radioiodide accumulation by, 1259*
—— normal gland; inhibition of, by functioning struma ovarii; effect of

THYROID (cont.)
PHYSIOLOGY AND PATHOLOGY (cont.)
removal of tumor, 621*, 762†
—— normal gland; PBI content of, 621*
—— parahydroxypropiophenone; effect of, on thyroid function in animals, 973*, 1215*
—— radioautography in the study of: *see* Iodine, radioactive
—— structure: of goiter removed from cretin, 740*
— of metastatic thyroid tumors in the mouse, following prolonged hormonal imbalance, 1281*
— of thyroid cancer and metastases treated with I^{131}; effect of total thyroidectomy, 1323*
— of thyroid gland prepared for surgery with iodothiouracil, *vs.* other goitrogens plus iodine, 763†
—— suppression of thyroid function by massive cortisone therapy, 760†
—— thyroid-TSH balance in blood of normal and of endocrine subjects, 1237*
—— *thyrotropic hormone* (thyroid-stimulating hormone, TSH): *see also* Pituitary, preparations and compounds
—— thyroidectomy: total, and thiouracil, in treatment of metastatic cancer of thyroid, 1273*
—, total; results in thyroid cancer, 1273*, 1323*
—, total; effect on uptake of I^{131} in thyroid cancer metastases, 1128*
—, radical *vs.* conservative, in treatment of thyrotoxicosis, 1179*
—— uptake of I^{131}: and excretion in thyroid disease, 1106*, 1116*, 1296*, 1143*
—; augmentation of, in treatment of 119 cases of thyroid cancer, 1323*
— by blocked and unblocked gland, in hyperthyroidism, 1079*
— by thyroid: *see also* Iodine, radioactive
— by thyroids and tumors of host mice, following prolonged hormonal imbalance, 1281*
—; comparison of methods for determination of, 1012*
— one hour after small oral dose, 1572*
PREPARATIONS AND COMPOUNDS
—— desiccated thyroid: and iodine, in treatment of malignant exophthalmos, 512*

THYROID (cont.)
PREPARATIONS AND COMPOUNDS (cont.)
desiccated thyroid (cont.)
—; effect on thyroid-TSH balance of serum, 1237*
—; effect on TSH test, in pituitary myxedema, 1495*
— in treatment of various hypometabolic states, 779†, 1123*, 1179*
—— diiodotyrosine: *see* Diiodotyrosine
—— hormone: and TSH in serum, in endocrine disease, 761†
—; effect of TSH on release of, 1079*
—; model for release of, 1095*
—; steps in secretion, 757†
—; studies of, with radioiodine: *see also* Iodine, radioactive
—; uptake of I^{131} in thyroiditis, as measure of secretion of, 1116*
—— labelled thyroxine and other components of thyroid gland hydrolysates, determined by column chromatography, 1063*
—— substance, in the treatment of pituitary infantilism, 221*
—— thyrotoxicosis factitia; effect of TSH on I^{131} uptake in, 1106*
—— thyroxine; ability of malignant thyroid tumors induced in mice, to transform iodide to, 1281*
—; effect on goitrogenicity of certain foodstuffs, 1361*
—; effect on nerve function in the rat, 754†
—; effect on renal concentrating ability in diabetes insipidus, 755†
— fractions in serum and urine, in study of metabolism of radiodiiodotyrosine in man, 758†, 996*
— in blood, following large dose of I^{131}, 759†
—; inhibition of thyroid function by; effect of TSH in, studies by I^{131}, 762†
— metabolic turnover rate (TMR), under I^{131} therapy, 1512*
— thyroxine-radioiodine of plasma, in study of conversion ratio, 1524*
—— TSH (thyroid-stimulating hormone): *see* Pituitary preparations, TSH
THYROIDITIS: *see* Thyroid, disorders
THYROID-STIMULATING HORMONE (TSH): *see* Pituitary preparations, TSH
THYROTOXICOSIS: *see* Thyroid, disorders, hyperthyroidism

THYROTROPIC HORMONE (TSH): *see* Pituitary preparations, thyrotropic hormone
THYROXINE: *see* Thyroid, preparations and compounds
TISSUES: *see also* under various organs
—— at necropsy or at operation, in man; distribution of I^{131} in, 843*
—— biopsies, various: *see* Biopsy
—— connective; reaction of, to estrogen in guinea pig; effect of ascorbic acid on, 784†
—— distribution of I^{131} in: *see also* Iodine, radioactive
—— phagocytosis; hormonal regulation of, 751†
—— slices, various; inactivation of cortisone by, 771†
—— various, of rat; incubation of DCA and other adrenal cortical compounds with, 772†
TOXIC ADENOMA: TOXIC GOITER: *see* Thyroid, disorders, hyperthyroidism
TOXICITY: *see also* Allergy; and under various drugs
—— during use of thiouracil, in I^{131} therapy of metastatic thyroid cancer, 1273*
—— hypersensitiveness to methylthiouracil, 298*
—— of ACTH, in treatment of chronic liver disease, 152*
—— of antithyroid drugs, 1057*
—— of urine; modification of technic to overcome, in frog test for pregnancy, 213*
—— side effects of irradiation of pituitary, for treatment of malignant exophthalmos, 512*
—— test of, for methylandrostenediol, 641*
—— toxic symptoms from ACTH in rheumatoid arthritis; effect of diets on, 1030*
—— WBC, in study of effect of iodothiouracil, 978*
—— well-tolerated preparation of ACTH, 800†
TRANSPLANTATION
—— intraocular, homologous, of pituitary; in study of ACTH release in hypophysectomized rat, 751†
—— of pituitary gland, in treatment of pituitary infantilism, 221*
—— of uterine cervical tissue into spleen, 786†
—— serial, of thyroid tissue, in the mouse; in study of malignancy following prolonged hormonal imbalance, 1281*
—— transplants of thyroidal tumors into
TRANSPLANTATION (cont.)
ant. chamber of guinea pig's eye; histologic changes and growth of, 1481*
TRAUMA: *see* Infections; Stress; and under various diseases
TRICHINOSIS: hypoglycemic and eosinopenic response to insulin in, 277*
TSH: *see* Pituitary preparations, TSH
TUBERCULOSIS
—— adenitis, peritonitis, Boeck's sarcoid; hypoglycemic and eosinopenic response to insulin in, 277*
—— lupus erythematosus: *see* Lupus
TUMORS: *see also* Cancer; and under organ or form of treatment involved
—— adrenal: *see* Adrenals, disorders; and Cushing's syndrome
—— Boeck's sarcoid; hypoglycemic and eosinopenic response to insulin in, 277*
—— chromaffin cell: *see* Adrenals, disorders, tumors
—— chromophobe adenoma: *see* Pituitary disorders
—— function studies by radioiodine: *see* Iodine, radioactive
—— goiter: *see* Thyroid, disorders
—— histopathology of: *see* Iodine, radioactive; and under various endocrine disorders
—— human thyroidal, malignant and benign: growth and histologic changes of, when transplanted into ant. chamber of guinea pig's eye, 1481*
—— Hürthle cell, of thyroid, 1535*
—— Leydig-cell tumor of ovary, with virilism; autopsy, 878* (*see also* Testis)
—— struma ovarii; inhibitory effect on normal thyroid gland, 621*
—— virilizing: *see* Adrenals; Cushing's syndrome; Hermaphrodism; Ovary; Puberty, precocious; Testis; Virilism
THERAPY
—— with hormones: *see* Androgens; Estrogens; Progesterone; and under various glandular preparations
—— with radioactive iodine: *see* Iodine, radioactive
—— with roentgen rays: *see* Roentgen rays
—— with surgery: *see* under various glandular disorders
TURNER'S SYNDROME: *see* Syndrome

URIC ACID: *see also* Creatinine; Gout; Nitrogen; Protein
—— excretion; effect of adrenalin on, in normal humans, in Addison's disease, and in rheumatoid arthritis, 46*
—— excretion; effect of ACTH on, in dia-

URIC ACID (cont.)
betes mellitus with myelogenous leukemia, 455*
—— metabolism, in periarteritis nodosa treated with ACTH, 375*
—— uric acid/creatinine ratio in chronic liver disease; effect of ACTH on, 152*
—— urinary; effect of ACTH and KCl on, in Cushing's syndrome with acromegaly, 913*
URINARY BLADDER: *see* Urine
URINE: *see also* Kidney
—— chemistry of: *see* Methods; tests; and Urine, constituents
—— effects of administration of various substances on, in health and disease: *see* specific substance used
—— in disease: *see* specific disease
—— in pregnancy: *see* Pregnancy, diagnosis (tests)
—— renal function: *see* Kidney
—— urinary bladder; inflammatory reaction in, following I^{131} therapy of thyroid cancer with metastases in pelvis, 1323*
CONSTITUENTS
—— adrenal compounds: *see* Adrenals; Addison's disease; Cushing's syndrome; Steroids
—— androgens: *see* Androgens; Steroids
—— calcium: *see* Calcium; Electrolytes; Parathyroids
—— changes in, following acute stress, 776†
—— chloride: *see* Chloride; Electrolytes; Sodium; Addison's disease
—— chorionic gonadotropin: *see* Gonadotropins; Pregnancy
—— corticosteroids (corticoids): *see* Adrenals; Addison's disease; Cushing's syndrome; Steroids
—— creatinine: *see* Creatinine; Nitrogen; Uric Acid
—— diiodotyrosine, thyroxine and iodide fractions, in study of radiodiiodotyrosine, 758†
—— diuresis; failure of, in hypocortical states, 700*
—— diuresis: *see also* Water; Pituitary, disorders, and preparations
—— electrolytes: *see* Electrolytes
—— estrogens (estroids, estrone, etc.): *see* Estrogens; Steroids
—— FSH: *see* Gonadotropins
—— gonadotropins: *see* Gonadotropins; Pregnancy
—— iodine compounds: *see* Iodine
—— 17-ketosteroids: *see* Steroids, 17-ketosteroids

URINE (cont.)
CONSTITUENTS (cont.)
—— methods for determination of: *see* Methods; Tests
—— nitrogen: *see* Creatinine; Nitrogen; Protein; Uric acid
—— of pregnant mare; nonestrogenic, estrogen-augmenting, uterine-stimulating substance, 764†
—— pituitary hormones, other than gonadotropins: *see* Pituitary, preparations
—— potassium: *see* Potassium; Electrolytes
—— pregnanediol: *see* Pregnanediol; Pregnancy; Progesterone
—— protein: *see* Nitrogen; Protein
—— radioactive compounds: *see* Radioactive
—— radioactive iodine: *see* Iodine, radioactive
—— sodium: *see* Sodium; Chloride; Electrolytes; Addison's disease
—— steroids: *see* Steroids
—— sugar: *see* Carbohydrate metabolism; Diabetes mellitus; Insulin; Adrenals
—— uric acid: *see* Uric acid; Nitrogen
UTERUS: *see also* Breast; Climacteric; Estrogens; Menstruation; Ovary; Pregnancy; Vagina
—— abortion: *see* Pregnancy
—— cervical cancer; effect of testosterone on pituitary-adrenal mechanism in, 173*
—— cervix; role of pituitary and steroid hormones in growth changes of, 786†
—— chorionepithelioma; urinary gonadotropins in, 213*
—— decidual changes; induction and maintenance of, with progesterone and estrogen, 134*
—— effect of parenteral injection of semen on, in the rat, 1403*
—— endometrium: *see also* Menstruation
— biopsy of: *see* Biopsy
— cystic hyperplasia of, induced in hamster by estradiol; effect of progesterone on, 785†
— decidual changes in, following luteotropic doses of c. gonadotropin, 936*
— secretory and decidual changes of, induced by estrogen and progesterone, in oophorectomized women, 267*
—— fibromyoma; relationship to thyroid disease, 759†
—— I^{131} in, at necropsy, 843*
—— Influence of parturition and of leio-

UTERUS (cont.)
myoma, on urinary prolactin, 465*
—— labor: *see* Pregnancy
—— menorrhagia; effect of i.v. estrogen on, 821*
—— menstruation: *see* Menstruation; Climacteric
—— myoma; pregnanediol values in, 251*
—— placenta and endometrium; concentration of c. gonadotropin in, in various stages of pregnancy, 360*
—— placenta; c. gonadotropin in blood and urine, following delivery of, 805*
—— placenta; chorionic gonadotropin in: *see* Gonadotropins
—— pregnancy: *see* Fetus; Pregnancy
—— pregnant; removal of; resumption of hypophyseal function following, 360*
—— uterine bleeding; treatment with i.v. estrogen, 767†
—— uterine weight in the rat; effect of parahydroxypropiophenone on, 892*, 973*, 1215*
—— uterine-stimulating, nonestrogenic, estrogen-augmenting substance in urine of pregnant mare, 764†

VAGINA: *see also* Climacteric; Estrogens; Menstruation; Ovary; Pregnancy; Progesterone; Uterus
SMEAR (VAGINAL FLUID)
—— effect of parahydroxypropiophenone on, in the rat, 892*
—— cornification of epithelium *vs.* uterine enlargement, in the rat, in assay of c. gonadotropin, 360*
—— glycogen-estrogen relationship in, 103*
—— in girl with adrenogenitalism, 857*
—— in study of control of surgical menopause, by implantation of estradiol at operation, 788†
—— in study of effect of i.v. estrogen on uterine bleeding, 821*
—— in the aged woman, 945*
—— iodine vapor stained, for glycogen; its use in office practice, as an index of estrogenic activity, 434*
—— serial; in study of effect of diethylstilbestrol-methyltestosterone mixture, in climacteric, 788†
—— used in testing estrogenic activity of parahydroxypropiophenone in rats, 1215*
—— vaginal fluid; β-glucuronidase activity of, during menstrual cycle and estrogen therapy, 1425*
VAN METER PRIZE AWARD: *see* American Goiter Association

VASCULAR SYSTEM: *see also* Blood; Heart
—— blood pressure: *see also* specific disease, e.g., Addison's, Cushing's
—— blood-vessel invasion as a sign of thyroid malignancy, 1166*, 1535*
—— calcification of, studied by roentgen ray, in the aged, 945*
—— heart: *see* Heart
—— menstruation: *see* Menstruation
—— periarteritis nodosa; prolonged treatment of, with ACTH; effective dose, as measured by metabolic balances, 375*
—— peripheral vascular bed; effect of cortisone and ACTH on, 795†
HYPERTENSION
—— associated with estrogen-producing tumor of adrenal, 798†
—— effect of slowly progressive adrenal insufficiency on pre-existing hypertension, 322*
—— essential; ankle jerk in, 1186*
—; corticosteroid excretion in, 1224*
—, in association with diabetes mellitus and pituitary necrosis; effect of pneumonia on, 537*
—; kidney function in, studied by mannitol clearance, 1454*
—— experimental, and in acromegaly; effect of parahydroxypropiophenone on, 1215*
—— experimental, in rats; changes in structure of adrenal cortex following, 193*
—— hypertensive vascular disease; endocrine studies following bilateral adrenalectomy in, 774†
—— in congenital adrenal hyperplasia; effect of cortisone on, 1*
—— in uninephrectomized rats treated with various steroids, 794†
—— in woman with Cushing's syndrome and acromegaly, 913*
—— (including paroxysmal); neutral steroid excretion in, 61*
—— simulating malignant; cured by surgical removal of chromaffin cell tumor; B.P. before and after operation, 630*
—— thyrocardiacs, treated with I^{131}, 1296*
—— urinary 17-KS and adrenal corticosteroids in, 1383*
VIRILISM: *see also* Adrenals, disorders; Cushing's syndrome; Hair; Hermaphrodism; Ovary
—— adrenal cortical; corticosteroid excretion in, 1224*

VIRILISM (cont.)
—— associated with adrenal cortical carcinoma; 17-KS and estrogen excretion in, 798†
—— in adrenogenital syndrome; menarche and pregnancy after removal of tumor, 330*
—— in congenital adrenal hyperplasia; metabolic and therapeutic effects of cortisone, 1*
—— in female pseudohermaphrodism; treatment with hormones, 477,* 756†
—— mild, or absent, in women treated with methylandrostenediol, 209*, 641*
—— neutral steroid and pregnanolone excretion in, 61*
—— slight, following methyltestosterone therapy, in pituitary infantilism, 221*
—— urinary 17-KS and adrenal corticosteroids in, 1383*
—— urinary 17-KS in, determined by new micro-chromatographic method, 578*
—— with Leydig cell tumor of ovary; autopsy, 878*

VITAMINS
—— A, and compound L; effect of, on thyroid, adrenal and lymphoid tissue of the rat, 747†
—— B^{12}; effect on liver fat, following partial hepatectomy, in the rat, 779†
—— C; ascorbic acid and ACTH, in treatment of bronchial asthma, 395*
—; ascorbic acid and cholesterol of adrenals in the rat; effect of alcohol on, 792†
—; ascorbic acid content of adrenals: *see also* Adrenals, physiology
—; ascorbic acid; effect on connective tissue reaction induced by estrogen, in guinea pigs, 784†
—; ascorbic acid of adrenals, in study of fetal and maternal interrelationships, 792†
—; ascorbic acid; relationship to adrenal cortical function, in guinea pigs, 791†
— derivative (dehydroascorbic acid), in production of experimental diabetes, 775†
— in blood; effect of adrenalin on, in normal humans, in Addison's disease, and in rheumatoid arthritis, 46*
— in weight-reducing diet, 780†
— scorbutic guinea pigs; excretion of formaldehydogenic substances in, 791†

VITAMINS (cont.)
—— E; alpha-tocopherol therapy in eunuchoid male, fertile in 11th year of androgen therapy, 612*

WATER
—— antidiuretic action of pitressin in various forms, 963*
—— antidiuretic activity of serum during normal and toxemic pregnancy, 786†
—— antidiuretic assays in diabetes insipidus with adrenal cortical insufficiency, 749†
—— ascites of chronic liver disease; effect of ACTH on, 152*
—— balance and water content of muscle, in Cushing's syndrome with acromegaly, 913*
—— balance; effect of i.v. testosterone on, 833*
—— body water; effect of adrenocortical hormones (including cortisone) on distribution and kinetics of, 794†
—— diuresis; effects of various steroids on, in the rat, 794†
—— diuresis; failure of, in Addison's disease, 1454*
—— edema associated with immediate postoperative therapy, following removal of chromaffin cell tumor; treatment, 630*
—— excretion, in man; hormonal aspects of, 755†
—— retention; mechanism of, in Addison's disease and hypopituitarism, 700*
—— water test, in hypocortical states; effect of compound E (cortisone) on, 700*
—— water test (Robinson-Power-Kepler) in Addison's disease: *see* Addison's disease

WEIGHT (BODY): *see also* Growth; Nutrition; Obesity; and under various endocrinopathies
—— effect of ACTH on, in periarteritis nodosa, 375*
—— effect of c. gonadotropin on, in hypogonadal boys, 343*
—— increase in, after treatment of malignant exophthalmos by irradiation of the pituitary, 512*
—— reduction; place of anorexic agents in, 780†

X-RAYS: *see* Roentgen rays